Museums Z 7991 . 287

v.97

THE ZOOLOGICAL RECORD

VOLUME 97 SECTION 2 1960

THE UNIVERSITY OF MICHIGAN MAR 26 1965 MUSEUMS LIBRARY

PROTOZOA

COMPILED BY

R. A. NEAL, Ph.D., D.Sc. R. S. J. HAWES, Ph.D., B.Sc. R. H. CUMMINGS, Ph.D., B.Sc. R. W. L. OLDROYD, B.Sc.

and
Staff of the Robertson Research Laboratories

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE THIRTEEN SHILLINGS
1963

It will greatly help in the production of The Zoological Record and assist the Recorders of the individual sections, if authors will forward a copy of their paper or memoir to the Editor of the Zoological Record, The Zoological Society of London, Regent's Park, London, N.W.1. In the case of separately printed copies of articles so forwarded, the original pagination should be given.

All business correspondence concerning the Record should be addressed to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

THE MUSEUMS JOURNAL

Published by the Museums Association 22 Fitzroy Street, Fitzroy Square, London, W.1.

This journal, which is published monthly, contains articles, reviews and technical notes on every Museum aspect of zoology and other sciences. It is the only English journal which deals with the installation and preservation of exhibits, and which reviews Museum work in all parts of the world.

It is published monthly price 4s., by the Association and can be obtained from the above address. It is distributed free to all members of the Museums Association (Subscription £3 3s. 0d. per annum), of which full particulars are obtainable from the Secretary at the above address.

PROTOZOA

COMPILED BY

R. A. NEAL, Ph.D., D.S.
R. S. J. HAWES, Ph.D., B.Sc.
R. H. CUMMINGS, Ph.D., B.Sc.
R. W. L. OLDROYD, B.S.
and
Staff of the Robertson Research Laboratories

© Zoological Society of London, 1963.

t's ed,

ific

eals arts

ove 0d.

2. PROTOZOA

COMPILED BY

R. A. NEAL, Ph.D., D.Sc. R. S. J. HAWES, Ph.D., B.Sc. R. H. CUMMINGS, Ph.D., B.Sc. R. W. L. OLDROYD, B.Sc.

Staff of the Robertson Research Laboratories

CONTENTS

								PAG
I. TITLES	•••	•••	•••	•••	***	•••	•••	5
II. Subject Index			•••	***	***	•••	77	
General	•••	•••	•••	•••	***	•••	•••	77
Structure	***	•••	•••	•••	***	•••	•••	78
Cytology	•••	•••	•••	•••	•••	•••	•••	80
Physiology	and	Biocher	nistry	•••	***	***	•••	81
Developme	ent	•••	•••	•••	•••	•••	•••	85
Evolution,	Gene	tics and	l Varia	ation	***	•••	•••	86
Ecology	***	•••	•••	***	•••		•••	86
Economics		•••	•••	•••	•••	•••	•••	94
Geographical Distribution					***	***	•••	99
Geological	Distri	ibution	•••	***	***	***	***	100
III. SYSTEMATIC	INDE	x	•••	•••	•••	•••	***	105
1. Rhizopo	oda	***		***	***	***	***	105
2. Mastigo	phora			***				119
3. Sporozo	a		•••	***	•••	***	***	124
4. Ciliopho	ora	•••	•••					125

[196

Par medic etc.) s Tropi

Thi Protos earlie

The the sa

And Wars: Aas triazo

And Eugle 39, 13

Aan the in protis

Aaı (sialic

and produ

Ab

chem metal 445–4

Ab leiche Klein Szege Ab TSR

foran Vilni Ab impor

Ab diasis Nauk

Ad shale Sarav 73–8

FOREWORD

Papers dealing with Protozoa entirely from a medical or veterinary standpoint (clinical, therapeutic, etc.) are omitted, but notices of these will be found in Tropical Diseases Bulletin and Veterinary Bulletin.

This list includes literature dealing with fossil Protozoa which has been unavoidably delayed in earlier volumes.

The year of publication has been omitted where it is the same as the volume year of the "Record" (1960).

I.—TITLES

Anon. Prof. Dr. Juliusz Zweibaum. Folia morph., Warszawa 10 1959: 385-389, 1 fig.

Aaronson, S. (1). Mode of action of 3-amino-1, 2, 4—triazole on photosynthetic micro organisms. J. Protozool. 7: 289-294, figs.

Aaronson, S. (2). β-Methoxythreonine, a new Euglena bleaching agent. J. Protozool. 7 (Suppl.), 39, 13. [Abstract.]

Aaronson, S. & Bensky, B. Effects on sterols on the inhibition by 3-aminotriazole of photosynthetic protists. J. Protozool. 7 (Suppl.), 40a, 13. [Abstract.]

Aaronson, S. & Lessie, T. Nonulosaminio acid (sialic acid) in protists. Nature, Lond. 186: 719.

Aaronson, S. & Scher, S. Effect of aminotriazole and streptomycin on multiplication and pigment production of photosynthetic microorganisms. J. Protozol. 7: 156-158.

Aaronson, S. see Frank, O.

Abou Akkada, A. R. & Howard, B. H. The biochemistry of rumen Protozoa. 3. The carbohydrate metabolism of Entodinium. Biochem. J. 76: 445-451, figs.

Ábrahám, A., Biczók, F. & Megyeri, J. Vergleichende faunistische Untersuchungen in den Kleingewässern des Bükk-Gebirges. Acta biol. Szeged N.S. 5 1959: 201–214.

Abramaviciute, S. Keletas duomenų apie Lietuvos TSR viršutines kreidos stratigrafija, remiantis foraminifera faunos tyrimais. Darb. biol. Inst. Vilnius (B) 3 1957: 97–107.

Abrard, R. & Gorodiski, A. Présence d'une importante séri miocène a'Ziguinchor (Sénégal). C.R. Acad. Sci. Paris 248 24 1959 : 3458-3459.

Abusalimov, N. S. Epizootology of haemosporidiasis of domestic animals in Azerbaidjan. Izv. Akad. Nauk. Azerbaid. S.S.R. biol. 3: 105–113. [Russian summary.]

Adams, C. G. (1). For aminifer a from limestone on shale in the Batu Gading area, Middle Baram, East Sarawak. Ann. Rept. Geol. Surv. Borneo 1958 1959: 73-85, figs.

Adams, C. G. (2). Geological distribution of Discospirina (Foraminifera) and occurrence of D. italica in the miocene of Cyprus. Palaeontology 1 4 1959: 364-368, fig.

Adams, I. see Parke, M.

Addison, M. A. see Elliott, A. M.

Adler, S. see Kott, H.

Agapova, A. I. & Maksimova, A. P. [Parasites of fishes from rivers of southern Kazakhstan.] Trudy Inst. Zool. Akad. Nauk Kazakh, SSR 14: 71. [In Russian.]

Akazi, S. Pseudoschwagerina miharanoensis, a new Permian Fusulinid, and its growth and form. Sci. Rep. Tokyo Kyoiku Daig. 6C 53 1958: 147–156, figs.

Akhmerov, A. K. & Martyanova, I. P. On the method of identifying the species of the genus Chloromyxum Minfazzini, 1890. Zool. Zh. 37 1958: 619-621. [Russian: English summary.]

Akker, S van den, Bool, P. H. & Spitseshuis, W. C. Toxoplasmosis bij een hond. Tijdschr. Diergeneesk. 84 1959: 767–773.

Akker, S. van den & Goedbloed, E. Pneumonia caused by *Pneumocystis carinii* in a dog. Trop. geogr. Med. 12: 54-58, figs.

Alamelu, M. G. see Mookerjee, S.

Alarcón, C. J. see Convit. J.

Alberti, A. Osservazioni sulla zona di transizione dalla facies Umbro-Marchigiana alla facies abruzzese nei monti Tiburtini, Prenestini e Lepini (Lazio). Boll. Serv. Geol. Ital. [1952] 74 1953 : 181–190.

Alberti, G. (1). Über "Pseudodeflandrea n. gen. (Dinoflag.) aus dem Mittel-Oligozän von Norddentschland. Mitt. geol. (St.) Inst. Hamb. 28 1959: 91–92, fig.

Alberti, G. (2). Zur Kenntnis der Gattung Deflandrea Eisenack (Dinoflag.) in der Kreide und im Alttertiär Nord- und Mitteldeutschlands. Mitt. geol. (8t.) Inst. Hamb. 28 1959: 93–105, figs.

Al-Dabagh, M. A. The effects of splenectomy on Plasmodium juxtanucleare infections in chicks. Trans. roy. Soc. trop. Med. Hyg. 54: 400-405.

Aldighieri, J., Aldighieri, R., & Rampal, C. & Rampal, C. Les effets brusques de la compression et de la dépression peuvent-ils influer sur l'évolution des infections a *Plasmodium berghei* chez le souris blanche. Bull. Soc. Path. exot. 53: 279-293, figs.

Aldighieri, J. see Payan, H.

Aldighieri, R. see Aldighieri, J.

Aldighieri, R. see Payan, H.

Aleksandrov, V. Y. & Poljansky, G. I. [Some problems of contemporary cytology.] Problems of Cytology and gen. Physiol. (Moscow-Leningrad), p. 21–31. [In Russian.]

Alencar, J. E., Pessoa, E. de P. & Fontenele, Z. F. Infecçao natural de Rattus rattus alexandrinus por Leishmania (provàvelmente L. braziliensis) em zona endêmica de leishmaniose tegumentar do estado do Ceara, Brasil. Rev. Inst. Med. trop. São Paulo 2: 347-348. [English summary.]

Alexandrowicz, S. (1). Globotruncana assemblages in the Turonian of the Cracow region. Acta geol. polon. 6 1956: 41-63, figs. [In Polish.]

Alexandrowicz, S. (2). L'âge des marnes cretacèes de Puszcza Bukowa prés de Szczecin. Ann. Soc. géol. Pologne 26 2 1957 : 91–105, figs.

Alexandrowicz, S. (3). Zarys stratygrafii mikrofaunistycznej miocenu ślasko-krakowskiego. Kwartalnik Geol. 2 1 1958: 54–81, 77. [English summary.]

Alexandrowicz, S. (4). Transgressive Miocene deposits in the Makoszowy mine and their stratigraphic position. Acta geol. polon. 8 1 1958: 149–178, figs.

Alexandrowics, S. (5). Les sédiments du Crétacé superieur à Nowa Cerekwia prés de Glubczyce. Ann. Soc. géol. Pologne 29 2 1959 : 165–179, figs.

Alexandrowicz, S. & Parachoniak, W. Miocene Tuffites in the vicinity of Pinczow on the Nuda River. Acta geol. polon. 6 1956: 301–325, figs. [In Polish with Russian and English summary.]

Alfert, M. & Nirmal, K. Autoradiographic studies of RNA metabolism in Tetrahymena pyriformis Anat. Rec. 134 1959: 523-524.

Algire, G. H. see Huff, C. G.

Allen, D., Edington, G. M. & Schnieden, H. Iron in experimental malaria: relation to the histological picture. Ann. trop. Med. Parasit. 54: 272-274.

Allen, R. D. (1). The examination of streaming cytoplasm in ameboid cells with polarized light Anat. Rec. 132 1958: 403. [Abstract.]

Allen, R. D. (2). The consistency of ameba cytoplasm and its bearing on the mechanism of ameboid movement. II. The effects of centrifugal acceleration observed in the centrifuge microscope. J. biophys. biochem. Cytol. 8: 379–397, figs.

Allen, R. D., Cooledge, J. W. & Hall, P. J. Streaming in cytoplasm dissociated from the giant amoeba, Chaos chaos. Nature, Lond. 187: 896–899, figs.

Allen, R. D. & Roslansky, J. D. An anterior-posterior gradient of refractive index in the Ameba and its significance in ameboid movement. J. biophys. & biochem. Cytol. 4 1958: 517-524, 1 pl.

Allen, S. L. (1). Strain differences in the esterases of *Tetrahymena* Anat. Rec. **134** (1959): 524-525. [Abstract.]

Allen, S. L. (2). Abnormal segregation at the mating type locus in variety 1 of Tetrahymena pyriformis. J. Protozool. 7 (Suppl.), 50: 15. [Abstract.]

Allen, S. L. (3). Inherited variations in the esterases of *Tetrahymena*. Genetics **45**: 972 and 1051-1070, figs.

Allen, S. L. & Nanney, D. L. An analysis of nuclear differentiation in the selfers of *Tetrahymena*. Amer. Nat. 92 1958: 139–160, figs.

Almirante, L., Carneri, I. de., Coppi, G. & Logemann, W. New amebicides: unsaturated amides related to chlorophenoxamide. Antibiol. Chemoth. 10: 667-670.

Almirante, L. see Carneri, I. de.

Altieri, M. see Mura, D.

Alvarez, A. see Scorza, J. V.

Ameel, D. J. see Cort, W. W.

Amrein, Y. U. & Wiens, C. D. Attempts at interspecies genetic in trypanosomes. J. Parasit. 46 (Suppl.), 43.

Amsterdam, D. see Frank, O.

Anciaux de Faveaux, F. see Krampitz, H. E.

Andersen, F. L. see Hammond, D. M.

Anderson, E. & Beams, H. W. (1). The fine structure of the heliozoan, Actinosphaerium nucleofilum. J. Protozool. 7: 190-199, figs.

Anderson, E. & Beams, H. W. (2). Studies on the fine structure of *Tritrichomonas* with special reference to blepharoplast complex. J. Protozool. 7 (Suppl.), 50: 11-12.

Anderson, E. see Beams, H. W.

Andersen, H. V. Foraminiferal faunules, from the Mudlumps. Trans. Gulf Coast Assoc. geol. Socs. 7 1957; 152.

Andrand, G. see Cuvelier, R.

Angelis, C. M. de & Valle, R. D. Il ciclo stagionale del plancton in rapporto alle condizioni fisicochimiche del Mar piccolo e del Mar Grande di Taranto I. Nota preliminare Boll. Pesca Piscic. Idrobiol. N.S. 14 1959 [1960]: 21-43, 7 figs.

Angelillo, B. & Mandras, A. La reazione de emoagglutinazione nella diagnosi di toxoplazmosi. Parassitologia 2: 1-2.

Anichini, C. Risultati delle ricerche planctonelogiche effettuate nella stazione fissa di Cagliari. Boll. Pesca Piscic. Idrobiol. N.S. 14 1959 [1960]: 59-94, figs.

Ansary, S. E. & Fakhr, B. Y. Maestrichtian foraminifera from Um El Huetat area, west of Safaga. Egyptian J. geol. 2 2 1958: 105-145, figs.

App and p Akad.

[19

App Balan Nauk

Apr stereo 74 : 4

Depai Bol. c

Ara

Arn

Arc resiste village

> small 1952 :

Aro Infest et Po physetestos

Arta coloriz J. Pal Asal

Asa seas o 1930. Univ.

Asa: seas o: 1930. ser. 2,

1930. Tôhok Asar seas of

1930. Univ.

from J 43–75, Ansel, M. & Thibault, M. Phytothérapie d'une vaginite a Trichomonas avec l'Aristolocha clematitis. Bull. Soc. Path. exot. 53: 39-40.

Appasov, R. N. (1). [Intestinal parasites of man and pigs in Alma-Ata province.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR 12: 87-90. [In Russian.]

Appasov, R. N. (2). [On the cultivation of Balantidium from pigs.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR 14: 118. [In Russian.]

Aprile, G. Supporto oscillante per microfotografie stereoscopiche. Boll. Serv. Geol. Ital. 1952, 1953 74: 415-417.

Apt, W., Diaz, O. & Ramos, C. Algunos indices epidemiologicos sobre Enfermedad de Chagas en el Departamento de Elqui (Provincia de Coquimbo). Bol. chil. Parasit. 15: 23–28. [English summary.]

Araki, T. see Iwata, S.

Archibald, H. M. The appearance of P. falciparum resistant to pyrimethamine in a northern Nigerian village. W. Afr. med. J. N.S. 9: 21-25.

Arnal, R. E. see Skalnick, H.

Arnold, Z. M. A rapid method of concentrating small organisms for sectioning. Stain Technology 27 1952: 199-200.

Aron, E., Combescot, C., Demaret, J. & Delcroix, C. Infestation expérimentale par Trichomonas vaginalis, et Paracercobodo hominis chez la Ratte hypophysectomisée. Action de la progesterone et de la testosterone. C.R. Soc. biol. Paris 153: 1439-1441.

Artusy, J. C. see Artusy, R. L.

Artusy, R. L. & Artusy, J. C. The use of food coloring as a new technique for staining microfossils. J. Paleontology 30 1956: 969-970.

Asakura, S. see Ritchie, L. S.

Asama, K. see Onuki, Y.

ie.

ri.

)]:

of

Asano, K. (1). The Foraminifera from the adjacent seas of Japan collected by the S.S. Soyo-Maru 1922–1930. Part I. Nodasariidae. Sci. Repts. Tôhoku Univ. ser. 2, geol. 27 1956: 1-55, figs.

Asano, K. (2). The Foraminifers from the adjacent seas of Japan collected by the S.S. Soyo-Maru 1922—1930. Part II. Miliolidae. Sci. Repts. Tôhoku Univ. ser. 2, geol. 27 1956: 57-83, figs.

Asano, K. (3). The Foraminifera from the Adjacent seas of Japan, collected by the S.S. Soyo-Maru, 1922— 1930. Part III. Planktonic Species. Sci. Repts. Töhoku Univ. geol. (2) 28 1957: 1-26, figs.

Asano, K. (4). The Foraminifera from the adjacent seas of Japan, collected by the S.S. Soyo-Maru 1922—1930. Part IV. Buliminidae. Sci. Repts. Tôhoku Univ. geol. 29 1958: 1-41, figs.

Asano, K. (5). Some Paleogene smaller foramifera from Japan. Sci. Repts. Tôhoku Univ. geol. 29 1958 : 43-75, figs. Ascione, L. see Blanc, G.

Ashcroft, M. T. A comparison between a syringepassaged and a tsetse-fly-transmitted line of a strain of *Trypanosoma rhodesiense*. Ann. trop. Med. Parasit. 54: 44-53, figs.

Ashley, J. N., Berg, S. S. & Lucas, J. M. S. 3:3—diamidinocarbanilide: a new drug active against babesial infections. Nature, Lond. 185: 461.

Ashley, L. M. see Bigelow, E. O.

Ashworth, E. T. Occurrence of Globotruncana ventricosa in northwestern Peru. Micropaleontology 5 4 1959: 497–499, figs.

Aspinall, K. W., Ford, J., Steel, W. S., Steele, B. & Swan, J. F. C. The control of trypanosomiasis in the Federation of Rhodesia and Nyasaland. Inter. Sci. Comm. Trypanosomiasis Res. Publ. no. 62: 72-102.

Atchley, F. J. see Payne, F. T.

Athearn, W. D. see Parker, F. L.

Aubouin, J. & Neumann, M. Contribution à l'étude stratigraphique et micropaléontologique de l'Ecocène en Gréce. Rev. Micropaléont. 2 1 1959 : 31-49, figs.

Aurouze, A. Sur la presence du genre Kilianina dans le bassin de Paris. Bull. Soc. géol. France (6) 6 1956: 221-225, figs.

Avelina Silva, G. see Barretto, M. P.

Avnimelech, M. (1). Studies on the Neogene of Israel. I. A new Pliocene outcrop in the central coastal plain of Israel. Bull. Research Counc. Israel 2 1953: 422-424.

Avnimelech, M. (2). Report on the foraminiferal sands from the Red Sea coast. Bull. Sea Fish. Res. Sta. Israel No. 20, 1959: 4.

Ax, P. & Ax, R. Experimentelle Untersuchungen über die Salzgehaltstoleranz von Ciliaten aus dem Brackwasser und Süsswasser. Biol. Zbl. 79: 7–31, figs.

Ax, R. see Ax, P.

Azzaroli, A. L'Oligocene e il Miocene della Somalia. Stratigrafia, tettonica, paleontologia (Macroforaminiferi, coralli, molluschi). Palaeontogr. ital. 52 1958: 1–143, figs.

Băcescu, M., Dumitresco, H., Manea, V., Pór, F. & Mayer, R. Les sables a Corbulomya (Aloidis) macotica Mil.-base trophique de premier ordre pour les poissons de la Mer Noire. Trav. Mus. Hist. nat. "Gr. Antipa" 1 1957: 305–374, figs.

Băcescu, M., Serpoianu, N., Chirilă, V., Skolka, H. & Manea, V. Études physico-chimiques et biologiques en Mer noire I. Littoral roumain, secteur est constantza, entre les parallèles 44° 10′ et 43° 49′ de 50 A 200 M de profondeur Rapp. Comm. int. Mer Medit. 15: 55–64, figs.

Bach, M. K. Mass culture of Euglena gracilis. J. Protozool. 7: 50-52, figs.

Bacigalupo, A. A. see Yaeger, R. G.

Back, A. see Guttman, R.

Baer, H.-W. Anopheles und Malaria in Thüringen. Parasit. Schr. No. 12: 1-154.

Bainbridge, V. The plankton of inshore waters off Freetown, Sierra Leone. Fish. Publ. Lond. No. 13: 1-48, 22 figs.

Bajer, J. see Kirchner, Z.

Baker, H., Frank, O., Pasher, I. & Sobotka, H. Nicotinic acid assay in blood and urine. J. Protozool. 7 (Suppl.) 38: 12–13. [Abstract.]

Baker, H. see Frank, O.

Baker, J. R. (1). Trypanosomes and dactylosomes from the blood of fresh-water fish in East Africa. Parasitology 50: 515-526, figs.

Baker, J. R. (2). The influence of the number of trypanosomes inoculated on the preparent period of the subsequent trypanosomiasis in laboratory rodents. Ann. trop. Med. Parasit. 54: 71-74.

Baker, J. R. (3). Distribution of deoxyribonucleic acid in *Trypanosoma evansi*. Trans. roy. Soc. trop. Med. Hyg. **54**: 1-2.

Baker, J. R. (4). A trypanosome of *T. congolense* group in African lion and leopard. Trans. roy. Soc. trop. Med. Hyg. **54**: 2.

Baker, J. R. (5). Trypanosomes and "piroplasms" of some African fish. Trans. roy. Soc. trop. Med. Hyg. 54: 287-288.

Baker, J. R. see Garnham, P. C. C.

Bakker, C. Waterbloei van *Euglena sanguinea* Ehrbg. Handel. hydrobiol. Verenig. **10** 1958: 1–5. [English summary.]

Balbinder, E. The genotypic control of kappa in *Paramecium aurelia*, syn gen 4, stock 51. Genetics 44: 1227-1241.

Balčiūnas, B. Control of chicken coccidiosis in the Lithuanian SSR. Acta parasit. lithuanica 2 1959: 197-205, fig. [English summary.]

Baldelli, B. Un caso di piroplasmosi della lepre (Lepus europaeus) da Babesia leporina n. sp. Parassitologia 2: 15-20, figs.

Balech, E. (1). Tintinnoinea del Mediterraneo. Trab. Inst. esp. Oceanogr. No. 28 1959: 1-88, pls.

Balech, E. (2). Plancton de la Campaña Antártica Argentina 1954–1955. Physis, B. Aires 21 60 1958: 78–108, figs.

Ball, G. H. Some considerations regarding the Sporozoa. J. Protozool. 7: 1-6.

Ball, G. H. & Chao, J. In vitro development of the mosquito phase of *Plasmodium relictum*. Exper. Parasit. 9: 47-55, figs.

Ball, G. H., see Chao, J.

Ball, G. H., see Rodgi, S. S.

Bamforth, S. S. Daily changes in natural ciliate populations. J. Protozool, 7 (Suppl.) 60: 17. [Abstract.]

Bandy, O. L. (1). Paleotemperatures of Pacific bottom waters and multiple hypotheses. Science (Lancaster), 123 1956: 459-460.

Bandy, O. L. (2). General relationships between foraminifera and bathymetry. J. Paleontology 30 1956: pp. 1384. [Abstract.]

Banks, J. E. Limestone Conglomerates (Recent and Cretaceous) in Southern Florida. Bull. Amer. Ass. Petrol. Geol. 43 (9) 1959: 2237-2243, figs.

Banner, F. T. & Blow, W. H. The classification and stratigraphical distribution of the globigerinaceae. Palaeontology 2 1 1959: 1-27, figs.

Banner, F. T., see Eames, F. E.

Barakat, M. G., see Said, R.

Baravik, E. A., see Kakhnenka, S. V.

Barbosa, F. S., see Ribeiro, A. M.

Barker, D. C., see Zaman, V.

Barku, I. Z. Contribution à l'etude de la microfaune du Paléogere de la Transilvanie du N.W. Univ. C.I. Porhan, Buchresti, dn., ser. St., Nat., No. 10, 1956: 155-163. [Rumanian with French summary.]

Barnard, T. (1). An unusual worm tube from the lower Lias. J. Paleontology 30 1956: 1273-1274, figs.

Barnard, T. (2). Some arenaceous foraminifera from the Lias of England. Contr. Cushman Fdn. 10 1959: 132-136, figs.

Barnes, B., see Black, M.

Barnett, S. F. Connective tissue reactions in acute fatal East Coast Fever (*Theileria parva*) of cattle. J. inf. Dis. 107: 253–282, figs.

Barnett, S. F. & Brocklesby, D. W. Theileria lawrencei in Kenya. Bull. epiz. Dis. Afr. 7 1959: 345-347.

Barr, F. S. and Brent, B. J. The activity of various drugs against *Trichomonas vaginalis in vivo*. Antibiot. Chemoth. 10: 637-639.

Barreto, M.P. Diagnóstico la amebíase crônica. Rev. Inst. Med. trop. São Paulo 2: 305-312. [English summary.]

Barretto, M. P. & Zago Filho, H. Estudios sobre a coloração de protozoários intestinais. II. Métodos rápidos que emprezam modentes e corantes em soluções separadas. Rev. bras. Biol. 20: 131-138. [English summary.]

G. Occihistolytic bras. Bi

[1960]

Barret

l'étude d Micropal Barros

(Suppl.)

Barro
of Eime

Barro of temp several

> Barte Vorkom Lauenas figs.

invaden

Barth planetor An. Ace Barth

Chirono 273–280 Barto Toi-Lui

Plasmos Barts Fischen

of resu

Basn antipar Med. to

> Basn antipar Kuba l

> Bath British geol. J

Batj Belgius 1–188,

> Bati Bati

Prime durant Rapp. Barretto, M.P., Zago Filho, H. & Alvelina Silva, G. Ocorrència de duas "racas" de Entamoeba hisologica distintas pelo tamanho dos cistos. Rev. brss. Biol. 20: 107-119, figs. [English summary.]

Barrier, J. & Neumann, M. Contribution à l'étude de Nonionina cretacea Schlumberger. Rev. Micropaléont. 1 4 1959 : 223-229, figs.

Barrow, J. H. Jr. Studies of a Haplosporidium in fresh-water snails of Michigan. J. Protozool. 7, (Suppl.): 12.

Barrow, J. H. Jr. & Hoy, J. B. Two new species of Eimeria from the common newt Notopthalmus viridescens. J. Protozool. 7: 217-221, figs.

Barrow, J. H. Jr. & Stockton, J. J. The influences of temperature on the host-parasite relationships of several species of snakes infected with *Entamoeba invadens*. J. Protozool. 7: 377-383.

Bartenstein, H. Ein bisher unbekanntes Tertiär-Vorkommen (Mittel-Oligozan) auf Messtischblatt Lauenan (3722). Geol. Jb. 73 1958: 295–300, figs.

Barth, R. Observações sobre duas amostras de plâncton, provenientes da enseada de Copacabana. An. Acad. bras. Cienc. 31: 617-622. figs.

Barthelmes, D. Tetrahymena parasitica (Penard 1922) Corliss 1952 als Parasit in Larven vom Chironomus plumosus-Typ. Z. Fisch. N.F. 9: 273-280, figs.

Bartoszewski, A., Sikorski, R., Stroczyńska, M., Toś-Luty, S., & Umiński, V. Statistical presentation of results of the complement fixation test in toxoplasmosis. Acta Parasit. polon. 8: 451–460.

Bartsch, A. Hauttrüber und Hautserstörer au Fischen. Mikrokosmos 49: 233–236, figs.

Basnuevo, J. G., & Kouri, A. (1). Terapeutica antiparasitaria Chilomastix mesnili. Rev. Kuba Med. trop. 15 1959: 52-54, figs.

Basnuevo, J. G., & Kouri, A. (2). Terapeutica antiparasitaria. Trichomoniasis intestinal. Rev. Kuba Med. trop. 15 1959: 54–58, figs.

Basouni, M. A., see Said, R.

Bathurst, R. G. C. Diagenetic fabrics in some British Dinantian Limestones. Liverp. & Manchester geol. Journ. 2 (1) 1958: 11-36, figs.

Batjes, D. A. J. Foraminifera of the Oligocene of Belgium. Mem. Inst. Sci. nat. Belg. No. 143 1958 : 1-188, figs.

Batjes, D. A. J., see Drooger, C. W.

Battaglia, A., see Huddleston, M. S.

Battaglia, B., Mozzi, C. & Varagnolo, A. M. Prime osservazioni sul materiale planetonico raecolto durante la crociera talassografica Adriatica del 1955. Rapp. comm. int. Mer Medit. 15: 309-315, 4 figs. Battelli, C. Attivito terapeutico del di (4-amino difenii) triogene (N.I. 3), denominato Berenil, nei confronti della piroplasmosi equina da *Piroplasma caballi*. Parassitologia 2: 21-25.

Battesti, M. R., see Coudert, J.

Bauer, F., see Fussganger, R.

Bauer, H., see Kimball, A. C.

Bauer, O. N. Ökdogie der Parasiten des Süsswasserfische (Milieu-Parasiten Beziehungen). Bull. Inst. freshw. Fish., Leningr. 49 1959: 1–206, figs. [German summary.]

Bé, A. W. H. (1). A method for rapid sorting of foraminifera from marine plankton samples. J. Paleont. **33** 5 1959: 846-848, figs.

Bé, A. W. H. (2). Ecology of recent planktonic Foraminifera. Part I—Areal distribution in the western North Atlantic. Micropaleontology **5** 1959: 77–100, figs.

Beale, G. H. (1). Adaptations in Paramecium. Symp. Soc. gen. Microbiol. 3rd, 1953: 294-305, figs.

Beale, G. H. (2). Genetic control of the cell surface. Proc. R. phys. Soc. Edinb. 28: 71-78.

Beale, G. H. (3). Paramecium and the problem of differentiation. New Biol. No. 31: 107-116, 1 fig.

Beale, G. H. & Jurand, A. Structure of the mate-killer (mu) particles in Paramecium aurelia, Stock. J. gen. Microbiol. 23: 243-252, figs.

Beale, G. H., see Bishop, J. O.

Beams, H. W., King, R. L., Tahmisian, T. N. & Devine, R. Electron microscope studies on *Lophomonas striata* with special reference to the nature and position of the striations. J. Protozool. 7: 91-101, figs.

Beams, H. W., Tahmisian, T. N., Devine, R. & Anderson, E. The fine structure of the nuclear envelope of *Endamocba blattae*. Exper. Cell Res. 18 1959: 366-389, figs.

Beams, H. W., Tahmisian, T. N., Anderson, E. & Wright, B. Electron microscope studies on the nucleus and associated perinuclear tubules of Lophomonas blattarum. Anat. Rec. 136: 161.

Beams, H. W., see Anderson, E.

Becker, C. E. & Geiman, Q. M. Amino acids found in protein from *Entamocha histolytica*. J. Amer. chem. Soc. **76** 1954: 3029.

Becker, E. R. Comparison of the effects of three isomers of hydroxybenzoic acid on *Trypanosoma lewisi* infection. J. Parasit. 46 (Suppl.): 46.

Becker, Y. Antigenic relations between insect flagellates of the genera Herpetomonas and Leptomonas (family Trypanosomidae). Bull. res. Counc. Israel 3E: 147-156, figs.

Beddoes, L. R. Jr. Foraminiferal populations of the Goodland formation, Tarrant County, Texas. Fed. & Lab. 27 2 1959: 51-70, figs. Bedell, D. M., see Dimopoullos, G. T.

Beier, T. V. Cytological investigation of various stages in the life cycle of rabbit coccidia. Phosphomonocsterases in *Eimeria magna* Perard, 1924. Questions of Cytology and Protistology, 277–284, figs. [In Russian.]

Belford, D. J. Nuttallinella, new name for Nuttallina Belford, 1958 (non Nuttallina Dall, 1871). Contr. Cushman Fdn. **10** (1) 1959 : 20.

Benedetto, A., Corso, P., Frugoni, G., Mazzetti, M. & Mele, G. Studio della tripanosomiasi sperimentale della cavia da *T. brucei*: comportamento di alame attivata enzimatiche ed ossidoriduttive nel siero e nei tessuti; comportamento nel siero caleio, fosforo, sodio e potassio; contenuto in agcua, protidi e lipidi del fegato. Parassitologia 2: 27-34.

Benirschke, K., & Richart, R. Spontaneous acute toxoplasmosis in a marmoset monkey. Amer. J. trop. Med. Hyg. 9: 269–273, figs.

Bennett, G. F. & Fallis, A. M. Blood parasites of birds in Algonquin Park, Canada, and a discussion of their transmission. Canad. J. Zool. 38: 261-273, figs.

Bennett, G. F., see Fallis, A. M.

Bensky, B., see Aaronson, S.

Berg, S. S., see Ashley, J. N.

Bergamaschi, P. Sul significato clinico delle prone sierologiche per la toxoplasmosi in gravidanza; indogini su 110 gravide. Parassitologia 2: 35–46, fora

Berger, J. (1). The entocommensal ciliate fauna of Strongyloceutrotus spp. from the Northeast Pacific. J. Protozool. 7 (Suppl.): 17.

Berger, J. (2). The systematic status of two species of entocommensal ciliates of Japanese echinoids. J. Protozool. 7 (Suppl.): 17–18.

Berger, J. (3). Holotrich ciliates entocommensal in the sea urchin Strongylocentrotus echinoides from San Juan County, Washington. J. Parasit. 46: 164.

Berger, J. & Thompson, J. C. A redescription of Cyclidium glaucoma O.F.M., 1786 (Ciliata: Hymenostomatida), with particular attention to the buccal apparatus. J. Protozool. 7: 256-262, figs.

Bergmann, F., Reitler, R. & Chaimovitz, M. The effect of a mutant, R.B.-103, possessing antibiotic properties against protozoa, on the mammalian smooth muscle. Bull. res. Counc. Israel **3E** 1959: 42.

Bergquist, H. R. (1). Microfossil zones in Cretaceous rocks of northern Alaska. Bull. Geol. Soc. America 67 12 1956: 1670. [Abstract.]

Bergquist, H. R. (2). Paleontology in F. M. Robinson-Core tests and test wells, Oumalik area, Alaska. Prof. Paper U.S. geol. Surv. 305-A, 1956: 1-70, figs.

Bergquist, H. R., see Robinson, F. M.

Bernard, F. (1). Le problème biologique de la fertilite marine élémentaire. Bull. Soc. Hist. nat. Afr. N. 49 1958: 44-73, figs.

Bernard, F. (2). Rapports caracteristiques entre le principaux. Unicellulaires du plancton, dénombrés en sept régions des mers chaudes. C.R. Acad. Sci. Paris 251: 1585–1587.

Bernard, F. & Lecal, J. Plancton unicellulaire récollé dans l'océan Indien par le Charcot (1950) et le Norsel (1955-56). Bull Inst. Océanogr. Monaco No. 1166: 1-59, figs.

Bernstein, E. Synchronous division in Chlamy-domonas moewusii. Science 131: 1528-1529, fig.

Berrios, A. Investigaciones sobre enfermedad de chagas en Costa Rica por la reacción de fijación del complemento. Rev. Biol. trop. 8: 203-217. [English summary.]

Berrios, A. & Zeledón, R. Estudio comparativo entre los antigenos de Schizotrypanum cruzi y de Strigomonas oncopelti en la reacción de fijación del complemento para infermedod de chagas. Rev. Biol. trop. 8: 225-231. [English summary.]

Berrios, A., see Zeledón, R.

Bertucci, B., see Magaudda-Borzi, L.

Bersier, A., see Trümpy, R.

Bettenstaedt, F. Phylogenetische Beobachtungen in der Mikropaläontologie. Paläont. Z. 32 3-4, 1958: 115-140, figs.

. Bhandary, A. V. Conjugation in Blepharisma undulans americanum. J. Protozool. 7: 250-255, figs.

Bhatia, S. B. Miocene (Burdigalian) Foraminifera from Kathiawar, western India: correction. J. Paleont. 33 6 1959: 1128.

Bhatia, S. B. & Singh, S. K. Carboniferous (Uralian) foraminifera from Manendragarh, central India. Micropaleontology 5 1959: 127–124, figs.

Bhatia, S. R. & Mohan, K. Miocene (Burdigalian) foraminifera from Kathiawar, Western India. J. Paleont. 33 (4) 1959: 641-661, figs.

Bican, J., see Pravda, A.

Bick, H. (1). Ökologische Untersuchungen an Ciliaten fallaubreicher Kleingewässer. Arch. Hydrobiol. **54** 1958: 506–542, figs.

Bick, H. (2). Die Beeinflussbarkeit der Zellstoffzersetzung und der sich entwickelnden Ciliatenfauna durch Zugabe avorganischer Düngemittel zum Versuchswasser. Arch. Mikrobiol. 29 1958: 311– 338, figs.

Bick, H. (3). Ökologische Untersuchungen an Ciliaten und anderen Organismen aus verunreinigten Gewassem. Arch. Hydrobiol. 56: 378–394, figs.

Biczók, F. Physiologische Untersuchungen an der Platyophrya lata Kale, I. Ernährung. Acta biol. Szeged N.S. 4 1958: 73-80, figs. Pologramma Summa Bied Flysch

Mielni

[196

Bics

Bied grands Karps 203–2

5 195 Velke 97–10

Bie the lo Silesia 59–80

the 1

Moun

Bie applie Geol.

Bie

Bie of At Zool.

Sand 60 1 Big report Wall

Bi obser game ology

Coll.

Bi biock of F I fig

Bi relat Ame

liths 1959 Biesók, F., see Ábrahám, A.

Bieda, E. Index foraminifers and the age of the Mielnik Chalk (Eastern Poland) Bull. Serv. géol. Pologne 121 1958: 17-89, figs. [Russian & English summaries.]

Bieda, F. (1). Large foraminifers in the Carpathian Flysch. Przeglad Geol. 1955 6: 268–274, figs.

Bieda, F. (2). Contribution à la connaissance des grands foraminifères de l'Éocène supérieur des Karpates. Ann. Soc. géol. Pologne 25 3 1957 : 203-230, figs.

Bieda, F. (3). News-Poland. Micropaleontology 5 1959: 141-144.

Bieda, F. (4). Fauna velkych foraminifer od Velkej Causy. Geol. Prace Slovensk Akad. 53 1959: 97-104. figs.

Bielicka, W. (1). Investigations of microfauna of the lower Malm in the vicinity of Trzebinia (Upper Silesia). Poland Instyt. Geol., Bjul. 102 1956: 59-80, figs. [Polish: Russian and English summaries.]

Bielicka, W. (2). Note on Triassic foraminifers of the north-west periphery of the Swiety Krzyż Mountains. Poland Instyt. Geol., Bjul. 102 1956: 81-95, figs. [Polish: Russian and English summaries.]

Bielecka, W. & Witwicka, E. (1). Terminology applied in description of foraminifers. Przeglad Geol. 1955 9: 447–448, figs.

Bielecka, W. & Witwicka, E. (2). Terminology applied in description of foraminifers. Przeglad Geol. 1955 10: 495–497, figs.

Biernacka, I. The effect of alcohols on organism of Amoeba dubia Schaef. and Amoeba spuriosa Pen. Zool. Polon. 9 1958 [1960]: 75-113.

Bieriot, P. G. Miocene foraminifera from the Uloa Sandstone, Zululand. Trans. geol. Soc. S. Afr. 60 1957: 61-81, figs.

Bigelow, E. O. & Ashley, L. M. Preliminary report of some of the genera of the Protozoa of Walla Walla County, Washington. Walla Walla Coll. Publ. No. 15 1955: 1-2, figs.

Bird, R. G., see Garnham, P.C.C.

Bishop, A. & McConnachie, E. W. Further observations on the *in vitro* development of the gametocytes of *Plasmodium gallinaccum*. Parasitology **50**: 431-448.

Bishop, J. O. & Beale, G. H. Genetical and biochemical studies of the immobilization antigens of Paramecium aurelia. Nature, Lond. 186: 734, 1 fg.

Bishop, M. S., see Grayshon, J. E.

Bissell, H. J. Pennsylvanian and Permian correlations in the Cordilleran area. Bull. geol. Soc. Amer. 67 1956: 1789–1790. [Abstract.]

Black, M. & Barnes, B. The structure of Coccoliths from the English Chalk. Geol. Mag. 96 (5) 1959: 321-328, figs.

Blackman, P. D. & Todd, R. Minerology of some foraminifera as related to their classification and ecology. J. Paleont. 33 1959: 1-15.

Blackman, P., see Todd, R.

Blaicher, J. The microfauna of the Magura Series of the Gryböw region (Middle Carpathians) Kwart. Geol. 2 2 1958: 385–399. [English summary.]

Blanc, G. & Ascione, L. Sur un parasite endoglobulaire du lèzard *Eremias guttulatus olivieri* Audoin de la region de Marrakech. Arch, Inst. Pasteur Marco 5 1959: 661-665, figs.

Blanc, J. Sédimentation et Paléo-oceanographie du Turonien et du Senonien dans le bassin de Beausset (Var). Bull. Soc. Geol. France, ser 6 6 1956 : 797– 815, figs.

Blane, J., Vivier, E. & Puytorac, P. de. Action comparée de la colchicine et de las trypaflavine sur la vitesses de multiplication de *Paramecium caudatum* Ehrb. Bull. biol. 94: 1-11.

Blant, G., Cottençon, A. et Magué, J. Contribution a l'étude géologique de la région d'Aîn Regada-Gounod (Constantinois, Algérie). Bull. Serv. Carte géol. l'Alger 8 1956: 155-176, figs.

Bloch, J. P., Fallot, P, & Lanteaume, M. Sur la "fenêtre" de Castilvecchio (Alpes Maritimes Italiennes). C. R. Acad. Sci. Paris 248 22 1959 : 3083—3087.

Blow, W. H. Age, correlation and biostratigraphy of the Upper Tocuyo (San Lorenzo) and Pozón formations, Eastern Falcón. Bull. Amer. Paleont. 39 178 1959: 59–251, figs.

Blow, W. H., see Banner, F. T.

Blumenthal, M. Der Vulkan Ararat und die Berge seiner sedimentumrandung. Rev. Fac. Sci. Univ. Istanbul 23B 3-4 1958: 177-327, figs.

Bock, K. J. Biologische Untersuchungen, insbesondere der Ciliatenfauna, in der durch Abwässer belasteten Schlei (westliche Ostsee). Kieler Meeresforsch. 16: 57-68.

Boghush, O. I. & Yeferev, O. V. Some new species of Tournaisian Foraminifers from Karatau and the western spurs of Talassky Alatau. Paleont. Zhurnal 4: 16–27, fig.

Bogorov, B. G. Biogeographical regions of the plankton of the North-western Pacific Ocean and their influence on the deep sea. Deep-Sea Res. 5 1958: 149—161, figs.

Bolin, E. J. (1) Microfossils of the Niobrara formation. Proc. S. Dak. Acad. Sci. 31 1952: 190– 193, figs.

Bolin, E. J. (2). Upper Cretaceous Foraminifera, Ostracoda, and Radiolaria from Minnesota. J. Paleontology 30 1956: 278-298, figs.

Bolli, H. M. (1). Grimsdaleinella, a new genus of the foraminiferal family Heterohelicidae. Ecl. geol. helv. 52 1 1959: 1-4, figs.

de del lish

0]

la nat.

atre

orés

Sci.

t le

800

ny-

ivo de del ev.

gen -4, ma 55,

J.

J.

ffna m

en er

m

Bolli, H. M. (2). Planktonic foraminifera from the Cretaceous of Trinidad, B.W.I. Bull. Amer. Paleont. 39 179 1959: 257-277, figs.

Boltovskoy, E. (1). La corriente de Malvinas (un estudio en base a la investigación de Foraminiferos). Buenos Aires (Servicio de Hidrografia Naval, Secretaria de Marina) 1959 pp. [3], 96, figs.

Boltovskoy, E. (2). News-Argentina. Micropaleontology 5 1959: 136-138.

Boltovskoy, E. (3). Joaquin Frenguelli (1883–1958). Micropaleontology 5 1959: 379–381.

Boltovskoy, E. (4). Foraminifera as biological indicators in the study of ocean currents. Micropaleontology 5 4 1959: 473-481, figs.

Bolze, J., Colom, G., & Segal, J. Présence du genre Colomiella Bonet 1956 en Tunisie. Les Calpionnelles post-néocomiennes. Rev. Micro-paléont. 2 1 1959 : 50-52. figs.

Bombită, G. Ypresianul de la Varna. Bul. Stiintific geol. geog., 2 3-4 1957 : 625-632, figs.

Bonaduce, A. Ricerche sull'azione delbu spiramicina nella toxoplasmosi sperimentale del topino bianco. Boll. Soc. ital. Biol. sper. 60: 57-59.

Bonfigero, L., see Smedile, M. I.

Bonhoure, G., see Fabiani, G.

Bonnet, L. (1). Thécamoebiens des sols d'Angola (1). Publ. cult. Cia Diamant. Angola No. 51: 79–86, figs.

Bonnet, L. (2). Kystes et trophophase chez Plagiopyxis minula Bonnet (Thécamoebiens). Bull. Soc. zool. Fr. 85: 43-52, figs.

Bonnet, L. & Thomas, R. Une technique d'isolement des Thécamoebiens (*Rhizopoda testacea*) du sol et ses résultats. C.R. Acad. Sci. Paris 247 21 1958: 1901–1903.

Bool, P. H., see Akker, S. van den.

Bondjochki, A., see Simitch, T.

Botafogo, Gonçalves, N. Fatores de stress na formação de lesões orgânicas da Doença de Chagas. Stas. Soc. biol. Rio de J. 4: 28–29.

Botero, D. & Restrepo, M. Estudio comparativo de 5 metodos para investicar parasitos en materias fecales. Antioquia Med. 9 1959: 285-295. [English summary.]

Botteron, G. Etude de sédiments récoltés au cours de plongées avec le bathyscaphe "Trieste" au large de Capri. Bull. Labs. Univ. Lausanne No. 124, 1958: 1–20, figs.

Boulanger, D., see Neumann, M.

Bourcart, J. Les sédiments precontinentaux profonds dans le Golfe de Gênes. Deep-Sea Res. **5** 3 1959 : 215–221, figs.

Bourrelly, R. Une nouvelle espèce d'Euglène, Euglena penardii. Hydrobiologia **10** 1958 : 241-244, figs. Bovee, E. C. (1). A previously unnamed amoeba, Mayorella clavella, nov. sp. Proc. Iowa Acad Sci. 58 1951: 415-421, figs.

Bovee, E. C. (2). A possible explanation of the gel-sol changes in amoeboid movement, based on the muscle contraction theories of Szent-Gyorgi. Proc. Iowa Acad. Sci. 59 1952: 428-434.

Bovee, E. C. (3). An unusual ameba, Cochliopodium sp., from a warm, brackish spring in Florida. Anat. Rec. 132 (1958): 418. [Abstract.]

Bovee, E. C. (4). A third report on the distribution of Amoebida in Florida. Anat. Rec. 134 1959: 537-538. [Abstract.]

Bovee, E. C. (5). Feeding behaviour of verrucosid amebas (abstract). Anat. Rec. 134 1959: 538.

Bovee, E. C. (6). Studies concerning the effect of nutrition on morphology, of amebas. I. Mayorella cultura Bovee, on abundant and starvation quantities. Amer. Midl. Nat. 63: 257-269, figs.

Bovee, E. C. (7). Studies of feeding behaviour of amebas. I. Ingestion of thecate rhizopods and flagellats by verruoosid amebas, particularly *Thecamoeba sphaeronucleolus*. J. Protozool. 7: 55-60, figs.

Bovee, E. C. (8). Protozoa of the Mountain Lake region, Giles County, Virginia. J. Protozool. 7: 352-361, fig.

Bovee, E. C. (9). Morphological anomalies in a population of large *Paramecium caudatum*. J. Protozool. 7 (Suppl.): 16.

Bovee, E. C. (10). Studies on the helioflagellates. I. The morphology and fission of *Dimorpha floridanis* n. sp. Arch. Protistenk. **104**: 503-514, figs.

Bovee, E. C. & Jahn, T. L. Locomotion and the classification of Amoebida and Testacida. J. Protozool. 7 (Suppl.): 8

Bovee, E. C., see Jahn, T. L., etc.

Bowman, G. W., see Davis, L. R.

Bowman, G. W., see Smith, W. N.

Bowman, I. B. R., Grant, P. T. & Kermack, W. O. The metabolism of Plasmodium berghei, the malaria parasite of rodents. I. The preparation of the erythrocytic form of P. berghei separated from the host cell. Exper. Parasit. 9: 131-136.

Boyd, J. L., see Goble, F. C.

Bozděch, V., see Jíra, J.

Bradley, D. E., see Harris, K.

Bradley, J. S., see Newell, N. D.

Bradshaw, J. S. Ecology of living planktonic foraminifera in the North and Equatorial Pacific Ocean. Contr. Cushman Fdn. 10 (2) 1959: 25-69.

Braeckel, G. van, see Jadin, J.

Bragg, A. N. An ecological study of the Protozoa of Crystal Lake, Norman, Oklahoma. Wasmann J. Biol. 18: 37-85, 6 figs.

[1960] Brand Ergebn.

Brand eliminat somes J. Paras

Brand onto th

Braw protein chlorop Acta 31

> Braw ribonuc Euglend 1959 :

Euglen 1959 : Brav ing syr plasts

Brav A blee doublis Nature

Bray morph I. A p throcy Parass

Liberi

1904

coluber 7: 31

Bra
VIII.
eryth

note

trop.

forms eryth demo forms trop.

Bri

experence figs.

ŋ

the

gi.

da.

on

9 :

rid

of

Brand, T. von. Der Stoffwechsel de trypanosomen. Ergebn. Biol. 22: 30-46, figs.

Brand, T. von & Tobie, E. J. The mechanism of elimination of certain strains or species of trypanosomes when mixed in experimental infections. J. Parasit. 46: 129-136, figs.

Brand, T. von, see Mercado, T. I.

Brandt, P. W. and Pappas, G. D. Solute adsorption onto the surface of the ameba and its relationship to pinocytosis (abstract). Anat. Rec. 136: 169.

Brawerman, G. & Chargaff, E. (1). Changes in protein and ribonucleic acid during the formation of chloroplasts in *Euglena gracilis*. Biochem. & Biophys. Acta 31 1959: 164-171, figs.

Brawerman, G. & Chargaff, E. (2). Relation of ribonucleic acid to the photosynthetic apparatus in Euglena gracilis. Biochem. & Biophys. Acta 31 1959: 172-177.

Brawerman, G. & Chargaff, E. (3). Factors involved in the development of chloroplasts in Euglena graculis. Biochem. & Biophys. Acta 31 1959: 178-186, 7 figs.

Brawerman, G. & Chargaff, E. (4). A self-reproducing system concerned with the formation of chloroplasts in Euglena gracilis. Biochim. & Biophys. Acta 37: 221–229, figs.

Brawerman, G., Rebman, C. A. & Chargaff, E. A bleached variant of *Euglena gracilis* showing a doubling of the content of deoxyribonucleic acid. Nature, Lond. 187: 1037-1038.

Bray, R. S. (1). Observations on the cytology and morphology of the mammalian malaria parasites. I. A process of apparent plasmotomy in the pre-erythrocytic phase of Laverania falciparum. Riv. Parassit. 21: 267–276, figs.

Bray, R. S. (2). On the parasitic protozoa of Liberia. III. Three new species of Caryospora Leger, 1904 from the hissing sand snake Psammophis sibilans phillipsi and a note on a Caryospora in Coluber ravergieri nummifer from Israel. J. Protozool. 7: 314-320, figs.

Bray, R. S. (3). Studies on malaria in chimpanzees. VIII. The experimental transmission and pre-erythrocytic phase of *Plasmodium malariae*, with a note on the host-range of the parasite. Amer. J. trop. Med. Hyg. 9: 455-465, figs.

Bray, R. S. (4). Colour slides of exo-erythrocytic forms of human malaria parasites, including the pre-erythrocytic schizonts of Plasmodium malariae and demonstrating plasmotomy in the pre-erythrocytic forms of Laverania falciparum: Trans. roy. Soc. trop. Med. Hyg. 54: 294.

Bray, R. S., see Rudzinska, M. A.

Breijer, H. B. G., see Thiel, P. H. van.

Brener, Z. Estudos terapêuticos em cobaias experimentalmente inoculadas com *Leishmania enriettii*. Rev. Inst. Med. trop. São Paulo 2: 71–77, figs. [English summary.]

Brent, B. J., see Barr, F. S.

Brenton, M. J., see Wood, S. F.

Brestenska, E. Mikrobiostratigrafia pannonu Slovenska. Vestn. geol. Úst. ésl. 32, 6, 1957: 424-426.

Bretschneider, L. H. Elektronenmikroskopische Untersuchung des Peristomapparates einiger Ophryoscoleciden, I–II. Proc. Akad. Wet. Amst. 63C: 291–317, figs.

Briggs, N. T. A comparison of Leucocytozoon simonds in Pekin and Muscovy ducklings. Proc. helminth. Soc. Wash. 27: 151-156.

Brito, T. de, see Okumura, M.

Brocklesby, D. W., see Barnett, S. F.

Brocklesby, D. W., see Martin, H.

Brockaw, C. J. Decreased adenosine triphosphatase activity of flagells from a paralyzed mutant of Chlamydomonas moewusii. Exper. Cell Res. 19: 430-432, fig.

Brom, F. see Pravda, O.

Brönnimann, P. New Pseudorbitoids from the Upper Cretaceous of Guatemala, Texas and Florida. Ecl. geol. helv. **51** 1958: 422–437, figs.

Brooke, M. M. PVA-fixative technique in the laboratory confirmation of amoebiasis. Triangle, 4: 326-335, figs.

Brown, A., see Scherbaum, O. H.

Brown, P. M., see Siple, G. E.

Brown, R. L. & Garber, M. J. Prevalence of intestinal protozoa in adults at four military bases in California. Amer. J. trop. Med. Hyg. 9: 262-264.

Brutkowska, M. Prolonged action of calcium chloride on *Paramecium caudatum*. Acta Biol. exp. Warszawa 19 1959: 137–149, 4 figs.

Brygoo, E. R., see Dodin, A.

Bubnoff, S. von. Grosszyklen der Evolutien. Geol. Rundschau 45: 17–25, figs.

Buchar, J. (1) Ciliatenfauna der Cicadenschäume. Mem. Soc. zool. tchécosl. 22 1958 : 261–265, figs.

Buchar, J. (2) Bemerkungen zur Selbstständigkeit der Art Intranstylum asellicola Kahl. (Ciliata: Peritricha). Acta Univ. carol. Praha Biol. 1960 (1): 7–9, figs.

Bucks, H. Phytoplankton of the experimental ponds in Goysz. Acta Hydrobiol., Kraków 2: 235-254, fig.

Buday, T. Hlavní úkoly a problémy mikrobiostratigrafie neogénu v ČSR. Vestn. geol. Úst. csl. 32 6 1957 : 382–389. [German summary.]

Buday, T. & Acha, I. Neue Ansichten über die Stratigraphie des unteren und mittleren Miozāns des inneralpinen Wiener Beckens und des Waagtales. Geol. Prace 43 1956: 3–56, figs. [Czechoslovakian: German summary.]

Buhse, H. E. Some properties of *Tetrahymena* paravorax Corliss, 1957, Strain RP. J. Protozool. 7 (Suppl.), 9.

Bukowy, S. & Geroch, S. On the age of exotic conglomerates at Kruhel Wielki near Przemyśl (Carpathians). Ann. Soc. géol. Pologne 26 4 1957: 297–329, figs.

Burbank, W. D. & Bisen, J. D. The inadequacy of monobacterially-fed *Paramecium aurelia* as food for *Didinium nasutum*. J. Protozool. 7: 201-206, figs.

Buretz, K. M., see Ronkin, R. R.

Burgess, R. W. Comparative susceptibility of Anopheles gambiae Theo. and Anopheles melas Giles to infection by Plasmodium falciparum in Liberia, West Africa. Amer. J. trop. Med. Hyg. 9: 652-655.

Burgy, A., see Thiel, P. H. van

Burke, A. W., Jr., see Cleveland, L. R.

Burke, J. M. & Marchisotto, J. J. Device for facilitating the inoculation of screw-cap tubes. J. Protozool. 7: 114.

Burke, J. M., Marchisotto, J., McLaughlin, J. J. A. & Provasoli, L. Analysis of the toxin produced by Gonyaulax catanella in axenic culture. Ann. N.Y. Acad. Sci. 90: 837-842, fig.

Burma, B. H. (1). Status of the genera Hedbergina and Hedbergella. Contr. Cushman Fdn. 10 (1) 1959: 15.

Burma, B. H. (2). On the status of *Theocampe* Haeckel, and certain similar genera. Micropaleontology 5 3 1959: 325-330.

Burnside, K., see Huddleston, M. S.

Butterlin, J. Une microfaune nouvelle du Crétacé supérieur de la'Republique d'Haiti. Compte-Rendus Soc. géol. France 5 1956 : 70. [Abstract.]

Buttner, A. & Salinési, T. M. Cas d'hyperparasitisme chez Schistosoma bovis (Trematoda-Schistosomatidae). Parassitologia 2: 69-76, figs.

Buttrey, B. W. Studies on growth of a Tritrichomonas from the nasal cavity of swine. Proc. S. Dak. Acad. Sci. 39: 102-108, fig.

Buttrey, B. W., see Palmquist, D.

Butovski, P. M., see Novinskaya, V. F.

Butzel, H. M., Brown, L. H. & Martin, W. B. (1). Effects of detergents upon killer-sensitive reactions in Paramecium aurelia. Physiol. Zool. 33: 213-224, fig.

Butzel, H. M., Brown, L. H. & Martin, W. B. (2). Effects of detergents upon electromigration of Paramecium aurelia. Physiol. Zool. 33: 39-41, fig.

Bystricka, H., see Schalekova, A.

Cachou-Enjumet, M., see Holland, A.

Caire, A. & Magré, J. Les conglomérats senoniens de l'unité C dans la région des Biban (Algérie). Bull. Soc. géol. France ser 6 6 1956 : 931-936. Caire, A. & Marie, P. L'Éccéne dans le massif du Djebel Kasbah: Coupe de Nador (Algérie), Bull. Carte géol. Alger. N.S. 13 1957: 139–151.

Caldwell, W. G. E. The Lower Carboniferous rocks of the Carrick-on-Shannon syncline. Quart. J. geol. Soc. Lond. 115 1959: 163-187, figs.

Camerlynck, P., see Lariviène, M.

Camin, J. H., see Hull, R. W.

Canella, M. F. (1). Biologia degli infusori e ipotetici raffronti con i metazoi: Problematica dellianfimissi. Monit. zool. ital. 65 1958: 164–183, fig. 1.

Canella, M. F. (2). Biologia degli infusori e ipotetici raffronti con i metazoi. Parte II. 4. Il presunto "sesso" degli infusori: ermafroditi, gonocorici o assessuati? Monit. zool. ital. 66 1958 [1959]: 198-228.

Canning, E. U. Two new microsporidian parasites of the winter moth, *Operophtera brumata* (L.) J. Parasit. 46: 755-763, figs.

Canto, R., J.P. Alguros reactivos utilis para el estudio de los infusorios. Rev. Univ., Santiago 32 2 (An. Acad. chil Cienc, nat. No. 12) 1947 : 109-112.

Cantrell, W. The pattern of antigenie variation in *Trypanosoma equiperdum*. J. inf. Dis. 107: 29-33.

Carboni, S. & Lombardi, L. Su alcuni affioramenti in facies di flysch della valle Latina. Boll. Soc. geol. Italiana 75 1956: 109-111.

Carey, S.E., see Elliott, A. M.

Carmona, M. D. Quelques données sur la toxoplasmose expérimentale chez la souris. I. Localization dans la moelle osseuse. II. Localization élective su niveau du poumon des souris inoculées par voie reineuse. Bull. Soc. Path. exct. 53: 32-35.

Carneri, I. de (1). Les bases biologiques de la prophylaxie des amibiases. Bull. Wid. Hith. Org. 23: 103-111.

Carneri, I de (2). Consideracões sôbre a filogenia da *Entamoeba histolytica*. Rev. bras. Med. 17: 493–499.

Carneri, I. de & Almirante, L. On the reliability of the *in vitro* and *in vivo* determinations for testing anti-amoelsic compounds. Trans. roy. Soc. trop. Med. Hyg. **54**: 598-599.

Carneri, I. de & Coppi, G. (1). Studi preliminari sull'uso di chloropheroxamide (Mebinol) nella profilassi della dissenteria amebica. Parassitologia 2: 117-123, figs.

Carneri, I. de & Coppi, G. (2). A clorofenoxamida como possivel quimioprofilatico antramebiano. Rev. Inst. Med. Trop. São Paulo 2: 8-16. [English summary.]

Carneri, I. de, Coppi, G., Almirante, L. & Logemann, W. Amebicidal drugs. I. Chlorophenoxamide: an amebicide for chemotherapy and chemoprophylaxis. Antibiot. Chemoth. 10: 626-636, figs. milieu Arch. S figs.

[1960

Carn

Caro

by mixe Roc-de-France. figs.

Carte District 1-76, f

para o Detrition Mus. L 37-60,

Carv

Cask

Cassi dinofia 1957 e

> Neocon Compt 2107.

temper tissue Ceha

Cere

Cerv

Chai infecti ascorb

46 : 7

Chai Chai Chai ecolog Naegle

Charobserv Naegle 579–5

565-5

the lagraphing 1959;

n

Carneri, I. de, see Almirante, L.

Carozzi, A. (1). Sédimentation rythmique en milieu corallien. Le Jurassique du Grand Salève. Arch. Sci. Phys. et Nat. Genève 159 1954: 65–93, figs.

Carozzi, A. (2). An intraformational conglomerate by mixed sedimentation in the upper Creteceous of the Roc-de-Chère, autochthonous chains of High Savoy, France. J. sediment. Petrology 26 1956: 253-257, figs.

Carter, A. N. Tertiary foraminifera from the Aire District, Victoria. Bull. geol. Surv. Vict. 55 1958: 1-76, figs.

Carvalho, G. S. de & Colom, G. Contribuição para o Estudo da Micropaleontologia dos Depositos Detriticos Pliocenicos de Portugal. Mem. Notic. Mus. Laborat. Min.-Geol. Univ. Coimbra 37 1954: 37-60, figs.

Carvalho da Silva, A., see Okumura, M.

Carvalho Lima, L. P. de see Coutinho, J. O.

Carver, R. K., see Gleason, N. N.

Caskey, F. H., see Hibler, C. P.

Cassie, V. Seasonal changes in diatoms and dinoflagellates off the coast of New Zealand during 1957 and 1958. N.Z.J.Sci. 3: 137-172, figs.

Casteras, M. et al. Jurassique supérieur et Neccomean dans les Pyrénées centrales et orientales. Comptes-rendus Acad. Soi. Paris 243 1956 : 2104-

Castro, M. P. de & Pinto, S. C. Influence of the temperature on growth of *Leishmania enriettii* in tissue culture. J. Protozool. 7 (Suppl.), 7-8.

Cehan-Ionesi, B., see Macarovici, N.

Cere, W. C., see Cheney, T. M.

Cervenková, E., see Štépánek, M.

Chaimovitz, M., see Bergmann, F.

Challey, J. R. The effect of cecal coccidiosis infections and experimental hemorrhage upon adrenal ascorbic acid levels in the chicken. J. Parasit. 46: 727-731.

Chalupa, J., see Štépánek, M.

Chang, L. H., see Sheng, J. C.

Chang, S. L. (1). Cultural, cytological and ecological observations on the amoeba stage of Naegleria gruberi. J. gen. Microbiol. 18 1958: 565-578, figs.

Chang, S. L. (2). Cytological and ecological observations on the flagellate transformation of Naegleria gruberi. J. gen. Microbiol. 18 1958: 579–585, figs.

Chang, L. S. Some planktonic foraminifera from the late Tertiary of Eastern Taiwan and their stratigraphic significance. Bull. geol. Surv. Taiwan 11 1959: 81-90, figs. Chantraine, J., see Jadin, J.

Chao, J. & Ball, G. H. The effects of temperature on the occysts of *Plasmodium relictum* in *Culex tarsalis* stored at 4°C. J. Parasit. **46** (Suppl.), 7.

Chao, J., see Ball, G. H.

Chapman-Andresen, C. (1). Autoradiographic techniques as applied to unicellular organisms. Pubbl. Staz. zool. Napoli 31 (Suppl.), 1959: 100–114, figs.

Chapman-Andresen, C. (2). Optimal conditions for pinocytosis in *Amoeba proteus*. Acta Univ. lund. N.F. Avd. 2 56 (No. 15): 21.

Chapman-Andresen, C. & Holter, H. The uptake of fluorescent albumin by pinceytosis in Amoeba proteus. J. biophys. biochem. Cytol. 8: 288-291.

Chapman-Andresen, C. & Nilsson, J. R. Electron micrographs of pinocytosis channels in *Amoeba* proteus. Exper. Cell Res. 19: 631-633, figs.

Chappar, G. Etiologie de la trichomonase féminine. Gynaecologia 149 (Suppl.): 1—47.

Chardez, D. (1). Etude sur les Thécamoebiens d'une petite pièce d'eau. Hydrobiologia 10 (1958): 293– 304.

Chardez, D. (2). Études sur deux Difflugia. Hydrobiologia 16: 118–125, figs.

Chardez, D. (3). Thécamoebien des terres de Belgique II. Hydrobiologia 16: 197–202, figs.

Chardez, D. (4). Thécamoebiens terricoles d'une station préhistorique. Rev. verviét. Hist. nat. 17: 67-68

Chargaff, E., see Brawerman, G.

Charrier, G. Fauna Pliocenica di San Gaudenzio (Lessona Presso Biella) Nota II: Foraminiferi; Molluschi Pteropodi. Boll. Uff. geol. Ital. 79 1958: 355-371, figs.

Chatterjee, A. N. & Ghosh, J. J. Carbon dioxide assimilation by *Leishmania donovani*. Nature, Lond. **185**: 322.

Chaudhuri, R. N., Saha, T. K. & Roy, N. Amebiasis—an experimental study. Amer. J. trop. Med. Hyg. 9: 506-511, figs.

Chaumeau, J. Etude géologique de l'anticlinal du Hassi Zerga des Beni-Mathor (Oran, Algérie). Serv. Carte géol. Algérie, Publ., n.s. Bull. **8** 1956 : 99-116, figs.

Cheissin, E. M. Cytological investigation of the life cycle of rabbit coccidia. 2. Eimeria magna Perard, 1924. Questions of Cytology and Protistology, 258–276, figs. [In Russian.]

Cheissin, E. M., see Muratov, E. A.

Cheisssin, E. M., see Sayka, V. E.

Cheney, T. M., McKelvey, V. E. & Cere, W. C. Fusulinid-bearing rocks in Sublett Range, southern Idaho. Bull. Amer. Ass. Petrol. Geol. 40 1956; 1716-1719, figs.

Chessex, R. La géologie de la haute valée d'Abondance Haute-Savoie (France). Ecl. geol. helv. 52 1 1959 : 295-400, figs.

Chiji, M. (1). Microbiostratigraphy of the Pliceene Kakegawa group in Shizuoka Prefecture. J. Geol. Soc. Japan 62 1956: 381. [Abstract in Japanese.]

Chiji, M. (2). Some species of *Uvigerina* and their stratigraphic occurrences in the Nadaura district of the Toyama Tertiary basin, Japan. Bull. Osaka Mus. nat. Hist. No. 11 1959: 15–32, figs.

Chiji, M. (3). On the Miocene Foraminifera Vaginulina yoshihamaensis Inone et Nakaseko. Bull. Osaka Mus. nat. Hist. No. 11 1959: 47–48, 1 pl.

Chin, Y. C., Wu, Y. Y., Skowrońska-Serafin, B., Urbański, T. & Venulet, J. Antimalarial properties of some guanidine derivatives. Nature, Lond. 186 1960: 170-171.

Christen, H. B. Farblose Euglenalen aus dem Hypolimnion des Hausersees. Schweiz. Z. Hydrol. 20: 141–176, figs. [English summary.]

Christen, H. R. (1). Neue und wenig bekannte Flagellaten aus dem Hausersee (Schweiz). Hydrobiologia 10 1958: 66-84, figs. [English summary.]

Christen, H. R. (2). Flagellaten aus dem Schützenweiher bei Veltheim. Mitt. naturw. Ges. Winterthur No. 27, 1959: 167–189, 12 figs.

Christensen, J. F., Osebold, J. W., Harrold, J.B. & Rosen, M. N. Persistence of Anaplasma marginale infection. J. Amer. vet. med. Ass. 136: 426-427.

Christian, S. H., see Peters, W.

Chronic, J., see McKee, E. D.

Chronic, J. see Newell, N. D.

Chun-Hoon, H. & Samuels, R. Further studies of trichomonad antigens. J. Protozool. 7 (Suppl.), 6-7.

Chute, H. L., Kalvaitis, A., Frazier, J., O'Meara, D. C., Payne, D. D. & Waller, E. F. A survey of the species of occedida in chickens in Maine. J. Amer. vet. med. Ass. 137: 261-265.

Cicak, A. & Wittenberg, J. B. Monaxenic culture of Arcella vulgaris (Abs.). Biol. Bull. 119: 310.

Cicha, I. (1). Nastin mikrobiostratigrafie neogennich, sedimentů ve uněkarpatské pánvi na jihozápadní Moravě ve vztazích k onkofovým vrstvám. Vestn. geol. Úst. čsl. 31 2 1956: 82-91. [Russian & English summaries.]

Cicha, I. (2). Mikrobiostratigrafie neogénu vrtby Nosislav II ve vněkarpatské pánvi na Moravě. Vestn. geol. Úst. ésl. 32 3 1957: 182–185. [German summary.]

Cicha, I. (3). Současný stav názoru na vyvoj mikrofauny burdigalu a helvetu vídeňské pánve). Vestn. geol. Úst. ésl. 32 6 1957: 390–397. [German summary.]

Cicha, I. (4). Mikrofauna spodniho tortonu vnější alpsko-karpatské pánve na Moravě. Vestn. geol. Úst. ésl. 32 6 1957 : 407–409. [German summary.] Cicha, I. (5). Mikrobiostratigrafické poměry neogenu c Cf vrtbách v Širáím okoli Lakšárské Nové Vsi (Vnitroalpská panev Videňska). Geol. Práce Zprávy Slovensk. Akad. 14 1958: 92–106, figs.

Cicha, I. (6). Robulus meznericsae n. sp. (Foraminifera, Protozoa) vom Burdigal des Vähgebietes (NW Teil des Pannonischen Beckens). Vestn. geol. Üst. ćsl. 33 1 1958: 66-68, figs.

Cicha, I. (7). Předběžná zpráva o srovnávacích výzkumech spodniho miocénu paratethydy s přihlédnutím k vývoji dírkovcové fauny. Vestn. geol. Úst. ésl. 34 2 1959 : 144–148. [German summary.]

Cicha, I. (8). Několik poznámek k problematice vztahů předkarpatského zakarpatského a československého miocénu z hlediska mikrofauny. Vestn. geol. Úst. čsl. 34 4 1959 : 288–298. [German summary.]

Cicha, I., Paulik, J. & Tejkal, J. Bemerkungen zur Stratigraphie des Miozans des südwestlichen Teiles des ausserkarpatischen Beckens in Mähren. Czech. Republ., Ustred Ustavu geol. Sbornik, 23 ser. Paleont. 1956: 307–364, figs. [Czechoslovakian: German summary.]

Cicha, I. see Buday, T.

Cicha, I. see Stejskalova.

Cifelli, R. Bathonian foraminifera of England. Bull. Mus. comp. Zool. Harv. 121 (7) 1959: 265-368, figs.

Cinca, M. Action spononticide et chemoprophylactique de la pyriméthamine. Riv. Parassit., 20 1959: 243–254. [Italian and English summaries.]

Cita, M. B. & Rossi, D. Prima segnalazione di Aptiano—Albiano nelle Dolomiti. R.C. Accad. Lincei (8) 27 6 1959 : 405–411, figs.

Cita, M. B. & Ruscelli, M. A. Cretaceous microfacies from Western Pakistan and Afghanistan. Riv. ital. Paleont. 65 3 1959: 231-252, figs.

Clark, D. T., see Patton, C. L.

Clark, G. W. The prevalence of parasites in the blood of the yellow-billed magpie (*Pica nuttalli*) in California. J. Protozool. 7 (Suppl.), 18.

Clark, G. W., see Heckmann, R. A.

Clark, T. B. & Wallace, F. G. A comparative study of kinetoplast ultrastructure in the Trypanosomidae. J. Protozool. 7: 115-124, figs.

Clark, T. B., see Wallace, F. G.

Clark, V., see Thompson, J. C. Jr.

Ciarke, A. E. & Stone, B. A. Structure of the paramylon from Euglena gracilis. Biochem. & Biophys. Acta 44: 161-165.

Clarke, B., see Parke, M.

1–32, fi Clark

[1960

Clark cent fla

and in

(blackh poults.

Cleve pha fro J. Prot

> Cleve centrio Arch. I

Cryptoc 7: 240 Cleve Ecdyso of the

7: 229

Clyde Coats Some I from L

Coat

Cock somias Ass. 47 Cola zona 1958 :

Cole Island Foram 1957:

Cole Atoll of 1957 : Cole Carria

Cole Ameri Camer 1958 :

Cole Ameri Paleor

Ameri Discoo

Von

Wat.

an.

h.

38.

sd.

ies

he

in

90-

the

Clarke, G. L. & Breslau, L. R. Studies of luminescent flashing in Phosphorescent Bay, Puerto Rico, and in the Gulf of Naples, using a portable bathy-photometre. Bull. Inst. océanogr. Monaco No. 1171: 1-32, figs.

Clarke, W. J., see Eames, F. E.

Clarkson, M. J. (1). The effect of histomoniasis (blackhead) on the serum protein pattern of turkey poults. Trans. roy. Soc. trop. Med. Hyg. 54: 7.

Clarkson, M. J. (2). The coccidia of the turkey. Ann. trop. Med. Parasit. 54: 253-257, figs.

Cleveland, L. R. (1). The centrioles of *Trichonympha* from termites and their functions in reproduction. J. Protozool. 7: 326-341, figs.

Cleveland, L. R. (2). Photographs of living centrioles in resting cells of *Trichonympha collaris*. Arch. Protistenk. 105: 110-112, figs.

Cleveland, L. R. & Burke, A. W. Jr. Modifications induced in the sexual cycles of the protozoa of Cryptocercus by change of host. J. Protozool. 7: 240-245.

Gleveland, L. R., Burke, A. W. Jr. & Karlson, P. Ecdysone induced modifications in the sexual cycles of the protozoa of *Cryptocercus*. J. Protozool. 7: 229–239.

Clyde, D. F., see Pringle, G.

Coatney, G. R., Elbel, R. E. & Kocharatana, P. Some blood parasites found in birds and mammals from Loei Province, Thailand. J. Parasit. 46: 701.

Coatney, G. R., see Eyles, D. E.

Cockbill, G. F. The control of tsetse and trypanosomiasis in Southern Rhodesia. Proc. Rhod. sci. Ass. 47: 1-11, figs.

Colacicchi, R. Sul presunto Langhiano della zona di Pachino. Boll. Accad. gioenia (4) 4 4 1958: 184–190, figs. [English summary.]

Cole, W. S. (1). Geology of Saipan Mariana Islands, Part 3. Paleontology. Chapter I. Larger Foraminifera. Prof. Pap. U.S. geol. Surv. 280-I 1957: 321-360, figs.

Cole, W. S. (2). Larger foraminifera from Eniwetok Atoll drill holes. Prof. Pap. U.S. geol. Surv. 260-V 1957: 743-784, figs.

Cole, W. S. (3). Larger Foraminifera from Carriacon British West Indies.
38 171 1958: 215-233, figs.

Cole, W. S. (4). Names of and variation in certain American larger foraminifera, particularly the Camerinids—No. 2. Bull. Amer. Paleont. 38 173 1958: 257-284, figs.

Cole, W. S. (5). Names of and variation in certain American larger foraminifera—No. 1. Bull. Amer. Paleont. 38 1958: 175–213, figs.

Cole, W. S. (6). Names of and variation in certain American larger foraminifera, particularly the Discocyclinids—No. 3. Bull. Amer. Paleont. 38 176 1958: 411-429, figs. Cole, W. S. (7). Asterocyclina from a Pacific seamount. Contr. Cushman Fdn. 10 (1) 1959: 10-14, figs.

Cole, W. S. (8). Names of and variation in certain Indo-Pacific Camerinids. Bull. Amer. Paleont. 39 181 1959: 345-371, figs.

Colella, G., see Tasselli, E.

Coleman, G. S. (1). The cultivation of sheep rumen oligotrich Protozoa in vitro. J. gen. Microbiol. 22: 555-563, fig.

Coleman, G. S. (2). Effect of penicillin on the maintenance of rumen oligotrich Protozoa. Nature, Lond. 187: 518-520, fig.

Coleman, N., see Eyles, D. E.

Coles, W. C., see Pipkin, A. C.

Collier, H. O. J., see Horton-Smith, C.

Collins, A. C. Report on foraminiferal samples from King Island, Tasmania (Appendix III of the Coastal Geomorphology of King Island, Bass Strait, Jennings, J.N.). Rec. Queen Vict. Mus. N.S. No. 11 1959: 36–39.

Collins, T., see Wallace, F. G.

Collmoon, C., see Schwalb, H.

Colom, G. (1). News—Spain. Micropaleontology 5 1959 : 268–269.

Colom, G. (2). Gymnesina glomerosa n. gen., n. sp. (Fam-Ophthalmidiidae) from the Mediterranean. Contr. Cushman Lab. 10 (1) 1959: 16–19, figs.

Colom, G. & Muraour, P. Les fossiles du Miocène inferieur (Burdigalien) de Basse-Kabylie (Macrofaune et Microfaune). Bull. Serv. Carte géol. l'Alger 8 1956: 217-250, figs.

Colom, G., see Bolze, J.

Colom, G., see G. S. de Carvalho.

Combescot, C., see Aron, E.

Combescot, C., see Cuvelier, R.

Combescot, C., see Hovasse, R.

Conforto, B. Contributo alla conoscenza delle formaziari "flescioidi" del Lazio. Boll. Soc. Geol. Ital. 75 1956: 95-107, figs.

Conkin, B., see Conkin, J.

Conkin, J. & Conkin, B. Nummoloculina in lower Cretaceous of Texas and Louisiana. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 890-896, figs.

Conner, P., see Shaffer, J. G.

Conroy, D. A. (1). Studies on the sporocysts of Monocystis sp., with particular reference to their distribution within the vesiculae seminales of the Annelids. Rev. ibér. Parasit. 20: 177-188, figs.

Conroy, D. A. (2). A note on the occurrence of Giardia sp. in a Christmas pudding. Rev. ibér. Parasit. 20: 567-571.

Convit, J., Alarcón, C. J., Medina, R., Reyes, O. & Vegas, F. K. Leishmaniasis tegumentaria diffusa. Nueva entidad clinico-patologica y parasitaria. Arch. venezol. Patol, trop. 3 1959: 218-251, figs. [English, French, German summaries.]

Coogan, A. H. Stratigraphy and paleontology of the Permian Nosoni and Dekkas formations (Bollibokka Group). Publ. Dep. Geol. Univ. Calif. 36 5: 243-316, figs.

Cookson, I. C. & Eisenack, A. Microplankton from Australian and New Guinea Upper Mesosoic sediments. Proc. roy. Soc. Vict. N.S. 70 1 1958: 19-79, figs.

Cooledge, J. W., see Allen, R. D.

Coppi, G., see Almirante, L.

Coppi, G., see Carneri, I. de

Corbett, J. J. Antigenic variation in Tetrahymena pyriformis. J. Protozool. 7 (Suppl.), 18.

Cordero del Campillo, M. Nuveos casos de coccidiosis bovina en Léon: Denuncia de Eimeria bovis (Züblin, 1908). Fiebiger, 1912, E. aubernensis Christensen y Porter, 1939 y E. ellipsoidalis Becker y Frye, 1929. Rev. ibér. Parasit. 20: 189–198, figs. [English summary.]

Cordero del Campillo, M. & Fernández González, J. Presencia de la coccidiosis bovina en España. Rev. ibér. Parasit. 20: 15-22, fig. [English summary.]

Corliss, J. O. (1). Tetrahymena chironomi sp. nov., a ciliate from midge larvae, and the current status of facultative parasitism in the genus Tetrahymena. Parasitology 50: 111-153, figs.

Corliss, J. O. (2). Comments on the systematics and phylogeny of the Protozoa. Syst. Zool. 8 1959: 169–190, figs.

Corliss, J. O. (3). The problem of homonyms among generic names of ciliated Protozoa, with proposal of several new names. J. Protozool. 7: 269-278.

Corliss, J. O. (4). Numbers of ciliated Protozoa and the need for taxonomic revisions. J. Protozool. 7 (Suppl.) 18.

Corliss, J. O. & Dysart, M. P. Evidence of "clonal decline" in *Tetrahymena rostrata* and the apparent effect of antogamy on this decline. J. Protozool. 7 (Suppl.) Abstr. 67, 18.

Corliss, J. O., see Dysart, M. P.

Corminboeuf, P. Sur les couches de Cucloz-Villavolard en Suisse occidentale. Ecl. geol. helv. 52 1 1959: 271-294, figs.

Corradetti, A. (1). Relapses and immunological course in *Plasmodium* infections. Parassitologia 1 1959: 91-96.

Corradetti, A. (2). I. Focolai Italiani di kala agar e il problema della leishmaniosi nel Sud Europa. Parassitologia 2: 95–98. Corradetti, A. & Ilardi, A. A strain of Plusmodium elongatum from Corvus cornix. Parassitologia 2: 367-370.

Corradetti, A. Neri, I. & Scanga, M. Segnalagione in Italia di Plasmodium praecox var. mututinum in Turdus diacus, e separazione di questo plasmodio da Plasmodium praecox come specie distinta: Plasmodium matutinum Huff, 1937. Parassitologia 2: 333-343, figs.

Corradetti, A. & Verolini, F. Decorso della reinfezione di *Plasmodium berghei* in ratti albini precedentementi infettati, guariti e splenectomizzati. Parassitologia 2: 99-103.

Corradetti, A., Verolini, F. & Rostirolla, M. Durata della sopravvivenza di *Plasmodium berghei* nel pipistrello italiano *Miniopterus schreibersii*. Riv. Parassit. 20 1959: 255–257. [English summary.]

Correa Netto, A., see Okumura, M.

Corso, P., see Benedetto, A.

Cort, W. W., Hussey, K. L. & Ameel, D. J. (1) Studies on a microsporidian hyperparasite of strigeoid trematodes. I. Prevalence and effect on the parasitized larval trematodes. J. Parasit. 46: 317–325, figs.

Cort, W. W., Hussey, K. C. & Ameel, D. J. (2). Studies on a microsporidian hyperparasite of strigeoid trematodes. II. Experimental transmission. J. Parasit. 46: 327–336, figs.

Congrove, G. E. Internal parasites in the Panama Canal zone. Amer. J. trop. Med. Hyg. 9: 173-174.

Costello, L. C. & Schoenborn, H. W. Preliminary observations on the enzyme systems of Astasia conga (Abstr.). Anat. Rec. 132 (1959): 424-425.

Cottengon, A., see Blant, G.

Coudert, J., Battesti, M. R. & Papageorgiou, C. Modifications de l'indice mitotique des cellules néoplasiques en culture (souche KB) sous l'influence d'un extract de Trypanosoma cruzi. C.R. Soc. Biol. 154: 612-615, figs.

Coutinho, J. O., Taunay, A. de E. & Carvalho Lima, L. P. de. Importância da Musca domestica como vector de agentes patogénicos para o homem. Rev. Inst. A. Lutz 17 1958: 5-24. [English summary.]

Covaleda Ortega, J. & Rodriguez Torres, A. Cultivo de *Trypanosoma equiperdum* en embrion de pollo. Rev. ibér. Parasit. **20**: 3–12, figs. [English summary.]

Covell, G. Relationship between malarial parasitaemia and symptoms of the disease. Bull. Wld. Hlth. Org. 22: 605–619.

Cowell, B. C. A quantitative study of the winter plankton of Urschel's Quarry. Ohio J. Sci. 60: 183-191, figs.

Cowper, S. G. & Woodward, S. F. A preliminary note on parasitic infections on the Moor Plantation, Ibadan. A study of one hundred employees. W. Afr. med. J. N.S. 9: 123-130,

Cres Austra Austra

[196

Cox,

Cox,

Cres Guines 1958 :

Cres ology Cros

of the 24 195 Crow and pa Califor

Crus from (

Curi

and t

Inst.

G. A active vagina franç

Cuviology

Czaj Acta I Dag Dair

vitami biol. A Dall von T

ter flu

Vireho [English Dan d'Éoci et de

Algéri 1956 : Dan graphi

graphi Miocèi (Grand l'Algei Cox, D., see Frank, O.

Cox, D. D., see Harms, R. H.

Crespin, I. (1). Permian Foraminifera from Australia. Bull. Bur. Min. Res. geol. geophys. Australia 48 1958: 1–207, figs.

Crespin, I. (2). Microfossils in Australian and New Guinea stratigraphy. J. roy. Soc. N.S.W. 92 4 1958: 133-147.

Crespin, I. (3). News—Australia. Micropaleontology 5 1959: 261.

Grouch, R. W. Paleontology and paleoecology of the San Pedro shelf and vicinity. J. Sed. Petrol. 24 1954: 182–190, figs.

Crowell, J. C. & Susuki, T. Eocene stratigraphy and paleontology, Orocopia Mountains, South eastern California. Bull. geol. Soc. Amer. 70 5 1959 : 581–592, figs.

Crusz, H. New gregarines parasitic in lepismatids from Ceylon. Proc. zool. Soc. Lond. 135: 525-536, figs.

Cruz Ferreira, F. S., see Franco, L.T.A.

Curbelo, A., see Varela, G.

Curl, H. The phytoplankton of Apalachee Bay and the North-eastern Gulf of Mexico. Publ. Inst. mar. Sci. Univ. Texas 6 1959: 277-320, figs.

Cuvelier, R., Combescot, C., Demaret, J. & Andraud, G. Action d'une eau chlorure magnesienne radioactive sur la parasitose experimentelle a *Trichomonas* vaginales chez la rate albinos. Act. Congr. Ass. franç 75: 137.

Cuvillier, J. (1). La micropaleontologia moderna. Riv. Ital. Paleont. Stratigr. 62 1956: 143-145.

Cuvillier, J. (2). News—France. Micropaleontology 5 1959: 502-506.

Czapik, A. Microbenthos of fish-ponds in Mydlinki. Acta Hydrobiol. Kraków 1 1959 : 187–196, figs.

Dagert, C., see Scorza, J. V.

oa

sh

sh

d.

Daisley, K. W. A method for the measurement of vitamin B_{11} concentration in sea waters. J. mar. biol. Ass. U.K. **37** 1958: 673-681, fig.

Dallenbach, F. & Piekarski, G. Über den Nachweis von Toxoplasma gondii im Gewebe mit Hilfe markierter fluorescierender Antikörper (Method nach Coons). Virchows Arch. path. Anat. 333: 607-618, figs. [English summary.]

Dame, R. & Magné, J. (1). Sur la présence d'Éocène inferieur et moyen aux environs de Dellys et de Tigzirt (zone littorale de la Grande Kabylie-Algérie). Bull. Serv. Carte. géol. l'Alger N.S. 8 1956: 137-141.

Dame, R. & Magné, J. (2). Sur la position stratigraphique du "Dellysien" et sur l'existence de Miocène Supérieur dans la région du Bas Sebaou (Grande Kabylie, Algérie). Bull. Serv. Carte géol. l'Alger N.S. 8 1956; 199—216, figs. Danforth, W. F. Oxidative assimilation of acetate by *Euglena*. Carbon balance and effects of ethanol. J. Protozool. 7 (Suppl.) 44, 14. [Abstract.]

Danforth, W. F., see Wilson, B.W.

Danielli, J. F. Cellular inheritance as studied by nuclear transfer in amoebae. In Walker, P.M.B.—New approaches in cell biology. Proceedings of a symposium held at Imperial College, London, July, 1958. London (Academic Press) 1960: 15–22, figs.

Danielova, U. Faunistische Shizze der Gattung Paramecium aus der Tschechoslovakei. Mém. Soc. zool. tchécosl. **23** 1959: 230–246, figs. [Czech: German summary.]

Daniels, E. W., see Roth, L. E.

Daoud, K. A. & Schwabe, C. W. Sensitivity of Lebanese and Syrians to toxoplasmin and to a similar antigen prepared from *Leishmania tropica*. Amer. J. trop. Med. Hyg. 7: 158-161.

Dasgupta, B. (1). Lipids in different stages of the life cycles of malaria parasites and some other Sporozoa. Parasitology **50**: 501-508, figs.

Dasgupta, B. (2). Polysaccharides in the different stages of the life-cycles of certain Sporozoa. Parasitology **50**: 509-514, figs.

David, L. Etude géologique des Monts de la Haute Medjerda. Publ., Serv. Carte geol. Algérie n.s. Bull. 11, 1956 : 1–304, figs.

Davies, S. F. M., see Joyner, L. P.

Davis, E. (1). Les Foraminiféres néogènes d'Elide. Prakt. Akad. Athens 32 1958 : 332–337.

Davis, E. (2). Die stratigraphische Gliederung der erdölführenden Schichten der Insel Zante. Prakt. Akad. Athens 34 1 1959: 120–129, figs.

Davis, L. R., Herlich, H. & Bowman, G. W. (1). Studies on experimental concurrent infections of dairy calves with coccidia and nematodes. III. Eimeria spp. and the threadworm, Strongyloides papillosus. Amer. J. vet. Res. 21: 181-187.

Davis, L. R., Herlich, H. & Bowman, G. W. (2). Studies on experimental concurrent infections of dairy calves with coccidia and nematodes. IV. Eimeria spp. and the small hair worm, Trichostrongulus colubriformis. Amer. J. vet. Res. 21: 188-194

Davies, L. R. & Smith, W. N. The use of acridine orange and fluorescence microscopy for examining occysts of coccidia of cattle and sheep. J. Protozool. 7 (Suppl.): 12.

Davis, L. R., see Smith, W. N.

Deas, D. W. Trichomonas disease. Vet. Rec. 72: 746.

Debaisieux, P. Ciliates apostomes parasites de *Palaemon*. Cellule **60**: 333–352, figs.

Deckart, M. (1). Fressgesellschaften bei Sonnentierehen. Mikrokosmos 49: 118-121, figs. Deckart, M. (2). Das Wimpertierchen Spirostomum ambiguum. Mikrokosmos 49: 289-290, figs.

Decloitre, L. (1). Mise au point de systématique dans le genre *Lesquereusia*. Hydrobiologia 14: 278–280, figs.

Decloitre, L. (2). Mise au point de systématique dans le genre Difflugia. Hydrobiologia 14: 386.

Decloitre, L. (3). Structure de la thèque du genre Corythion Taranek. Hydrobiologia 16: 215-217, figs.

Decloitre, L. (4). Recherches sur les Rhizopodes thecamoebiens d' A. & F. Mém. Inst. franç. Afr. noire No. 31 1953: 1–249, figs.

Decloitre, L. (5). Le Parc National du Niokolo-Koba. Rhizopodes thécamoebiens. Mém. Inst. franç. Afr. noire No. 48 1956 : 233–258, figs.

Decloitre, L. (6). Thécamoebiens récoltés au Cameroun par A. Villiers. Bull. Inst. franç. Afr. noire 20A 1958: 1139-1144.

Decloitre, L. (7). Thécamoebiens de la $8_{\rm e}$ Expédition antartique française. Bull. Mus. Hist. nat. Paris 32:242-251.

Decloitre, L. (8). Perfectionnements apportes à un appareil pour une technique d'isolement des microorganismes du sol, des mousses, des eaux. Int. Rev. ges. Hydrobiol. 45: 169-171, fig.

Deegan, T., see Riley, M. V.

Deflandre, G. (1). Eugène Penard (1855–1954). Correspondance et souvenirs. Bibliographie et bilan systématique de son oeuvre. Hydrobiologia 10 (1958): 2–37, figs.

Deflandre, G. (2). Sur les nannofossiles calcaires et leur systématique. Rev. Micropaléont. 2 3 1959: 127–152, 4 pls.

Deflandre, G. & Deflandre-Rigaud, M. (1). Données paléontologiques sur l'ontogenèse de la coque des Radiolaires Sphaerellaires. Conséquences taxinomiques. C.R. Acad. Soi. Paris 246 6 1958: 968–970, figs.

Defiandre, G. & Defiandre-Rigaud, M. (2). Sur l'existence d'une association particulière de Nannoconidés dans le Crétacé supérieur du bassin de Paris. C.R. Acad. Sci. Paris 249 22 1955 : 2373– 2374, figs.

Deflandre-Rigaud, M., see Deflandre, G.

Degrange, C., see Dorier, A.

Dehm, R. Zeitgebundene und organische Entwicklung. Geol. Rundschau 45 1956: 52-56, figs.

Deken-Grenson, M. de. Le mécanisme de la perte héréditaire d'une fonction biochimique: la synthèse des chlorophylles. Arch. Biol. **71**: 269-341, figs.

Deken-Grenson, M. de & Godts, A. Descendance of Euglena cells isolated after various bleaching treatments. Exper. Cell Res. 19: 376–382, fig.

Dekkhan-Khodzhaeva, N. A. On the ability of Lamblia to penetrate the tissues. Med. Parazit. (Mosk.) 29: 226-229. [Russian: English summary.]

Delcourt, A. & Sprumout, G. Curieuse association de microfossiles dans le Wealdien de Feron-Glangeon (France). Bull. Soc. belge Géol. Pal. Hydr. 68 1 1959: 122–125.

Delcroix, C., see Aron, E.

Delcroix, C., see Hovasse, R.

Delga, M. D. & Lambert, A. La bordure occidentale de la nappe de Guerrouch (Nord-Constantinois, Algérie). C.R. Soc. géol. Fr. 1956 15: 296-298.

Delga, M. D., Magné, J. & Peyre, Y. Découverte du Crétacé moyen dans le Bétique de Malaza et le Pénibétique d'Antequera (Andalousie). C.R. Acad. Sci. Paris 249 25 1959 : 2796-2798.

Demarchi, J. & Nicoli, J. (1). Multiplication des trypanosomes humains Africains en culture de tissues. C.R. Sci. Biol. Paris 154: 306–308.

Demarchi, J. & Nicoli, J. (2). La multiplication des agents des trypanosomiases humaines Africaines en cultures de tissus. Ann. Inst. Pasteur, Paris 99: 120-130, figs.

Demaret, J., see Aron, E.

Demaret, J., see Cuvelier, R.

Demaret, J., see Hovasse, R.

Deom, J., see Thils, E.

Deshler, W. Livestock trypanosomiasis and human settlement in North-eastern Uganda. Geogr. Rev. **50**: 541–554, figs.

Desio, A. Cretaceous beds between Karakorum and Hindu Kush Ranges (Central Asia). Riv. ital. Paleont. 65 3 1959: 221-229.

Desowitz, R. S. (1). Denaturant effect of basic trypanocidal drugs on the protein of cell-free trypanosomal extracts. Exper. Parasit. 9: 233–238, figs.

Desowitz, R. S. (2). Studies on immunity and host-parasite relationships. II. The immune response of antelope to trypanosomal challenge. Ann. trop. Med. Parasit. 54: 281-292, figs.

Desowitz, R. S. (3). The antigenic relationships between polymorphic and monomorphic strains of the brucei group trypanosomes. J. Protozool. 7 (Suppl.): 7.

Desowitz, R. S. (4). Investigations on trypanosomal immunity. Inter. sci. Comm. Trypanosomiasis Res. Publ. No. 62: 155–162.

Desowitz, R. S. & Williamson, J. The chemical composition of some African trypanosomes; proteins, amino-acids and sugars. J. Protozool. 7 (Suppl.): 7.

Dessi, P., Gianni, A. M., Pasini, G. & Greco, M. Azione della streptomicina sulla compozione amino-acidica dei fitoflagellate. Boll. Sci. ital. Biol. sper. 35 1959: 1301–1303, fig.

Destombes, P., see Vallée, A.

Detterman, R. (1). Sequence of Mesozoic rocks in Alaska: new and redefined nomenclature of Nanushuk group. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 233–244. Akad

[1

Alasi

grou 40 1

De

ne de leuca 269-

De of foi in 3 figs.

De in T comp 22:

Biop

Dir reptil Cleve 1934.

Di

Dia ment Pener 324–3

Di

sp. n Ukra No. l

Dil Vesta [In E

Appe Sci.

Dil and Proto

Dir bovin prope Biol. 1

8 1

ale

ois,

orte

ad.

des

de

ion

aris

Detterman, R. (2). Sequence of Mesozoic rocks in Alaska; new member of Seabee formation, Colville group. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 263–254.

Deutsch, K. The mitosis of Hartmanella astronyxis an electron-microscope study. Monatsb. dtsch. Akad. Wiss. 2: 205-210, figs.

Deutsch, K. & Swann, M. M. An electron microscope study of a small free-living amoeba (Hartmanella astronyxis). Quart. J. micr. Sci. 100 1959: 13–15, figs.

Devi, R. V. The nuclear apparatus of Frontonia leucas (Ehrbg). Proc. nat. Inst. Sci. India 26B: 269-277, figs.

Devine, R., see Beams, H. W.

Dewey, V. C. & Kidder, G. W. (1). The influence of folic acid, threonine and glycine on serine synthesis in *Tetrahymena*. J. gen. Microbiol. 22: 72-78, figs.

Dewey, V. C. & Kidder, G. W. (2). Serine synthesis in *Tetrahymena* from non-amino acid sources of compounds derived from serine. J. gen. Microbiol. 22: 79-92, figs.

Dewey, V. C. & Kidder, G. W. (3). Antimetabolites of acetate in *Tetrahymena*. Arch. Biochem. Biophys. 88: 78-82, figs.

Dewey, V. C., see Markees, D. G.

Diamond, L. S. The axenic cultivation of two reptilian parasites, Entamoeba terrapinae Sanders and Cleveland, 1930, and Entamoeba invadens Rodhain, 1934. J. Parasit. 46: 484.

Diaz, O., see Apt, W.

Diaz Vasquez, A., see Scorza, J. V.

Didkovsky, V. Y. (1). On the phylogenetic development of certain representatives of the family Peneroplidae. Rep. Acad. Sci. Ukr. **1958** 1958 : 324–329, figs.

Didkovsky, V. Y. (2). On a new representation of the family Miliolidae—Flintinelli volhymica gen. et sp. n.—from the middle Sarmatian deposits of the Ukrainian SSR. Dopov. Akad. Nauk. Ukr. RSR., No. 10: 1432-1435, figs. [English summary.]

Dieci, G. Foraminiferi del Tortoniano dell'-Appennino modenese. (Nota preliminare). Atti Sci. Nat. Mat. Modena 87-88 1958 : 62-73.

Dilko, M. I. [Babesiosis of cattle in Horyn area]. Vestz. Akad. Nauk Beloruss. SSR biol. 4: 89-100 [In Belorussian.]

Diller, W. F. Observations on the organization and life history of *Homalozoon vermiculare*. J. Protozool. 7 (Suppl.): 28, 11. [Abstract.]

Dimopoullos, G. T. & Bedell, D. M. Studies of bovine crythrocytes in anaplasmosis. I. Flocculating properties of stromata in water. Proc. Soc. exp. Biol. (N.Y.) 105: 463–466, fig. Diniz, M. de A. Contribuição para o conhecimento dos Foraminiferos do arquipélago de S. Tomé e Príncipe. Garcia de Orta 7 3 1959 : 471–482, figs.

Dion, Y. & Nouvel, H. Mysidacés et Euphausiacés récoltés en Méditerranée occidentale par le navire océanographique "Président-Théodore-Tissier" en 1949; présence de l'Ellobiopsidae Amallocystis fagei Boschma en Méditerranée et sur un hôte nouveau. Bull. Sta. Aquic. Pèche. Castiglione N.S. 10 1958-59 (1960): 11-19, maps.

Dippell, R. V. (1). The fine structure of Kappa in killer stock 51 of *Paramecium aurelia*. J. biophys. biochem. Cytol. **4** 1958: 125–128, figs.

Dippell, R. V. (2). Cytological observations on kappa in killer stock 51 of Paramecium aurelia Anat. Rec. 134 (1959): 554. [Abstract.]

Dippell, R. V., see Sonneborn, T. M.

Dlugi, A. Krátky mikrobiostratigrafický prehľad pannonu v Dolnomoravskom úvalu. Vestn. geol. Úst. ésl. 32 6 1957 : 421–424. [German summary.]

Dobrokhotova, O. V. [Parasites of fishes from Lake Zaisan]. Trudy. Inst. Zool. Akad. Nauk Kazakh. SSR. 14: 109. [In Russian.]

Dobrzańska, J. Investigations on ciliates living in lamellibranchiates of small water bodies. Bull. Acad. polon. Sci. Sér. Sci. Biol. 6 1958: 113–118, figs.

Dodin, A. & Brygoo, E. R. (1). Compléments enzymatiques et morphologiques a l'étude de Pirhemocyton chamaeleonis. Bull. Soc. Path. exot. 53: 613-616.

Dodin, A. & Brygoo, E. R. (2). Complements morphologiques et enzymatiques a l'étude de l'inclusion leucocythémique de Chamaeleo lateralis. Bull. Soc. Path. exot. 53: 620-622.

Domínguez Carmona, M. Toxoplasmosis, parasitogia, epidemiología, clinica, diagnóstico, tratamiento. Rev. ibér. Parasit. 20: 519-566, figs.

Dore, P. Effetto di un derivato dichloroacetamidico nell'amebiasi e nella giardiasi intestinale. Parassitologia 2: 155-157.

Dorier, A. & Degrange, C. (1). Sur les formes amiboïdes de l'Ichthyophorius (Ichthyosporidium) hoferi Plehn et Nulsow. C.R. Acad. Sci. Paris 251: 1946–1941.

Dorier, A. & Degrange, C. (2). La germination in vivo des kystes de l'Ichthyophorus (Ichthyosporidium) hoferi Plehn et Nulsow. C.R. Acad. Sci. Paris 251: 2250-2251.

Dorney, R. S. & Todd, A. C. Spring incidence of ruffed grouse blood parasites. J. Parasit. 46: 687-694, fig.

Doscher, G. E., see Wellerson, R.

Douglass, R. C. News—United States, East Coast. Micropaleontology 5 1959: 269-272.

huogr.

tal.

and nse op.

the l.): no-

ical ins, 7.

M. noper.

s in nuk ists

Downie, C. Hystrichospheres from the Silurian Wenlock Shale of England. Palaeontology 2 1 1959: 56-71, figs.

Dragesco, J. Ciliés, mésopsammiques littoraux, systematique, morphologie, écologie. Trav. Sta. biol. Roscoff N.S. **12**: 1–356, figs.

Draper, C. C. & Smith, A. Malaria in the Pare area of Tanganyika. Part. II. Effects of three years' spraying of huts with dieldrin. Trans. roy. Soc. trop. Med. Hyg. 54: 343-357, figs.

Draper, C. C., see Pringle, G.

Dresscher, T. G. N. & Gispen van der Wey, A. J. J. Quelques organismes sporadiques du plancton de la région d'Amsterdam. Hydrobiologia 11 1958 : 93-98, figs.

Drews, R. Der Erreger des Meeresleuchtens: Das Geisseltierchen Noctiluca. Mikrokosmos 49: 353-355, figs.

Drexler, E. Foraminiferen und ostracoden aus dem Lias a von Siebeldengen/Pfalz. Geol. Jb. 75 1959: 475-554, figs.

Drinkwaard, A. C. The quality of oysters in relation to environmental conditions in the Oosterschelde in 1958. Ann. Biol. Copenhagen 15: 224-233, figs.

Drooger, C. W. & Batjes, D. A. J. Planktonic foraminifera in the Oligocene and Miocene of the North Sea Basin. Proc. Akad. Wet. Amst. 62B 3 1959: 172-186, figs.

Drooger, C. W. & Kaasschieter, J. P. H. Foraminifera of the Orinoco-Trinidad-Paria Shelf. Reports of the Orinoco Shelf Expedition. Vol. IV. Verh. Akad. Wet. Amst. (1) 22 1958: 1-108, figs.

Drooger, C. W. & Magné, J. Miogypsinids and planktonic forminifera of the Algerian Oligocene and Miocene. Micropaleontology 5 3 1959: 273–284,

Drooger, C. W. & Socin, C. Miocene foraminifera from Rosignano, northern Italy. Micropaleontology 5 4 1959 : 415-426, figs.

Drooger, C. W., see Rutsch, R.F.

Droop, M. R. Requirement for thiamine among some marine and supra-littoral Protista. J. mar. biol. Ass. U.K. 37 1958: 323-329, 1 fig.

Druikin, G. D., Kabakov, E. N. & Maksheev, D. N. On the epidemiology of skin leishmaniasis in Turkmen SSR]. Med. Parazit. (Mosk.) 29: 450-451. [Russian : English summary.]

Dryl, S. (1). Effects of adaptation to environment on chemotaxis of Paramecium caudatum. Acta Biol. exp. Warszawa 19 1959: 83-93, figs.

Dryl, S. (2). Chemotactic and toxic effects of lower alcohols on Paramecium caudatum. Acta Biol. exp. Warszawa 19 1959: 95-104, figs.

Dubourdieu, G. Etude géologique de la région de l'Ouenza (confins algéro-tunisiens). Publ., Serv. Carte géol. Algérie, n.s. Bull. 10, 1956 : 1-659, figs.

Dubourdieu, G. & Hottinger, L. Présence de Nécelvéclines dans le Miccene du Mesloula (Algérie orientale). Rev. Micropaléont. 2 1 1959: 3-7,

Ducaft, H. S., & William, M. An approach to the quantitative study of metabolism in bacteria-fed ciliates. J. Protozool. 7 (Suppl.): 13-14.

Dufaure, Ph. Problèmes stratigraphiques dans le Crétacé Supérieur des pays de Bigorre et de Comminges. Rev. micropaléont. 2 2 1959 : 99-112,

Dumith Arteaga, G. Estudios sobre algunos casos de babesiellosis intracerebral en bovines de Venezuela. Bol. Inst. Inv. Vet. 12: 47-51, fig. [English summary.]

Dumitresco, H., see Băcesco, M.

Dumont, J. N. The fine structure of Dileptus anser with special reference to the fibrillar system. J. Protozool. 7 (Suppl.): 10.

Dunaeva, Z. V., see Vasina, S. G.

Duncan, D., Eades, J., Julian, S. R. & Micks, D. Electron microscope observations on malarial oocys Plasmodium cathemerium). J. Protozool. 7: 18-26, figs.

Dunn, D. L. Devonian chitinozoans from the Cedar Valley formation in Iowa. J. Paleont. 33 6 1959: 1001-1007, figs.

Durand, M., see Juminer, B.

Durand, S. Conditions de sedimentation des calcaires et marnes du Bartonien aux anvirons du Mans (Sarthe). C.R. Acad. Sci. Paris 242 1956 : 269-271.

Durand Delga, M. (1). Sur les formations ante-miocènes de l'archipel de la balite (Tunisie). C.R. Acad. Sci. Paris 243 1956 : 389–392.

Durand-Delga, M. (2). Quelques, remarques sur les Fibrosphères. Bull. Carte géol. Alger. N.S. 13 1957: 153-164, figs.

Durand-Degla, M. (3). Une nouvelle forme de Calpionelles. Bull. Carte géol. Alger. N.S. 13 1957: 165-170, figs.

Duret, J., see Pautrizel, R.

Duszynska, S. (1). For a minifers from the Middle Devonian of the Holy Cross Mountains. Acta palaeont. Polonica 1 1956: 23-34, figs. [English: Polish summary.]

Duszynska, S. (2). Carboniferous Foraminifera from the marginal beds in Upper Silesia. Bull. Ser. géol. Pologne 121 1958: 5-16, figs. [Russian summary.

Duszynska, S. (3). Devonian foraminifera from Wydryszow (Holy Cross Mountains). Acta palaeont. polon. 4 1 1959: 71-89, figs.

Dyer, M. I., see Wallace, F. G. Dymowska, Z., see Pytel, L.

Dysart thymidin

[1960]

Dysart and cole structure 7 (Suppl.

> Dysart antigens J. Protos

Dysart Dzilisń occur in figs. [E

Eades, Earnes Nummul

fabiani. Eberso Echoli

Region. Ectors

Eding Eding Edwin and oth

produce Arch. Bi Ehret,

organisa Ehrlie

Eichel phorylat for its f Biophys

> pyriform 19. Eichel inhibito

Eichel

on oxid of rat li 19. Eiche. lecithing

prepara Eiche Tetrahy 82 1959

phorylai

Eisen.

Eisen Leiosph chospha 19, figs. Dysart, M. P. Study of macronuclear chromatin extrusion in *Tetrahymena limacis* using tritiated thymidine. J. Protozool. 7 (Suppl.): 10.

Dysart, M. P. & Corliss, J. O. Effect of colchicine and colcemide on fission rate and macronuclear structure in *Tetrahymena limasis*. J. Protozool. 7 (Suppl.): 10.

Dysart, M. P. & Katoh, A. K. Immobilization antigens of *Tetrahymena rostrata* and *T. pyriformis*. J. Protozool. 7 (Suppl.): 18-19.

Dysart, M. P., see Corliss, J. O.

Dzilishki, E. [Does sarcosporidiosis in horses occur in Poland?] Wiad. Parazyt. 6: 213–220, figs. [English summary.]

Eades, J., see Duncan, D.

Eames, F. E., Clarke, W. J. & Banner, F. T. Nummulites retiatus a synonym of Nummulites fabiani. Rev. micropaléont. 2 2 1959: 113.

Ebersold, W. T., see Levine, R. P.

Echolis, D. J. News—United States Mid-Continent Region. Micropaleontology 5 1959: 384-388.

Ectors, F., see Lambelin, G.

Edington, G. M., see Allen, D.

Edington, G. M., see Keeler, R.

Rdwin, E. E. & Green, J. Reversal by α-tocopherol and other substances of succinoscidase inhibition produced by a *Tetrahymena pyriformis* preparation. Arch. Biochem & Biophys. 87: 337–338.

Ehret, C. F. Organelle systems and biological organisation. Science 132: 115-123, figs.

Ehrlich, J., see Kohberger, D. L.

Eichel, H. J. (1). Electron-transport and phosphorylation inhibitor in *Tetrahymena* and evidence for its formation by phospholipase. Biochem. & Biophys. Acta 43: 364-366.

Eichel, H. J. (2). Some properties of *Tetrahymena* pyriformis lactic oxidase. J. Protozool. 7 (Suppl.):

Eichel, H. J. (3). Effects of an electron transport inhibitor from *Tetrahymena pyriformis* preparations on oxidative phosphorylation and latent ATPase of rat liver mitochondria. J. Protozool. 7 (Suppl.): 19.

Eichel, H. J. (4). Evidence for formation by a lecithinase A of an electron transport and phosphorylation inhibitor in *Tetrahymena pyriformis* preparations. J. Protozool. 7 (Suppl.): 19.

Eichel, H. J. & Rem, L. T. Lactic oxidase of *Tetrahymena pyriformis*. Arch. Biochem & Biophys. 82 1959: 484-485.

Eisen, J. D., see Burbank, W. D.

Eisenack, A. (1). Tasmanites Newton 1875 und Leiosphaeridia n. g. als gattungen der Hystrichosphaeridea. Palaeontographica 110A 1958: 1–19, figs.

Eisenack, A. (2). Mikroplankton aus dem norddentschen Apt nebst einigen Bemerkungen über fossile Dinoflagellaten. Neues Jb. Geol. Paläont. Abh. 106 3 1958: 383-422, figs.

Eisenack, A. (3). Neotypen baltischer Silur-Hystrichosphären und neue Arten. Palaeontographica A112 1959: 193–211, figs.

Eisenack, A. (4). Neotypen baltischer Silur-Chitinozoen und neue Arten. Neues Jb. Geol. Paläont. Abh. 108 1 1959 : 1–20, figs.

Eisenack, A. (5). Chitinose Nüllen ans Silur und Jura des Baltikuons als Foraminifera. Paläont. Z. 33 1959: 90–95, figs.

Eisenack, A. (6). Fossile Dinoflagellaten. Arch. Protistenk. 104: 43-51, figs.

Eisenack, A., see Cookson, I.

Elbel, R. E., see Coatney, G. R.

Elias, M. K. Fusulinid genera Protriticites Pseudotriticites and Putrella. Oklahoma Geology Notes 19 8 1959: 165-178, figs.

Elkeles, G. Die Züchtung von *Trypanosoma cruzi* in Gewebekulturen. Z. Tropenmed. u. Parasit. 11: 22–24. [English summary.]

Ellermann, C. Die mikrofaunistische Gliederung des Oligozans im Schacht Kapellen bei moers (Niederrhein). Fortschr. Geol. Rhein. Westfalen 1-2 1958: 205-214, figs.

Elliott, A. M., Addison, M. A. & Carey, S. E. Tetrahymena from Europe and a new variety from England. J. Protozool. 7 (Suppl.): 20.

Elliott, A. M. & Tremor, J. W. The fine structure of the pellicle in the contact area of conjugating *Tetrahymena pyriformis*. J. biophys. & biochem. Cytol. 4 1958: 839-840, figs.

Elliott, G. F. Mesozoic Radiolaria of the Middle East and their stratigraphical distribution. Geol. Mag. 96 6 1959: 482-488.

Ellis, B. F., see Lee, J. J.

El Mofty, M. & Smyth, J. D. Endocrine control of sexual reproduction in *Opalina ranarum* parasitio in Rana temporaria. Nature, Lond. 186 4724 1960: 559.

Elsdon-Dew, R. Recent findings in amoebiasis. Triangle 4: 180-185, figs.

Elsdon-Dew, R., see Oellermann, I.

Enăceanu, V. Contributions à la connaissance du plancton des lacs Oltina, Ciamurlia et Iortmac (Roumaine). Notul. biol. București 5 1947 : 205-216.

Endo, R. & Hashimato, W. Unquestionable Permian Fossils found in Kitaminokuni, Hokkaido, and its significance. J. Geol. Soc. Japan 62 1956: 241-243. [In Japanese: English summary.]

Engel, F. M. Lebensformen und Lebensgesetze im Mikrokosmos. III. Amöben. Mikrokosmos 47 1958: 307–311, figs. Englehardt, W. von, see Lemke, K.

Emberger, J. & Magné, J. Observations sur les nouveaux à charophytes de l'Aptien des Monts des Oulad-Nail (Atlas saharien, Algérie). Bull. Soc. géol. France, ser. 6 6 1956: 1029-1039, figs.

Emiliani, C. (1). On paleotemperatures of the Pacific bottom waters. Science 123 1956: 460-461.

Emiliani, C. (2). Oligocene and Miocene temperatures of the equatorial and sub-tropical Atlantic Ocean. J. Geology 64 1956: 281–288, figs.

Enjumet, M. Remarques sur la répartition des Atlanticellides en Méditerranée. Rapp. comm. int. Mer Medit. 15 329–331.

Epstein, H. T., Tour, E. B. de la & Schiff, J. A. Fluorescence studies of chloroplast development in Euglena. Nature, Lond. 185: 825-826.

Ergens, R., see Erhardová. B.

Erhardová, B., Ergens, R., Gjini, N., Prokopič, J. & Ryšavý, B. Contribution a la connaissance des parasites intestinaux chez les enfants de l'age prescolaire en Albanie. Česk. Parasit. 7: 97–98.

Ericson, D. B. Coiling direction of Globigerina pachyderma as a climatic index. Science 130 3369 1959: 219-220, 1 fig.

Ericson, D. B. & Wollm, G. Correlation of six cores from the equatorial Atlantic and the Caribbean. Deep-Sea Research 3 1956: 104–125, figs.

Evans, F. R. Studies on growth of Protozoa from Great Salt Lake with special reference to Cristigera sp. J. Protozool. 7 (Suppl.): 14-15.

Evitt, W. R., see Funkhouser, J. W.

Eyles, D. E. (1). Susceptibility of *Anopheles albimanus* to primate and avian malarias. Mosquito News 20: 368-371.

Eyles, D. E. (2). The excerythrocytic cycle of *Plasmodium cynomolgi* and *P. cynomolgi bastianellii* in the rhesus monkey. Amer. J. trop. Med. Hyg. 9: 543-555, figs.

Eyles, D. E. (3). Anopheles freeborni and A. quadrimaculatus as experimental nectors of Plasmodium cynomolgi and P. inui. J. Parasit. 46: 540.

Eyles, D. E. (4). The treatment of toxoplasmosis. Human toxoplasmosis, Copenhagen, p. 127-145, fig.

Eyles, D. E., Coatney, G. R. & Getz, M. E. Vivaztype malaria parasite of macaques transmissable to man. Science 131: 1812–1813.

Eyles, D. E. & Coleman, N. The effect of metabolities on the antitoxoplasmic action of pyrimethamine and sulfadiazine. Amer. J. trop. Med. Hyg. 9: 277-283.

Eyles, D. E., see Garin, J. P.

Fabiani, G., Orfila, J. & Bonhoure, G. Influence de l'acide para-aminobenzoïque sur le paludisme du Rat blane à *Plasmodium vinekei*. C.R. Soc. Biol. Paris 154: 1441-1442.

Fabre, J. & Creber, C. Le carbonifère continental au nord de Tindouf (Sahara). Publ. Serv. Carte géol. Algérie n.s. Bull. 8 1956: 7-23, figs.

Fagard, P., see Thils, E.

Fahrian, H., see Lemke, K.

Fakhr, B. Y., see Ansary, S. E.

Fallis, A. M. & Bennett, G. F. Description of Haemoproteus canachites n. sp. (Sporozoa Haemoproteidae) and sporogony in *Culicoides* (Diptera: Ceratopogonidae). Canad. J. Zool. 38: 455–464, figs.

Fallis, A. M., see Bennett, G. F.

Fallot, P., Magné, J. & Sigal, J. Sur les formations crétacées et tertiaires du Rio Fardes aux abords du Moucal (Province de Grenada, Andalousie). C. R. Acad. Sci. Paris 248 19 1959 : 2686-2691.

Fallot, P., see Bloch, J.-P.

Farmer, J. N. Some blood parasites from birds in Central Iowa. Proc. Iowa Acad. Sci. 67: 591-597.

Farrugia-Fougerouse, G. Contribution à la connaisance de l'origine, du metabolisme, et des propriétés biologiques, pour les alques, des sels minéraux et composés organiques dissons dans les collections d'eau naturelles stagnantes. Hydrobiologia 16: 1-80, figs.

Fauré-Fremiet, E. (1). Les protistes marins littoraux et leurs associations. Mém. Soc. nat. Sci. Cherbourg 46 1956: 49-52.

Fauré-Fremiet, E. (2). The origin of the Metazoa and the stigma of the phytoflagellates. Quart. J. micr. Sci. 99 1958: 123-129, fig.

Fauré-Fremiet, E. (3). Le cilié heterotriche Condylostoma tardum Penard. Hydrobiologia 10 1958: 38–42, fig.

Fauré-Fremiet, E. (4). Le cilié Condylostoma tenuis n. sp. et son algue symbiote. Hydrobiologia 10 1958: 43-48, figs.

Fauré-Fremiet, E. & Rouiller, C. Réseau canaliculaire dans les myonémes endoplasmiques de quelques ciliés. C. R. Acad. Sci. Paris 246 1958: 2039–2042, figs.

Fedorova, S. P., see Khromov, A. S.

Fedor, P., see Vršanský, V.

Fellig, J. Laminarase in Euglena gracilis. Science 131: 832, figs.

Fellig, J. & Wiley, C. E. Ribonuclease of Euglena gracilis. Science 132: 1835–1836, figs.

Fengueur, L., see Le Calvez, Y.

Fenaux, R. Contribution à l'étude de Kofoidinium velelloides Pavillard. Bull. Inst. océanogr. Monaco No. 1118, 1958 : 1-11, figs.

Ferguson, D. L., see Hammond, D. M.

Fernandes, J. F., see Moraes, G. E. S.

Fernández, B., see Phelps, A.

posthium nat. 57

[1960]

Ferná

Ferna M.

Fiala,
Fierro
Piccolo

Fife, hydrate condi.

Filipe au vers de ces ser. Sti ian : Fr

Finley active (1959):

J. Proto

Finle:

Finle excystn J. Prote Finle

Non-ax stoma.

Fishe

Fitzg Fond Font

Fora ais da Inst. M

das le venezo summa

Fond risma

Biol. 1

Radio member 76–80, Fernández-Galiano, D. La infracilación en Cycloposthium edentatum Strelkow. Bol. Soc. esp. Hist. nat. 57: 139-150, figs.

Fernandez Gonzalez, J., see Cordero del Campillo, M.

Fiala, L. see Sládeček, V.

Fierro, G. Microfaune del sedimento del Mar Piccolo di Taranto (nota preliminare). Thalassia jonica 2 1959: 137–139.

Fife, E. H., Jr. & Kent, J. F. Protein and carbohydrate complement fixing antigens of *Trypanosoma* condi. Amer. J. trop. Med. Hyg. 9: 512-517.

Filipescu, M. G. & Para, I. Age des argiles rouges au versant et de Ceahlau et la position tectonique de ces dépôts. Univ. C.I. Porhan, Bucuresti, An., ser. Sti. Nat. 11 1956: 253-259. (In Roumanian: French summary.)

Finley, H. E. (1). Observations on feeding radioactive bacteria to *Spirostomum* Anat. Rec. 132 (1959): 437.

Finley, H. E. (2). Growth of Opisthonecta. J. Protozool. 7 (Suppl.): 15.

Finley, H. E. (3). Binary fission in Spirostomum ambiguum. J. Protozool. 7 (Suppl.): 16.

Finley, H. E. & Lewis, A. C. Observations on excystment and encystment of *Vorticella microstoma*. J. Protozool. 7: 347-351, figs.

Finley, H. E., McLaughlin, D. & Harrison, D. M. Non-axenie and axenie growth of Vorticella microstoma. Anat. Rec. 132 (1958): 437.

Fischer, A. G., see Newell, N. D.

Fisher, M. W., see Kohberger, D. L.

Fitzgerald, P. E., see Waldschmidt, W. A.

Fitzgerald, P. R., see Hibler, C. P.

Fondimare, see Robin, L. A.

Fontenele, Z. F., see Alencar, J. E. de

Forattini, O. P. (1). Sôbre os reservatórios naturais da leishmaniose tegumentar Americana. Rev. Inst. Med. trop. São Paulo 2: 195–203, figs. [English summary.]

Forattini, O. P. (2). Flebotomos transmissores das leishmaniosis na regiao neotropical. Arch. venezol. Patol. trop. 3 1959: 193-207, fig. [English summary.]

Ford, J., see Aspinall, K. W.

Fong, B. A. & Hirschfield, H. I. Effects of Blepharisma pigment on marine invertebrate development Biol. Bull. 119: 316.

Foreman, H. P. A new occurrence of Devonian Radiolaria in calcareous concretions of the Huron member of the Ohio Shale. J. Paleont. 33 1959: 76-80, figs.

Forman, M. J. & Schlanger, S. O. Tertiary reef limestones from southern Louisiana and Guam J. Paleontology, 30 1956: 1004. [Abstract.]

Fomina, E. V. K voprosu o priurochennosti verkhue-i nizhuetul'skikh kompleksov foraminifer k razlichnium Karbonatnuim fatziyam tul'skogoli ghorizonta Podmoskovnoglio basseina. Voprosui Mikropaleontologhii 3: 72–82, figs.

Forti, A. Studi statistici su una microfauna aquitaniana dell'Appennino pavesevogherese." Riv. ital. Paleont. 64 4 1958: 349–358, figs.

Forti, A., see Raffi, G.

Fraga de Azevedo, J. Sur le diagnostic du kalaazar. Ann. Parasit. hum. comp. 35: 687-703, figs.

Franchino, A. Studi stratigrafici sul sistema cretaceo in Italia. Nota III. Il Flysch e la Scaglie della Brianza orientale tra Olginate e cernusco montevecchia. Riv. ital. Paleont. 64 1958: 47–60, figs.

Francis, E. H., see Lincicome, D. R.

Franco, L. T. A. & Cruz Ferreira, F. S. Erythrocyte sedimentation rate and trypanosomiasis. Inter. sci. Comm. Trypanosomiasis Res. Publ. No. 62: 103-108, figs.

Frandsen, J. C. & Grundmann, A. W. The parasites of some amphibians of Utah. J. Parasit. 46: 678

Frank, O., Hutner, S. H., Baker, H., Cox, D., Packer, E., Siegel, S., Aaronson, S. & Amsterdam, D. Sugar and glycerol-free media for *Ochromonas danica*. J. Protozool. 7 (Suppl.): 13.

Frank, O., see Baker, H.

Frankel, J. (1). Morphogenesis in Glaucoma chattoni. J. Protozool. 7: 362-376, figs.

Frankel, J. (2). Effects of localized damage on morphogenesis and cell division in a ciliate, *Glaucoma chattoni*. J. exp. Zool. 143: 175-193, figs.

Frazier, J., see Chute, H. C.

Frey, H. Das Aquarium von A biz Z. 2. Auflage. Radebeul (Neumann Verlag) 1959: pp. 600. 64 pls. (24 col.), text figs.

Frey-Wyssling, A. & Mühlethaler, K. Über den Feinbau der *Euglena-*Zelle. Schw. Z. Hydrol. 22: 122-130, figs.

Frick, L. P., see Ritchie, L. S.

Fromentin, H. Sensibilité aux tripanocides, in vivo et in vitro, d'une souche de Trypanosoma gambiense, normal et des lignées arséno-résistantes. Bull. Soc. Path. exot. 53: 517-525.

Fromentin, H., Korach, S. & Sandor, G. Variations du taux des différentes formes du cholestérol sérigue dans la trypanosomiase expérimentale viguë du rat blanc. Ann. Inst. Pasteur 98: 161-164, figs. [English summary.]

Fromentin, H. see Vaucel, M.

Frugoni, G., see Benedetto, A.

Frye, W. W., see Reeves, R. E.

Fuchtbauer, H., see Lemke, K.

Fujimoto, H. A new species of Parafusulina from the Kitakami Massif, Japan. Trans. Proc. Palaeont. Soc. Japan No. 21 1956; 157–160, figs.

Fujioka, S. (1). [Dye test after Sabin-Feldman's principle in *Trypanosoma* infection.] Jap. J. Parasit. 9: 486–499, fig. [Japanese: English summary.]

Fujioka, S. (2). [On the deleterious effect of animal sera upon Balantidium coli.] Jap. J. Parasit. 9: 662–672. [In Japanese: English summary.]

Fujita, H., see Morikawa, R.

Fujita, K. [Some biological characteristics of *Toxoplasma* pseudocyst.] Keio Igaku 37: 971-975, fig. [Japanese: English summary.]

Fujita, L. Microbiostratigraphy of the Funakawa (Miccene) formation in the neighbourhood of the Chokai Mountains. J. Geol. Soc. Japan 62 1956: p 380. [Abstract in Japanese.]

Fujita, S. & Ito, H. Foraminifera from the Miocene Yanagana group in Fukushima Prefecture. J. Geol. Soc. Japan 62 1956: p. 381. [Abstract in Japanese.]

Fukuhara, F. (1). [Immunological studies on Entamoeba histolytica (1) Comparative studies on various antigens for complement fixation.] Jap. J. Parasit. 9: 76-84. [Japanese: English summary.]

Fukuhara, F. (2). [Immunological studies on Entamoeba histolytica (2) On complement fixation test, precipitation test and immobilization test.] Jap. J. Parasit. 9: 145-149, fig. [Japanese: English summary.]

Fukuhara, F. (3). [Immunological studies on Entamoeba histolytica (3) Relationship between the immunological reactions and the pathology of animals inoculated intracaecally or intrahepatically with Entamoeba histolytica.] Jap. J. Parasit. 9: 239-245. [Japanese: English summary.]

Fulton, J. D. (1). Host influence on parasite physiology. Nature, Lond. 185: 897-899.

Fulton, J. D. (2). Treatment of Leishmania donovani infections with surface-active agents. Nature, Lond. 187: 1129-1130.

Fulton, J. D. (3). Experiments on transformation of trypanosomes by deoxyribonucleic acid. Trans. roy. Soc. trop. Med. Hyg. 54: 296.

Fulton, J. D. & Spooner, D. F. Metabolic studies on Toxoplasma gondii. Exper. Parasit. 9: 293-301, figs.

Fulton, J. D. & Turk, J. L. Direct agglutination test for *Toxoplasma gondii*. Trans. roy. Soc. trop. Med. Hyg. **54**: 7-9.

Fulton, J. D., see Goble, F. C.

Funkhouser, J. W. & Evitt, W. R. Preparation techniques for acid-insoluble microfossils. Micropaleontology 5 3 1959: 369-375, figs.

Fussgänger, R. & Bauer, F. Investigations on Berenil resistance of Trypanosomes. Vet. Rec. 72: 1118-1120, fig.

Gaikhorst, G. The presence of Trypanosoma cruzi on the island of Aruba and its importance to man. Trop. geogr. Med. 12: 59-61.

Galbraith, M. M., see Kohberger, D. L.

Galliard, H. & Sang, H. T. Indices plasmodiques dans la région du Tchad. Fort Lamy et Moyen-Chari (Fort Archambault). Bull. Soc. Path. exot. 53: 789-791.

Gallitord, A. L. Notes on the microscopic fauna and flora of the Leeds-Liverpool Canal in South-west Lancashire. Proc. Lpool. Nats. Field Cl. No. 99: 23-28.

Galuszka, J. (1). [The problem of trichomoniasis of animals in the Polish literature, in the years 1936-1958.] Wiad. Parazyt. 6: 53-65. [English summary.]

Galuszka, J. (2). [A contributory note to the cultivation of *Trichomonas foetus* Ried.] Wiad. Parazyt. 6: 501-503. [English summary.]

Galuszka, J., Nazar, T., Szafiarski, J. & Wacławek O. [The examination of dogs in Cracow with dye test for toxoplasmosis after Sabin-Feldman.] Wiad. Parazyt. 6: 425–427. [English summary.]

Galuszka, J., Skorczyński, M. & Szaflarski, J. [Problems of toxoplasmosis in the Polish literature till 1960.] Wiad. Parazyt. 6: 173–184.

Galuzo, I. J. & Novinskaja, V. F. [Trypanosomes of animals of Kazakhstan. I. Biological features of Trypanosoma evansi.] Trudy Inst. Zool. Akad. nauk Kazakh SSR, 14: 3-23. [In Russian.]

Ganapati, P. N. & Narasimhamurti, C. C. (1). On a new cophaline gregarine Mecistophora legeri n. gen., n. sp. from a centipede Mecistocephalus punctifrons Newp. Arch. Protistenk. 104: 554-558, figs.

Ganapati, P. N. & Narasimhamurti, C. C. (2). On a new haplosporidian (Protozoa) Nephridiophora xenoboli in the gut of a millepede xenobolus carnifex. Parasitology 50: 581-585, figs.

Ganapati, P. N., & Narasimhamurti, C. C. (3). A new cephaline gregarine, Stenophora thynoghiti (Protozoa), with a note on its method of locemotion. lst All-India Congr. Zool. 1959: 26-27.

Ganss, O. X. & Knipscheer, H. C. G. (1). Nochmals: Zur Altersstellung der Nierentaler Schichten. N. Jahrbuch. geol. u. Paläont., Monatsh. Nr. 6 1956: 290-297.

Ganss, O. & Knipscheer, H. C. G. (2). Die Maastricht-Eozan-Folge des Helvetikums im Sprunggraben bei Oberteisendorf (Obb.) und ihr Gliederung met Hilfe pelagischer Foraminiferen. Geol. Jahrbuch, Hannover 71 1956: 617-630, figs. Gard

[196

Gara

J. Par

toxopl spiram Gari

Nigeri 146-14 Gara

Gari Plasm 273–2

monke Gar Natur

Gara Electr Plasma roy. S

> Haema Soc. to Gara Tembl

J. Pal

Electr

Gar micros liaison microj

monie

Soc. ir summ Gas logica swimr fig.

Gau Cucur 602.

Gay Chlam nat. 1 Gei

serho: Helve Garavaya, S. L. see Kakhrenka, S. V.

Garber, M. J., see Brown, R. L.

Gardiner, J. L. & McLoughlin, D. K. An improved method of propagating Eimeria tenella occysts. J. Parasit. 46: 732.

Garin, J. P. & Eyles, D. E. Le traitement de la toxoplasmose expérimentale de la souris par la spiramycine. Presse med. No. 42, 1958: 957-958.

Garlick, J. P. Sickling and malaria in South-west Nigeria. Trans. roy. Soc. trop. Med. Hyg. 54: 146-152, figs.

Garnham, P. C. C. (1). Blood parasites of Hippopolamus in Uganda. East Afr. med. J. 37: 495.

Garnham, P. C. C. (2). A new subspecies of Plasmodium cynomolgi. Riv. Parassit. 20 1959: 273-278, figs.

Garnham, P. C. C. (3). Parasites in South American monkeys. Trans. roy. Soc. trop. Med. Hyg. 54: 1.

Garnham, P. C. C. (4). Prof. Eduard Reichenow. Nature, Lond. 187: 554-555.

Garnham, P. C. C., Bird, R. G. & Baker, J. R. (1). Electron microscope studies of sporozoites of Plasmodium gallinaceum in salivary glands. Trans. roy. 800. trop. Med. Hyg. 54: 288.

Garnham, P. C. C., Bird, R. G. & Baker, J. R. (2). Electron microscope studies of motile stages of malaria parasites. I. The fine structure of the sporozoites of Haemamoeba (= Plasmodium) gallinacea. Trans. roy. Soc. trop. Med. Hyg. 54: 274-278, figs.

Garrison, L. E. Miocene foraminifera from the Temblor formation north of Coalinga, California. J. Paleont. 33 4 1959: 662-669, figs.

Garrot, H., Lacassague, R. & Nouet, G. Caractères microstratigraphiques du Dogger des Ardennes et liaison avec certain sondages de Normandie. Rev. micropaléont. 1 4 1959 : 208-216, fig.

Gasparini, G., Tardani, A. & Vaghi, M. Trichomoniase del Toro: Prove di chemioterapia. Atti Soc. ital. Sci. vet. 14: 681-685. [English, German summaries.]

Gassovsky, G. N. Change of functions and physiological substitution in the evolution of the free-swimming Vorticellae. Zool. Zh. 39: 1423-1424, fig.

Gauthier-Livère, L. & Thomas, R. Le genre Cucurbitella Penard. Arch. Protistenk. 104: 569-

Gayral, P. & Lasson, A. Sur deux nouveaux Chlamydomonas récoltes au Maroc. C.R. Soc. Sci. nat. Maroc 25 1959: 61-62, figs.

Geiger, M. Die unterlage der zentralschweizerischen Klippengruppe stanserhom—Arvegrat, Buochserhom-Musenalp und Klewenalp. Eclogae geol. Helvetiae 49 1956: 407–452, figs.

Geiman, Q. M., see Becker, C. E.

Gellért, J. Einfluss der Protozooen auf des Wachstum des Mais und des Hafers. Ann. Inst. biol. (Tihany) hung. Acad. Sci. 25 1958: 29–35, figs. [Russian and German summaries.]

Gellért, J. & Tamás, G. (1). Ökolagische Untersuchungen au Diatomen und Ciliaten der Detritus-Drifte am Ostufer der Halbinsel Tihany. Ann. Inst. biol. (Tihany) hung. Acad. Sci. 25 (1958): 217– 240. [Hungarian with German summary.]

Gellért, J. & Tamás, G. (2). Ökologische Untersuchungen der Kieselalgen und Ciliaten der Detritus-Driften an dem Südufer der Halbinsel Tihany. Ann. Inst. biol. (Tihany) hung. Acad. Sci. 26 1959: 223–235. [Hungarian: German summary.]

Gerisch, G. Zellfunktionen and Zellfunktions wechsel in der Entwicklung von Dietyostelium discoideum. I. Zellagglutination und Induktion der Fruchtkörperpolarität. Roux Arch. Organ. 152: 632-654, figs.

Geroch, S. (1). Uvigerinammina jankoi Majzon (Foraminifera) in the Carpathian Flysch. Ann. Soc. géol. Pologne 25 3 1957 : 231-244, figs.

Geroch, S. (2). Stratigraphic significance of arenaceous foraminifera in the Carpathian Flysch. Paläont. Z. **33** 1959: 113–122, figs.

Geroch, S. see Bukowy, S.

Getz, M. E. see Eyles, D. E.

Geus, A. (1). Auf Wasserflöhen und Hüpferlingen leben Wimpertierchen! Aquar. Terrar. Z. 11 1958: 87–89.

Geus, A. (2). Ein gefährlicher Parasit au Fischen: Das Geisseltierchen *Oodinium pillularis*. Mikrokosmos **49**: 264–269, figs.

Geus, A. (3). Zur Entwicklung und Lebenweise von Oodinium pillularis. Aquar. Terrar. Z. 13: 280-283, figs.

Ghirardelli, E. see Pasquini, P.

Chose, B. K. A preliminary note on the micropalaeontology of the foraminiferal limestone from Theriaghat in Khasi Hills, Assam. Sci & Cult. 25 6 1959: 375-377, figs.

Ghosh, J. J. see Chatterjee, A. N.

Gianni, A. M. see Dessi, P.

Gibbons, I. R. & Grimstone, A. V. On flagellar structure in certain flagellates. J. biophys. biochem. Cytol. 7: 697-716, figs.

Gibson, C. L. & Jumper, J. R. The prevalence of canine toxoplasmosis in Memphis, Tennessee. J. Parasit. 46: 559-565.

Gilbert, L. I. see Schneiderman, H. A.

Gilles, H. M. see Keeler, R.

Gillett, K. & McNeill, F. The Great Barrier Reef and adjacent isles. Sydney (Coral Press Pty. Ltd.) 1959: p. xiv, 194: text illust. Gimbrede, L. de A. Hurricane lentil Eccene Foraminifera. J. Sedim. Petrol. 23 1953: 131.

Ginsberg, R. M. Environmental relationships of grain size and constituent particles in some south Florida carbonate sediments. Bull. Amer. Ass. Petrol. Geol. 40 1956: 2384-7, figs.

Gispen van der Weg, A. J. J., see Dresscher, T. G. N.

Giunta, M. Studio delle mierofaune contenate in cinque saggi di fondo prelevati presso S. Margherita Ligure e Chiavari (Genova). Arch. Oceanogr. e Limonol. 10 1-2 1955: 67-108, figs. [English summary.]

Giunta-Ilacqua, M. I Foraminiferi calabriani di Rometta superiore (Messina). Riv. Ital. Palaeont. Strat. 62 1956: 225–238, figs.

Gjini, N., see Erhardová, B.

Glaessner, M. F. & Wade, M. J. (1). The foraminiferal genus *Lepidocyclina* in Southern Australia. Aust. J. Sci. 18 1956: p. 200.

Glaessner, M. F. & Wade, M. (2). Revision of the foraminiferal family Victoriellidae. Micropaleontology 5 2 1959: 193-212, figs.

Gleason, N. N., Goldman, M. & Carver, R. K. An enriched, egg extract medium for recovering viable Entamoeba histolytica trophozoites from feeal suspensions kept at room temperature for four days. Amer. J. trop. Med. Hyg. 9: 46-49.

Glenister, B. F. Upper Devonian microfaunas from the Fitzroy Basin, Western Australia. Aust. J. Sci. 21 7 1959: 222–223.

Glesne, L., see Jellison, W. L.

Glintzboeckel, C. & Magué, J. Répartition des microfaunes à plancton et à Ostracodes dans le Crétacé superieur de la Tunisie et de l'Est algérien. Rev. micropaléont. 2 2 1959: 57-67, figs.

Goble, F. C. & Boyd, J. L. Reticulo-endothelial blockade in experimental Chagas disease. J. Parasit. 46 suppl.: 44.

Goble, F. C., Boyd, J. L. & Fulton, J. D. Effects of certain surface-active polyoxyethylene ethers in experimental protozoal infection. J. Protozool. 7: 384-390.

Goble, F. C. & Singer, I. The reticuloendothelial system in experimental malaria and trypanosomiasis. Ann. N.Y. Acad. Sci. 88: 149-171, figs.

Godfrey, D. G. Types of Trypanosoma congolense I. Morphological differences. Ann. trop. Med. Parasit. 54: 428-438, figs.

Goedbloed, E., see Akker, S. van den.

Göke, G. (1). "Polestar" als Einschlussmittel für mikropalsontologische und petrographische Objekte. Mikrokosmos 47 9 1958; 202-208, figs.

Göke, G. (2). Formenzauber der Radiolarien. Mikrokosmos 47 12 1958: 271-276, figs.

Göke, G. (3). Einführung in das Studium der Radiolarien. Teil 1: Fang, Lebendbeobachtung und Praparation der resenten Radiolarien. Mikrokosmos 48 5 1959 : 144-148, figs.

Göke, G. (4). Einführung in das studium der Radiolarien. Teil II: Gewinnung ung Präparation der fossilen Radiolarien. Mikrokosmos 48 12 1959 : 357-361, figs.

Goldacre, R. J. The action of general anaesthetics on amoebae and the mechanism of the response to touch. Symposia Soc. exp. Biol. No. 6, 1952: 128-144, figs.

Goldman, M. Antigenic analysis of Entamocha histolytica by means of fluorescent antibody. I. Instrumentation for microfluorimetry of stained amebae. Exper. Parasit. 9: 25–36, figs.

Goldman, M., see Gleason, N. N.

Golikova, M. N. (1). [Ecologico-parasitological study of the biocoenosis of some lakes in Kahiningrad region. I. Parasitofauna of the Anura. Zool. Zh. 39: 984-994. [Russian: English summary.]

Golikova, M. N. (2). [Ecologo-parasitological investigation of the biocoenosis of some lakes of the Kaliningrod Province.] Vestnik Leningrad Univ. Ser. Biol. No. 9: 110–121. [English summary.]

Goodwin, C. M. A study of the effect of penicillin and dihydrostreptomycin on Protozoa, with special reference to the problems of bacteria-free culture and speciation in Euglena. Proc. Iowa Acad. Sci. 58 1951: 451-467, figs.

Goudineau, J. A., see Juminer, B.

Gordon, M. Jr. Fauna of the Arroyo Penasco formation. Bull. Amer. Assoc. Petrol. Geol. 40 1956: 1941-4, figs.

Gorodiski, A., see Abrard, R.

Grady, C., see Huddleston, M. S.

Gradzinski, R. Notes on the sedimentation of the Miocene in the environs of Proszowice. Ann. Soc. géol. Pologne 26 1 1957: 1-27, figs.

Graevsky, E. J. & Zinovieva, E. G. (1) An investigation of the radiosensitivity in the cells repeatedly exposed to ionising radiation. C.R. Acad. Sci. URSS 120 1958: 837-840. [In Russian.]

Graevsky, E. J. & Zinoviera, E. G. (2). Action of small doses of ionizing radiation on the survival and rate of division in *Paramecium caudatum*. Trud. Inst. Morf. Zhiv. **24** (1959): 160-171. [In Russian.]

Graham, G. L. Parasitism in monkeys. Ann. N.Y. Acad Sci. 85: 842–860, figs.

Graham, J. J. & Militante, P. J. Recent foraminifera from the Puerto Galera Area, Northern Mindore, Philippines. Stanf. Univ. Publ. Gool. 6 2 1959: 1–170, figs.

Grainger, J. N. R. The early phases in the adjustment of respiratory rates of unicellular organisms to new temperatures and the simulation of these in a model. Z. wiss. Zool. 163: 317–341, figs.

[1960] Grain

Grant L-a-glyc respirat J. 76:

Grani glyceroj oxidase Biocher

Grantismes p

Gray somiasi

Grave

Lond.

Gray A litho Wharte Soc. 6

Absorpcell-free 7: 234

Gree

Gulf of 40 195 Grel cidien schaft

Grel ferenzi analys

pflanz Patell 235, fi

von nat. 8

Africa (Pete 48 : 4

and c inclus (1958 Grain, J., see Puytorae, P. de.

Grant, P. T. & Sargent, J. R. (1). Properties of Laggycerophosphate oxidase and its role in the respiration of Trypanosoma rhodesiense. Biochem. J. 76: 229-237, figs.

Grant, P. T. & Sargent, J. R. (2). The L-α-glycerophosphate dehydrogenase component of an oxidase system present in *Trypanosoma rhodesiense*. Biochem. J. 76: 48P-49P.

Grant, P. T., see Bowman, I.B.R.

Grassé, P. P. Les Myxosporidées sont des organismes pluricellulaires. C.R. Acad. Sci. Paris 251 : 2638-2646. figs.

Graves, L. B. & Kostir, W. J. A study of some factors contributing to abnormal colony formation in Gonium pectorale. J. Protozool. 1 (Suppl.) 16.

6729, A. R. Precipitating antibody in trypanosomiasis of cattle and other animals. Nature, Lond. 186: 1058-1059, fig.

Gray, A. R., see Stephen, L. E.

Grayshon, J. E. & Osborne, M. M. & Bishop, M.S. A lithofacies study of the Frio section in Jackson & Wharton counties, Texas. Trans. Gulf Assoc. Geol. Soc. 6 1956: 237–240, figs.

Greber, C., see Fabre, J.

Greco, M., see Dessi, P.

Greenblatt, C. L., Olson, R. A. & Engel, E. K. Absorption microscopy of enzymatically treated cell-free chlcroplasts. J. biophys. biochem. Cytol. 7: 235-238. figs.

Greenman, N. N. & Le Blanc, R. J. Recent marine sedimentation and environments of northwest Gulf of Mexico. Bull. Amer. Assoc. Petrol. Geologists 40 1956: 813-847, figs.

Grell, K. G. (1). Reziproke Infektion mit Eucoccidien aus verschiederen Wirten. Naturwissenschaften 47: 47–48, figs.

Grell, K. G. (2). Nachweis der sexuellen Differenzierung bei Patellina corrugata durch Teilbildanalyse eines Films. Z. Naturf. 15B: 270.

Grell, K. G. (3). Untersuchungen über du Fortpflanzung und Sexualität der Foraminiferen. IV. Patellina corrugata. Arch. Protistenk. 104: 211–235, figs.

Grell, K. G., see Schusnigg, B.

n

Grembergen, G. van. Respiratorisch metabolisme von Paramecium caudatum. C.R. IIIe Congr. nat. Sei. Brux. 5: 37-38.

Grewal, M. S. On a new trypanosome, Trypanosoma helogalei, Grewal, 1956, from the blood of an African mongoose, Helogale undulata rufula Peters (Peters' pigmy mongoose). Indian J. med. Res. 48: 418-432, figs.

Griffin, J. L. (1). An investigation of the physical and chemical properties of the crystalline cytoplasmic inclusions of Amoeba dubia Anat. Rec. 132 (1958): 447.

Griffin, J. L. (2). An improved mass culture method for the large, free-living amebae. Exper. Cell Res. 21: 170–178.

Griffin, J. L. (3). The isolation, characterization and identification of the crystalline inclusions of the large free-living amebae. J. biophys. biochem. Cytol. 7: 227-234, figs.

Griffin, J. L. & Allen, R. D. The movement of particles attached to the surface of amebae in relation to current theories of ameboid movement. Exper. Cell Res. 20: 619-622, fig.

Grigg, R. P. Jr. Key to the *Nodosaria* embayment of southern Louisiana. Trans. Gulf Coast Assoc. Geol. Soc. 6 1956: 55-62, figs.

Grill, R. News—Austria. Micropaleontology 5 1959: 261-263.

Grimsdale, T. F. (1). Evolution in the American Lepidocyclinidae (Cainozoic Foraminifera): An interim 'review, I. Proc. ned. Akad. Wet. Amst. 62B 1 1959: 8-26, figs.

Grimsdale, T. F. (2). Evolution in the American Lepidocyclinidea (Cainozoic Foraminifera): An interim review. Lists species-Groups in American Lepidos. Proc. ned. Akad. Wet. Amst. 62B 1 1959: 21–33.

Grimsdale, T. F. & Vlerk, I. M. van der. A review of some subgeneric nomenclature among the Lepidocyclinae (Tertiary orbitoidal Foraminifera). Proc. ned. Akad. Wet. Amst. 62B 1 1959: 1-7.

Grospietsch, T. Beiträge zur Rhizopodenfauna Deutschlands I. Die Thekamöben der Rhön. Hydrobiologia 10 (1958): 305–322.

Gross, J. A. Factors influencing the nucleocytoplasmic ratio in *Euglena* Anat. Rec. **132** (1958): 448–449.

Gross, J. A. & Villaire, M. (1). Plastid numbers and development in *Euglena* (Abs.) Anat. Rec. **134** (1959): 575.

Gross, J. A. & Villaire, M. (2). Chloroplast development and numbers in relation to culture age in Euglena. Trans. Amer. micr. Soc. 79: 144-153, figs.

Gross, J. A. & Wolken, J. J. Two e-type cytochromes from light and dark-grown Euglena. Science 132: 357-358, figs.

Grundmann, A. W., see Frandsen, J. C.

Guilcher, Y. Contribution à l'etude des biliés Gemmipares, Chonotriches et Teutaculifères. Ann. Sci. nat. (11) 13 1951, pp. 33-132. figs.

Guillard, R. R. L. A mutant of Chlamydomonas moewusii lacking contracti le vacuoles. J. Protozool. 7: 262-268, figs.

Gupta, B. S. Zones of the Paleogene of Lakhpat, northwestern Kutch, India. Micropaleontology 5 (3) 1959: 365–368, figs.

Güralp, N., see Mimioğlu, M.

Gurvich, V. V. On the infusorial fauna of the Kakhavka reservoir. Dopov. Akad. Nauk Ukr. RSR. No. 6: 836–839. [Russian: English summary.]

Gustafson, R. R., see Natt, M. P.

Gutschich, R. C. Early Mississippian (Lower Carboniferous-Tournaisian). Micropaleontology in the United States. Rep. 21st Internat. Geol. Cong. 6: 114–134.

Gutschick, R. C. & Treckman, J. F. Arenaceous foraminifera from the Rockford Limestone of northern Indiana. J. Paleont. 33 1959: 229-250, figs.

Guttes, E. & Guttes, S. (1). Effect of pyruvate upon nucleated and enucleated fragments of *Amoeba* proteus. Nature, Lond. 187: 432.

Guttes, E. & Guttes, S. (2). Suppression of cytoplasmic division in *Amoeba proteus*. Nature, Lond. **187**: 520–521.

Guttes, E. & Guttes, S. (3). Incorporation of tritium-labelled thymidine into the macronucleus of Stentor coeruleus. Exper. Cell Res. 19: 626-628, fig.

Guttes, S., see Guttes, E.

Guttman, R. & Back, A. Effect of kinetin on Paramecium caudatum under varying culture conditions. Science 131: 986-987, figs.

Hagn, H. Geologische und paläontologische Untersuchungen im Tertiär des Monte Brione und seiner Umgebung. (Gardasee, Ober-Italien). Palaeontographica Abt. A, 107 1956: 67–210, figs.

Haiba, M. H. & Selim, M. K. A study of the occystic sporulation of some avian and mammalian *Eimeria* species under simulated Egyptian summer conditions, with special reference to the cycle of occyst production of *Eimeria maxima*. Amer. J. vet. Res. 20 1959: 954-956, fig.

Hajra, B. & Mookerjee, S. (1). Compositional changes during phase variation of amoebae. Proc. Indian sci. Congr. Ass., 42nd, 3: 1955: 273.

Hajra, B. & Mookerjee, S. (2). Cystic viability of soil amoebae. Proc. Indian sci. Congr. Ass., 42nd, 31955: 281.

Hajra, B. & Ray, H. N. Refractometric studies on Balantidium coli. Bull. Calcutta Sch. trop. Med. 8: 157.

Hajra, B., see Ray, H. N.

Halim, Y. (1). Étude quantitative et qualitative du cycle écologique des dinoflagellés dans les eaux de Villefranche-sur-Mer. Ann. Inst. oceanogr. Paris N.S. 38: 123-232, figs.

Halim, Y. (2). Alexandrium minutum nov. g. nov. sp. dinoflagellé provocant des "eaux rouges". Vie et Milieu 11: 102–105, fig.

Hall, P. J., see Allen, R. D.

Haller, G. de. Structure submicroscopique d' Euglena viridis. Arch. Sci., Genève 12 1959 : 309-340, figs. Halme, E., & Lukkarinen, T. Planktologische Untersuchungen in der Pojo-Bucht und Angrenzenden Gewässern V. Die ziliaten Tintinnopsis tubulosa Levander und T. brandti (Nordqv.) Levander. Ann. Soc. zool.-bot. fenn. Vanamo 22: 1-24, fgs.

Hamilton, E. L. Sunken Islands of the Mid-Pacific mountains. Mem. Geol. Soc. America No. 64, 1956; 1-97, figs.

Hamilton, E. L. & Rex, R. W. Lower Ecome phosphatized Globigerina Ooze from Sylvania Guyot, Prof. Pap. U.S. gool. Surv. 260-W 1959: 785-798, figs.

Hamilton, J. M. Studies on loricate Ciliophora II. Folliculina boltoni Kent. Proc. Iowa Acad. Sci. 58 1951: 469–476, figs.

Hamilton, L. D. & Gettner, M. E. Fine structure of kappa in Paramecium aurelia. J. biophys & biochem. Cytol. 4 1958: 122-124, 1 pl.

Hammond, D. M., Ferguson, D. L. & Miner, M. L. Results of experiments with nitrofurazone and sulfamethazine for controlling coccidiosis in calves. Cornell Vet. 50: 351-362.

Hammond, D. M., Miner, M. L. & Andersen, F. L. The timing of the merozoite stage in the life cycle of Eimeria bovis. J. Protozool. 7 (Suppl.): 11.

Hammond, D. M., see Hibler, C. P.

Hansen, J. B., see Petersen, J. B.

Hanson, E. D. (1). Inheritance and regeneration of cytoplasmic damage in *Paramecium aurelia*. Proc. nat. Acad. Sci. Wash. 41 1955: 783-786, fig.

Hanson, E. D. (2). Test for genetic recombination in kappa particles of *Paramecium aurelia*, variety 4. Science 128 1958: 254.

Hanuška, L. Einige interessante Protozoen der Donau. Biológia, Bratislava 13 1958: 53-56, fig.

Hanzawa, S. (1). Occurrence of the foraminiferal species Acerculina linearis Hanzawa from St. Bartholemew I., French West Indies. J. Paleont. 33 5 1959: 343-845, figs.

Hanzawa, S. (2). The foraminiferal species Fabiania cassis (Oppenheim) in Japan. Contr. Cushman Fdn. 10 1959: 119-122, figs.

Hanzliková, E. (1). Micropaleontological-stratigraphical evaluation of the Zukov NP15. Sbornik Geol. Surv. Czechoslov. 20, 1953: 1–85, figs. [Czech: English and Russian summaries.]

Hanzliková, E. (2). Poznámky ke stáří těsného nadloží bašských vrester shlediska mikrobiostratigrafického. Vestn. Ustred. Ustavu Geol., Praha 29 1954: 163–174. [In Czech.]

Hanzlíková, E. (3). Předběžná zpráva o mikrobiostratigrafických poměrech L'ubovnianské vrchovny. Vestn. geol. Úst. ésl. 33 6 1958; 429–440. [German summary.]

Han Dubu geol. summ

[19

Har

Had paleon Har

Comp

Proc.

Har
of M
figs.

Har cernin ology Har

Has " Dise Has Reich

Has oral ci cyst of 20.

Hadra Hokk

Ha ton f 1959

Ha part Geol.

Ha Paleo 59 (

of p Para (Zool

Ha

actio Brit.

H

Hanzlíková, E. (4). Mikropaleontologické vysvětlivky k magurskému flyši na listu Trstená. Vestn. geol. Úst. ésl. 34 5 1959 : 375–379.

Hanzliková, E. & Matějka, A. O cenomanu od Dubu v podhůří Moravskoslezských Beskyd. Vestn. godl. Úst. ésl. 33 3 1958: 170–177. [German sumary.]

Haque, A. F. M. M. News—Pakistan. Micropaleontology 5 1959: 509-510.

Harms, R. H., Waldroup, P. W. & Cox, D. D. Comparison of various sources and levels of Vitamin K activity using chicks with cecal coccidiosis. Proc. Soc. exp. Biol. (N.Y.) 105: 230-232, figs.

Harris, K. & Bradley, D. E. A taxonomic survey of *Mallomonas*. J. gen. Microbiol. 23: 750-777, figs.

Harris, R. W. & McNulty, C. L. Jr. Notes concerning a Senonian valvulinerean. J. Paleontology 30 1956: 865-868, figs.

Harrold, J. B., see Christensen, J. F.

Hart, T. J. & Currie, R. I. The Benguela current. "Discovery" Rep. 31: 123-297, figs.

Hase, A. Professor Dr. phil, Dr. h.c. Eduard Reichenow zum Gedäshtnis. Z. Parasit. 20: 135-137, fig.

Hashimoto, K. Morphogenetic relationship of the oral ciliary system and cirri to meridional fibers in the cyst of Stylonychia histrio. J. Protozool. 7 (Suppl.): 20.

Hashimoto W. et al. Discovery of the Fusulinids from the Kabato Mountainland, Ishikarinokuni, Hokkaido. J. Geol. Soc. Japan 66 (776): 361.

Hashimoto, W., see Endo, R.

6,

r.

ik

Hasle, G. R. A quantitative study of phytoplankton from the equatorial Pacific. Deep-Sea Res. 6 1959: 38-59, figs.

Hastings, J. W., see Sweeney, B. M.

Hatakeyama, A. Neogene formations in the eastern part of the Honjo basin, Akita prefecture. J. Geol. Soc. Japan 60 1954 (704): 171-183, figs.

Havinga, E., see Links, J.

Havlik, O., see Jirovec, O.

Hayasaka, I. Revision and summary of the Paleozoic fossils in Japan. J. Geol. Soc. Japan 59 (694), 1953: 292–293. [In Japanese.]

Hayashi, S. On the relation between the induction of pseudoselfing pairing and RNA content in Paramecium bursaria. J. Fac. Sci. Hokkaido Univ. (Zool.) Series 6, 14, 1959: 129-133, figs.

Hawking, F. & Sen, A. B. The trypanocidal action of homidium, quinapyramine and suramin. Brit. J. Pharmacol. 15: 567-570, figs.

Hawking, F., see Sen, A.B.

Haxo, F. T., see Sweeney, B. M.

Hayes, B. S. & Kotcher, E. Evaluation of techniques for the demonstration of *Trichomonas vaginalis* J. Parasit. **46** suppl. : 45.

Healey, P., Ormerod, W. E. & Rowcroft, A. Inhibition of the immune reaction to trypanosomes by splenectomy and sodium salicylate. Trans. roy. Soc. trop. Med. Hyg. 54: 2.

Heckmann, R. A. & Clark, G. W. Prevalence of blood parasites in the American magpie [*Pica pica hudsonia* (sabine)] in Cache Valley, Utah. J. Protozool. 7 (Suppl.) 20.

Hedley, R. H. Confusion between Gromia oviformis and Allogromia ovoidea. Nature, London 182 1958: 1391-2.

Held, J. R., see Kimball, A. C.

Henbest, L. G. (1). John B. Reeside, Jr., 1889-1958. Contr. Cushman Fdn. 10 1959: 24a.

Henbest, L. G. (2). Paleontologic significance of Shell composition and diagenesis of certain Late Paleozoic sedentary foraminifera. Prof. Pap. U.S. geol. Surv. 400B: B386-B387.

Hendrix, W. E. A new method of foraminiferal correlation. J. Paleont. 33 (4) 1959: 588-605,

Hennessy, E., see Oellerman, I.

Herbst, S., Olszewski, B. & Thompson, P. E. Prevalence of *Trichomonas vaginalis* among female prison inmates and indigent prenatal patients in the Detroit area. J. Parasit. 46: 743-746.

Hercogová, J. (1). Mikrobiostratigrafický výzkum křídovych sedimentů z několika lokalit Teplicka a Lovosicka. Vestn. geol. Úst. ésl. 33 6 1958 : 445–446. [German summary.]

Hercogová, J. (2). Výsledky mikropaleontologického zpracování vrtů z území jihozápaduč od Teplie v Čechách. Vestn. geol. Úst. ésl. 33 6 1958: 446-453. [German summary.]

Herlich, H., see Davis, L. R.

Herman, C. M., see Locke, L. N.

Hertlein, L. G. Creteceous ammonite of Franciscan group, Marin County, California. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 1985–1988, figs.

Hertwig, F. & Oberdoerster, F. Beitrag zu einigen Problemen der parasitären Krankheiten in China. 2. Kala-azar. Z. Tropenmed. u. Parasit. 11: 401-409. [English summary.]

Hibler, C. P., Hammond, D. M., Coskey, F. H., Johnson, A. E. & Fitzgerald, P. R. The morphology and incidence of the trichomonads of swine, Tritrichomonas suis (Gruby & Delafond), Tritrichomonas rotunda, n. sp. and Trichomonas buttreyi, n. sp. J. Protozool. 7: 159-171, figs.

Hickox, J. E., see Newell, N. D.

Hidalgo, H. X. de., see Zeledon, R.

Hidalgo, W., see Zeledón, R.

Higuchi, Y. Fossil Foraminifera from the North-Miura Peninsula, Kanagawa Prefecture, J. Geol. Soc. Japan 63 1956: 49-60, figs.

Hillegas, A. B., see Kohberger, D. L.

Hilly, J. & Magné, J. Présence de Néogène marin à la bordiere meredionale de la plaine de Bone (Est-Constantinois). Bull. Soc. Hist. Nat. Afrique Noire 47 1956: 205-210.

Hiltermann, H. (1). Allocthone Foraminiferan in den Neurather Sanden und in einem Zwischenmittel im Flöz Frimmersdorf. Fortschr. Geol. Rhein. Westfalen 1-2 1958: 159-164, figs.

Hiltermann, H. (2). Foraminiferen. In Freund, H. Hanbuch der microskopie in der technik. Band II Teil 3. Frankfurt-am-Main, 1958.

Hiltermann, H. (3). News—Germany. Micropaleontology 5 1959: 266-268.

Hiltermann, H. (4). Annotated bibliography of micropaleontology in Germany for 1958. Micropaleontology 5 4 1959: 487–496.

Hirabayashi, A. Experimental studies on the effect of new oxyquinoline derivatives on *Entamoeba histolytica*. Jap. J. Parasit. 9: 133-144.

Hirshfield, H. T., Tulchin, N. & Fong, B. A. Regeneration and cell division in two protozoan species. Ann. N.Y. Acad. Sci. 90: 523-528, figs.

Hishinuma, Y., see Ritchie, L. S.

Hiwatashi, K. (1). An aberrant selfing strain of Paramecium caudatum which shows multiple unions of conjugation. J. Protozool. 7 (Suppl.) 20.

Hiwatashi, K. (2). Locality of mating reactivity on the surface of *Paramecium*. J. Protozool. 7 (Suppl.) 20.

Hiwatashi, K. & Tokuhiko, K. Artificial induction of conjugation by manganese ions in *Paramecium caudatum*. J. Protozool. 7 (Suppl.) 20-21.

Ho., C. S. & Tsan, S. F. & Tan, L. P. Geology and coal deposits of the Chichitashan area, Nantou, Taiwan. Bull. Geol. Surv. Taiwan No. 9, 1956: 1-64, figs.

Ho. Y. (1). Triassic foraminifera from Chialing-kiang Limestone of South Szechuan. Acta palaeont. Sinica 7 5 1959: 387–418, Figs. [Chinese and English.]

Ho, Y (2). On a new species of Boultonia. Acta palaeont. Sinica 4 1956: 64-66.

Hoare, C. A. (1). [Natural foci of human try-panosomiasis.] Zool. Zh. 39: 801-810, figs. [Russian with English summary.]

Hoare, C. A. (2). [Evolution and phylogeny of the haemoflagellates.] Zool. Zh. 39: 961-976, figs. [Russian with English summary.]

Hoare, C. A. (3). [Host-parasite relations in amoebiasis.] Vestnik Leningrad Univ. No. 15, Ser. Biol. 3 57-68. [Russian: English summary.]

Hoare, C. A. (4). Romanovsky and his stain: 70th anniversary of its discovery. Trans. roy. Soc. trop. Med. Hyg. 54: 292–293.

Hocquet, P., see Lariviène, M.

Hoenigman, J. Faits nouveaux concernant les Mysidacés (Crustaces) et leurs épibiontes dans l'Adriatique. Rapp. Comm. int. Mer Medit. 15: 339-343.

Hoff, J. H. Microfossil investigation of the Oacoma facies, Pierrè formation (Abstract). Proc. S. Dak. Acad. Sci. 39: 172-173.

Hofker, J. (1). Tertiary Foraminifera of coastal Ecuador. Part 2. Additional notes on the Eccene species. J. Paleont. 30 1956: 891-958, figs.

Hofker, J. (2). Foraminifera from the Cretaceous of south Limberg, Netherlands, XIV. The genus Orbignyna. Natuur. Maandbl. 45 1956: 16-19, figs.

Hofker, J. (3). Daviesina voigti n. sp. eine gesteinsbildende Foraminifere aus dem Campan der subherzyuen Kreidemulde. Mitt. geol. (8t) Inst. Hamb. 27 1958: 69–73, figs.

Hofker, J. (4). Quelques Rotalides. Mém. Inst. Sci. nat. Belg. 142 1958: 55-63, figs.

Holker, J. (5). Foraminifera from the Cretaceous of south Limburg, XXXII. On some agglutinated Foraminifera. Natuurh. Maandblad 47 1958: 22-26, figs.

Hofker, J. (6). Foraminifera from the Cretaceous of South Limberg, XXXIII. On some Foraminifera from the Maestrichtian Tuff Chalk showing evidence of Tertiary age of that sediment. Natuurh. Maandbl. 47 1958: 42-44, figs.

Hofker, J. (7). For aminifer a from the Cretaceous of South Limburg, XXXIV. On some lagenidae occurring in the Kunrade Chalk suggesting a Dano-Paleocene age of that Chalk. Natuurh. Maandbl. 47 1958: 64-66, figs.

Holfker, J. (8). Foraminifera from the Cretaceous of South Limburg, XXXV. In the initial stages of Omphalocyclus macroporus (Lamarck). Natuurh. Maandbl. 47 1958: 98–100, figs.

Hofker, J. (9). Foraminifera from the Cretaceous of South Limburg, XXXVI. The evolution of Mississippinc binkhorsti (Reuss). Natuurh. Maandbl. 47 1958: 101–103, figs.

Hofker, J. (10). Foraminifera from the Cretaceous of South Limburg, XXXVII. Linderina visserae sp. n. Natuurh. Maandbl. 47 1958: 125-127, figs.

Hofker, J. (11). Foraminifera from the Cretaceous of South Limburg, XXXVIII. The gliding change in Bolivinoides during time. Natuurh. Maandbl. 47 1958: 145-159, figs.

Upper Houth

[196

Hofi

Hofh of Sou Maestr Gavelin 48 1958

Hofk of Sout of Glo Macetri 1959:

of South forms in Limbur Hofke of South

Chalk.

Hofk of Sout sp. n. Hofk

of South tian in at Ena 148.

Hofke Contr. (

Nuttalli Cushma Hofke Neues

259, figs

Holde planktor 65–84, f

raginali figs.

Holen nelle et

Acad. S 10: 1-2 Hollar polyploid C.R. Ac

Vol 9

t.

ra

ol.

118

h.

bl.

us ae

118

bl.

di

Holker, J. (12). For a minifer a from the Cretaceous of South Limburg, XXXIX. Arguments for a lower Paleocene age of the sediment above the Upper Maastrichtian in the Quarry of Curfs, near Houthern. Natuurh. Maandbl. 48 1959: 18-30, figs.

Holker, J. (13). Foraminifers from the Cretaceous of South Limburg, XL. The age of the Cr. 4 Craie Tiffoide. Natuurh. Maandbl. 48 1959: 46-50.

Hofker, J. (14) Foraminifera from the Cretaceous of South Limburg, XLI. The Danian age of the Maestrichtian Chalk Tuff proved by the orthogenesis Gavelinopsis involuta (Reuss). Natuurh. Maandbl. 48 1959: 51-53, figs.

Hofker, J. (15). Foraminifera from the Cretaceous of South Limburg, XLII. On the development stage of Globigerina pseudobulloides Plummer in the Maestrichtian Chalk Tuff. Natuurh. Maandbl. 48 1959: 80-83, figs.

Hofker, J. (16). Foraminifera from the Cretaceous of South Limburg, XLIII. Globigerines and related forms in the Cretaceous and Lower Paleocene of South Limburg. Natuurh. Maandbl. 48 1959: 89–95, figs.

Hofker, J. (17). Foraminifera from the Cretaceous of South Limburg, XLIV. The age of the Kunrade Chalk. Natuurh. Maandbl. 48 1959: 121-124, figs.

Hofker, J. (18). Foraminifera from the Cretaceous of South Limburg, XLV. Dyocibicides kunradensis sp. n. Natuurh. Maandbl. 48 1959: 125-126. figs.

Hofker, J. (19). Foraminifera from the Cretaceous of South Limburg, XLVI. Analysis of the Maestrichtian in the Tyle-locality behind the Bicycle Barn at Ena Quarry. Natuurh. Maandbl. 48 1959: 145–148.

Hofker, J. (20). Die asterigeriniden Foraminiferen. Paläont. Z. 33 4 1959: 247–265, figs.

Hofker, J. (21). On the splitting of Globigerina. Contr. Cushman Fdn. 10 (1) 1959: 1-9, figs.

Hofker, J. (22). The genera Eponides, Lacosteina, Nuttallides, Planorbulina and Halkyardia. Contr. Cushman Fdn. 10 1959: 111-118, figs.

Hofker, J. (23). Orthogenesen von Foraminiferen. Neues Jb. Geol. Paläont., Abh. 108 3 1959: 239–259, figs.

Hohl, M. C., see Huddleston, M. S.

Holden, M. J. & Green, J. The hydrology and plankton of the River Sokoto. J. anim. Ecol. 29: 65-84, figs.

Holečková-Cervorá, H. Kultivace *Trichomonas* vaginalis v klinické praxi. Česk. Parasit. **7** 237–243, figs.

Holemans, K. Contribution à la protection maternelle et infantile eu milieu rural du Kwango. Mém. Acad. Sci. Outre-Mer. 8°. Cl. Sci. nat. et Med. N.S. 10: 1-283.

Hollande, A. & Cachon-Enjumet, M. (1). La polyploidie du noyau végétatif des Radiolaires. C.R. Acad. Sci. Paris 248 1959 2641-2643, : figs. Hollande, A. & Cachon-Enjumet, M. J. (2). Origine, structure et évolution des nucléoles chez les Radiolaires (Collodaires et Sphœrellaire). C.R. Acad. Sci. Paris 249 1959: 167-169, figs.

Holter, H., see Chapman-Andresen, C.

Holz, G. G. Structural and functional changes in a generation in *Tetrahymena*. Biol. Bull. 118: 84-95, figs.

Honigberg, B. M. & McLure, M. T. Observations on comparative pathogenicity of two strains of *Trichomonas gallinae* in cell cultures. J. Protozool. 7 (Suppl.): 6.

Honigberg, B. M. & Read, C. P. Virulence transformation of a trichomonad protozoan. Science 131: 352-353.

Honjo, S. Neoschwagerinids from the Akasaka Limestone (a paleontological study of the Akasaka limestone, lat report), J. Fac. Sci. Hokkaido Univ. Geol. 10 1 1959: 111-161, figs.

Hooper, K. X-ray absorption techniques applied to statistical studies of foraminifera populations. J. Paleont. 33 4 1959: 631-640, figs.

Horen, W. P. Modified technique for long-term cultivation of *Trypanosoma cruzi* and *Leishmania donovani*. J. Parasit. **46**: 256.

Hornibrook, N. de B. (1). New Zealand foraminifera: key species in stratigraphy—No. 6. N.Z. J. geol. geophys. 1 4 1958: 653-676, 3 figs.

Hornibrook, N. de B. (2). News—New Zealand. Micropaleontology 5 1959: 506-507.

Horton-Smith, C. Coccidiosis. Vet. Rec. 72: 967-970.

Horton-Smith, C. Long, P. L. & Collier, H. O. J. Potentiation of sulphadimidine by 2,4-diamino-6, 7-di-isopropylpteridine and other 6,7-disubstituted-2, 4-diaminopteridines against Eimeria infections of chicks. Brit. J. Pharmacol. 15: 298-303.

Horvath, F. see Huddleston, M. S.

Hoshiai, T. see Nakayama, I.

Hottinger, L. Géologie du Mont Cayla (Aude, Aquitaine orientale). Ecl. geol. helv. 51 1958: 437-451, figs.

Hottinger, L & Schaub, H. & Vanderschmitt, L. Zur stratigraphie des Lutetien in Adour-Becken. Eel geol. helv. 49 1956: 453-468, figs.

Hottinger, L. see Dubourdieu, G.

Hovasse, R., Combescot, C., Demaret, J. &, Deleroix, C. Paracercobods hominis, Hov. et Comb. 1959, nouveau flagellé parasite. Bull. Soc. Path. exot. 53: 301-209, figs.

Howard, B. H. see Abou Akkada, A. R.

Howe, H. V. Fifty years of micropaleontology. J. Paleont. 33 (3) 1959: 511-517.

Hoy, J. B. see Barrow, J. H. Jr.

Hoyle, G. F. see Pulvertaft, R. J. V.

Hreczko, I. see Rae, R.

Huang, T. Micropaleontological investigation of the Napalin near Tainan, Taiwan. Formosan Sci. 14 4 1960: 195–198. [English summary.]

Huckriede, R. Die Kreideschiefer bei Kaisers und Holzgan in den Lechtaler Alpen (Apt-Unteres Cenoman). Verh. geol. ReichsAnst. (St. Anst.) Wien 1958 1: 71–86.

Huddleston, M. S., Hohl, M. C., Burnside, K. & Grady, C. Nutrient concentrations and Tetrahymena pyriformis W. II. Cell volume. J. Protozool. 7 (Suppl.) 21.

Huddleston, M. S., Hohl, M. C., Horvath, F. & Sameck, E. Nutrient concentrations and Tetrahymena pyriformis W. III. pH. J. Protozool. 7 (Suppl.) 21.

Huddleston, M. S., Hohl. M. C., Manty, A. & Navotny, J. Nutrient concentrations and Tetrahymena pyriformis W. I. Size. J. Protozool. 7 (Suppl.) 21.

Huddleston, M. S., Hohl, M. C., Mohuhoff, M. & Terrell, M. Simultaneous studies of effects of nutrient concentrations on Tetrahymena pyriformis W. J. Protozool. 7 (Suppl.) 21.

Huddleston, M. S., Hohl, M. C., Sauro, A. & Battaglia, A. Nutrient concentrations and Tetrahymena pyriformis W. IV. Population growth and longevity. J. Protozool. 7 (Suppl.) 21.

Huff, C. G., Weathersby, A. B., Pipkin, A. C. & Algire, G. H. The growth of excerythrocytic stages of avian malaria within diffusion chambers in different hosts. Exper. Parasit. 9: 98-104, fig.

Huff, C. G., Pipkin, A. C., Weathersby, A. B. & Jensen, D. V. The morphology and behavior of living exocrythocytic stages of Plasmodium gallinaceum and P. fallax and their host cells. J. biophys. biochem. Cytol. 7: 93-102, figs.

Hughes, D. D. News-Libya. Micropaleontology 5 1959 : 141.

Hulbert, E. M., McLauglin, J. J. A., & Zahl, P. A. Katodimilum dorsalisulcum, a new species of unarmoured Dinophysea. J. Protozool. 7: 323–326, figs.

Huling, R. T. The effects of various photoperiods on population increases of Euglena gracilis var. bacillaris Prings. Trans. Amer. mier. Soc. 79: 384-392, figs.

Hull, R. W. & Camin, J. H. Haemognegarines in snakes: the incidence and identity of the crythrocytic stages. J. Parasit. 46: 515-523, figs.

Hull, R. W. & Morrissey, J. E. Metabolic efficiency of Tetrahymena pyriformis strain W, as related to culture age. Trans. Amer. micr. Soc. 79: 127-135,

Hull, R. W. see Sherman, I. W.

Hunter, F. R. Aerobic metabolism of Crithidia fasciculata. Exper. Parasit. 9: 271-280, figs.

Hunter, N. W. Enzyme systems in Stylonychia nustulata. III. Hydrolysis of starches and glycogen. Physiol. Zool. 33: 64-67.

Hussey, K. L. see Cort, W. W.

Hutner, S. H. see Frank, O.

Hutton, R. F. Notes on the causes of discoloured water along the southwestern coast of Florida. Quart. J. Fla. Acad. Sci. 23: 163-164.

Huzisige, H. & Satoh, K. Biochemical studies on the photochemical nitrite reduction system of green plants. I. Photochemical nitrite reduction by Euglena cells. Biol. J. Okayama Univ. 6: 71-82, figs.

Ichikara, M. & Nakaseko, K. The study of the bottom sediments of Osaka Bay (in Jap.). J. Geol. Soc. Japan 59 694 1953: 328.

Ichinose, E. [Cytochemical studies of Balanti-dium coli.] Keio Igaku 37: 2320-2328, figs. [Japanese with English summary.]

Igô, H. (1). Notes on the Osubudani conglo-merate of the Fukiji District, Hida Mountainland J. Geol. Soc. Japan 62 1956: p 46, figs. [In Japanese.]

Igô, H. (2). Notes on the Osubudani conglomerate and some Lower Permian Fusulinids contained in its limestone pebbles. Part I. Trans. Proc. Palaeont. Soc. Japan No 22 1956: 169-174, figs.

Igô, H. (3). Yabeina from the Omi Limestone Niigata Prefecture, Central Japan. Sci. Rep. Tohoku Univ. Geol. Spec. Vol. 4: 335–343, figs.

Igô, H. & Ozawa, K. Fusulinids from the Funafuseyama Limestone, Part I. (On some interesting Parafusulina from the Funafuseyama Limestone.) Jubilee Publ. H. Fujimoto 1958: 49-57, figs.

Igô, H. see Kanuma, M.

Igô, H. see Morikawa, R.

lino, H. (1). [Attempts to grow Encephalitozoon in tissue culture.] Keio Igaku 37: 339-343. [Japanese: English summary.]

Iino, H. (2). [Studies on Encephalitozoon III Relationship between the natural infection in mice and the environmental conditions.] Keio Igaku 37: 515-518. [Japanese: English summary.]

Ilardi, A. see Corradetti, A.

Imamura, S. see Matsuda, K.

Indans, J. (1). Zur mikropaläontologischen Gliederung des Oligozäns in der Bohrung Kuhlerhof bei Erkelenz-Vorlaufige Mitteilung. N. Jahrb. Geol. u. Palaont., Monatsh. Nr. 4-5, 1956; 173-184, figs.

figs. Ing panos infect 50 : :

[196

Ind im n

Forts

Ino drug-1

Ino

Elect vagin Gyna Inc

Ire Fora 831-8 Irli

free-l

of Tr

Ish Ish the (

Soc.

Japa

Ish Ish Ш. Ham 1-19

Ito Ito Eupl sp. n

Isc

Ito in e occu Mie

[Japa

Ito wari wari occu Mie sum

Ite wari wari

grow 3 19 mar lia

m.

In

ed

cu

ng

13.

ce

en

ol.

Indans, J. (2). Mikrofaunistische Korrelationen im marinen Tertiär der Niederrhenischen Bucht. Fortschr. Geol. Rhein. Westfalen 1-2 1958: 223-238, figs.

Ingram, D. G. & Soltys, M. A. Immunity in trypanesomiasis. IV. Immunoconglutinin in animals infected with *Trypanosoma brucei*. Parasitology 50: 231-239.

Incki, S. & Matsushiro, A. Transformation of drug-resistance in *Trypanosoma*. Bikens J. 3: 101-106, figs.

Inoki, S., Nakanishi, K. & Nakabayashi, T. Electron microscopic observations of *Trichomonas vaginalis* employing the thin-section technique. Gynaecologia 149 (Suppl.) 48-54, figs.

Inoki, S., Taniuchi, Y., Matsushiro, A. & Sakamoto, H. Multiplication ability of the akinetoplastic form of *Trypanosoma evansi*. Bikens J. 3: 123-128, fig.

Ireland, H. A. Upper Pennsylvanian arenaceous Foraminifera from Kansas. J. Palaeont. 38 1956: 831–864, figs.

Irlina, I. S. Changes in thermostability of some free-living Protozoa under the influence of preliminary temperature regime. Citologia, Leningrad 2: 227-234.

Ishigami, K. see Nagahana, M.

Ishii, K. & Suyari, K. Permian conglomerates in the Chichibu system in Shikoku, Japan. J. Geol. Soc. Japan 63 1956: 361–362. [Abstr. in Japanese.]

Ishii, K. see Yamagiwa, N.

Ishiwada, Y. Studies on the brackish water. III. Recent foraminifera from the brackish Lake Hamana-ko. Reports geol. Surv. Japan 180 1958: 1-19, figs.

Isomi, H. see Morikawa, R.

Ito, H. see Fujita, S.

Ito, S. Two new species of marine ciliates, Euplotidium itof sp. nov. and Gastrocirrhus trichocystus sp. nov. Zool. Mag., Tokyo 67 1958: 184–187, figs. [Japanese: English summary.]

Ito, T & Iwai, T. (1). Studies on the "mizukawari" in eel-culture ponds. IX. On a "mizukawari" occurred in winter time. Rep. Fac. Fish. Univ. Mie 3 1958: 159-169, figs.

Ito, T. & Iwai, T (2). Studies on the "mizukawari" in eel-culture ponds. XVI. On the "mizukawari" phenomenon accompanied with the explosive occurrence of Dinoflagellata. Rep. Fac. Fish. Univ. Mie 3 1959: 451-459, figs. [Japanese: English summary.]

Ito, T. & Iwai, T. (3). Studies on the "Mizukawari" in eel-culture ponds. XVII. On the "Mizukawari" phenomenon accompanied with the explosive growth of Paramecium. Rep. Fac. Fish. Univ. Mie 3 1959 : 460–470, figs. [Japanese : English summary.]

Ivens, V. see Levine, N. D.

Ivens, V. see Saxe, L. H.

Iwata, S. & Araki, T. Studies on giardiosis. Bull. Osaka med. Sch. 6: 92–106, figs.

Ivanova, E. A. [Development of the fauna of the M. & U. Carboniferous area of the W. part of the Moscow syncline in connection with its history.] Knigha 3. [Development of the fauna in connection with conditions of existence.] Trans. Inst. Paléont. Acad. Sci. URSS 69 1958: 1-303, figs.

Ivanova, P. S. [Anaplasma marginale in its extreme northern area of distribution.] Trudy Inst. Zool. Acad. Soi. Kazakh. SSR 12: 94-95. [In Russian.]

Iziumov, G. I. On the physiology of digestion in Didinium nasutum O.F.R. (Infusoria Holotricha). Trav. Soc. Nat. St. Pétersb. (Léningr.) 69 1947: 137–145. [Russian: English summary.]

Jacob, K. The occurrence of radiolarian cherta in association with Ultra-mafic intrusives in the Andaman Islands, and its significance in sedimentary tectonics. Rec. geol. Surv. India 83 2 1954: 397-422, fig.

Jacob, K. & Sastri, V. V. Miocene foraminifera from Chavara near Quilon, Travancore. Rec. geol. Surv. India 82 1952: 342-353, figs.

Jacobs, L., Remington, J. S. & Melton, M. L. (1). The resistance of the encysted form of *Toxoplasma gondii*. J. Parasit. 46: 11-21, figs.

Jacobs, L., Remington, J. S. & Melton, M. L. (2). A survey of meat samples from swine, cattle and sheep for the presence of encysted *Toxoplasma*. J. Parasit 46: 23–28.

Jadin, J., Chantraine, J., Pierreux, G. & Braeckel, G. van. Étude d'une souche congolais de *Trypanosoma lewisi*. Ann. Soc. belge Méd. trop. **40**: 907–914. [French, Dutch, English, German, Spanish summaries.]

Jadin, J. & Pierreux, G. Un milieu de culture pour trypanosomides. Ann. Soc. belge. Méd. trop. 40: 903-906. [French, Dutch, English, German, Spanish summaries.]

Jahn, T. L. Ciliary reversal and activation by electric current; the Ludloff phenomenon in terms of core and volume conductors. J. Protozool. 7 (Suppl.), 16.

Jahn, T. L. & Rinaldi, R. A. Protoplasmic movement in the foraminiferan, *Allogromia laticollaris*; and a theory of its mechanism. Biol. Bull. Woods Hole 117 1959: 100-118, figs.

Jahn, T. L., Bovee, E. C. & Small, E. B. Mechanisms of movement: the basis for a new major dichotomy of the Sarcodina. J. Protozool. 7 (Suppl.), 8.

Jahn, T. L. see Bovee, E. C.

James, T. W. Controlled division synchrony and growth in protozoan microorganisms. Ann. N.Y. Acad. Sci. 90: 550-564, figs.

37

In

A

10

co

gle

(C

Ni

Fi

me

fig

kli

un

Pe

Co

fig

on

mi

Di

James, T. W. see Johnson, B. F.

Janisch, R. [Regeneration of the infusorian Stylonychia mytilus.] Scripta Med. 32 1959: 149–160, figs. [English summary.]

Jarke, J. (1). Sedimente und Mikrofaunen im Bereich der Grenzschwelle zweier ozeanischer Räume dargestellt an einem Schmitt über den Island-Faröer-Rücken (Nordatlantischer Ozean-Rosengarten-Europäisches Nordmeer). Geol. Rdsch. 47 1 1958: 234-249.

Jarke, J. (2). Beitrag zur Kenntnis der Foraminiferenfauna der mittleren und westlichen Barents-See. Int. Rev. Hydrobiol. 45 4: 581–654, figs.

Jarpa, A., Montero, E., Navarro, C., Mayerholz, M., Vasquez, A. & Zuloaga, M. Isosporosis humana. Biol. chil. Parasit. 15: 50-54.

Jarry, D. & Vidal, D. Contribution a l'étude de la faune de Jardin des Plantes de Montpelier: Les Mycetozoaires. Cahiers Nat. N.S. 16: 77-81.

Järuefelt, H. Über die vertikale Tag- und Nachtverteilung des Planktons im Lohjanjärvi. Hydrobiologia 10 1958: 175–197.

Jarumilinta, R. & Maegraith, B. G. (1). Hyaluronidase activity in *Entamoeba histolytica*. Trans. roy. Soc. trop. Med. Hyg. **54**: 5.

Jarumilinta, R. & Maegraith, B. G. (2). Hyaluronidase activity in stock cultures of *Entamoeba histolytica*. Ann. trop. Med. Parasit. **54**: 118–128, figs.

Jaskoski, B. J. & Krzeminski, W. Incidence and treatment of parasites in the zoological garden. Amer. J. vet. Res. 21: 631-635.

Jednorowska, A. see Kojikowski, H.

Jeffery, G. M. (1). A three-year epidemiologic study of intestinal parasites in a selected group of mental patients. Amer. J. Hyg. 71: 1-8.

Jeffery, G. M. (2). Infectivity to mosquitoes of *Plasmodium vivax* and *Plasmodium falciparum* under various conditions. Amer. J. trop. Med. Hyg. 9: 315-320.

Jellison, W. H., Glesne, L. & Peterson, R. S. Emmonsia, a fungus, and Besnoitia, a Protozoan, reported from South America. Bol. chil. Parasit. 15: 46-47. figs.

Jeney, E. & Zsolnai, T. Versuche zur chemotherapeutischen Beeinflussung der durch *Trichomonas vaginalis* hervorgerufenen Infektionin. III. Zbl. Bakt. I. Abt. Orig. 180: 136–135. [English, French, Spanish, Russian summaries.]

Jennings, T. V. Faunal zonation of the Minnelusa Formation, Black Hills, South Dakota. J. Paleont. 33 6 1959: 986-1,000, figs.

Jensen, D. V. see Huff, C. G.

Jeska, E. see Krascheninnikow, S.

Jira, J. & Bozděch, V. Die Bedentung der Komplementbindungsreaktion für die Laboratoriumsdiagnostik der Toxoplasmose. Zbl. Bakt. I. Abt. Orig. 179: 262–277. [English, French, Spanish, Russian summaries.]

Jirá, J. see Jírovec, O.

Jirovec, O. and others. Protozoologie, Praha (Ceskoslov. Akad.) 1953, pp. 648, figs.

Jirovec, O. Das Problem der *Pneumocyetis*pneumonia vom parasitogischen Standpunkte. Monatsschr. Kinderheilk. **108**: 136–142.

Jirovec, O. & Havlik, O. [Parasitology in the Chinese People's Republic.] Wiad. Parazyt. 6: 81-95, figs.

Jirovec, O. & Jira, J. Die Benutzgung der Toxoplasmin-Testes als einer standarten diagnostischen Methode der klinischen Praxis. Acta Univ. carol. Praha Biol. 1958 (2): 127-143. [German summary.]

Jirovec, O.; Vanek, J. Pneumocystis carinii as an etiological agent of intestitial pneumonia of new borns. Indian J. Path. 2: 235-247, figs.

Johnson, A. E. The free amino acids in Trichomonas foetus. J. Parasit. 46 (Suppl.): 45.

Johnson, A. E. see Hibler, C. P.

Johnson, B. F. & James, T. W. (1). Isolation of cellular adaptations to temperature. J. Protozool. 7 (Suppl.), 21.

Johnson, B. F. & James, T. W. (2). Cellular adaptations to incubation temperature. Anat. Rec. 134 1959: 587-588.

Johnson, W. H. see Miller, C. A.

Jones, D. J. Introduction to Microfossils. Harper's Geoscience, Series New York, 1956: 406 pp., figs.

Jones, R. F. & Lewin, R. A. The chemical nature of the flagella of *Chlamydomonas moewusii*. Exper. Cell Res. 19: 408-410.

Jones, W. C. see Lincicome, D. R.

Jorg, M. E. *Trypanosoma birabeni*, sp. nov. en un roedor silvestre de Argentina. Neotropica 6:80-81, fig.

Joyner, L. P. The relationship between toxicity and coccidiostatic efficacy of pyrimethamine and sulphonamides and their relative reversal by folic acid. Res. vet. Sci. 1: 2-9, figs.

Joyner, L. P. & Davies, S. F. M. Detection and assessment of sublethal infections of *Eimeria tenella* and *Eimeria necatrix*. Exper. Parasit. 9: 243-249, figs.

Joyon, L. Sur l'adhérence du flagelle récurrent et sur l'axostyle de *Trichomonas lacertae* (Prowazek) (Zooflagellé Trichomonadidae.) C.R. Acad. Sci. Paris 251: 3068–3069, figs.

Julian, S. R. see Duncan, D.

n

ms-

ish,

sha

tison-

the

6:

co-

en

rol. y.]

an ew

ho-

of

ol.

ta-

34

ls. p.,

er.

nd lie

la

9,

ris

Juminer, B. & Durand, M. Polyparasitisme grave chez un chien tunisien. Arch. Inst. Pasteur Tunis 37: 391-394.

Juminer, B. & Goudineau, J. A. (1). Sensibilité de la gerbille (G. hirtipes) à Trypanosoma lewisi. Arch. Inst. Pasteur Tunis 37: 171-180.

Juminer, B. & Goudineau, J.A. (2). Hémoparasites et Nématologie des rats sauvages de la ville de Tunis. Arch. Inst. Pasteur Tunis 37: 181–186

Jumper, J. R. see Gibson, C. L.

Jung, J. Eugène Lacroix. C. R. Soc. géol. Fr. 10 1954 : 209.

Jurand, A. see Beale, G. H.

Jurkiewicz, H. (1). Foraminifers of the Cergowa complex in the Dukla-Michowa folds of the neighbourhood of Mrukowa and Folusz (Carpathians). Przeglad Geol. 1958 6: 260–263, figs.

Jurkiewicz, H. (2). Foraminifers of the Magura and Submagura beds in the vicinity of Pielgrzymka (Carpathians). Przeglad Geol. 1959 5: 202–204, figs.

Jux, U. & Pflug, H. D. Altersbeziehungen festländischer und mariner Fazies im Tertiär der Niederrheinischen Bucht. Neues Jb. Geol. Paläont. B 1958: 243–254, figs.

Kabakov, E. N. see Druikin, G. D.

Kabata, Z. (1). The invisible enemies. Scott. Fish. Bull. No. 10, 1958: 20-22, figs.

Kabata, Z. (2). On two myxosporidian parasites of marine fishes, including one new species (*Ceratomyxa tenuispora*). Ann. Mag. nat. Hist. (13) 3: 305-308, figs.

Kabelitz, H. J. Die diagnostische Bedentung und klinische Beurteilung der *Toxoplasma*—Seroreaktionen und des *Toxoplasmin*-Hautteste. Z. Tropenmed. u. Parasit. 11: 287–297. [English summary.]

Kachyńa, Z. see Stiasny, V.

Kaever, M. Über Globorotalites Brotzen 1942 und Conorotalites nov. gen. Geol. Jb. 75 1959: 433-436, figs.

Kagan, I. G. & Normna, L. Immunologic studies on Tryponosoma cruzi 1. Susceptibility of CFW stock mice for the "Tulahuen" strain of T. cruzi. J. infect. Dis. 107: 165-167.

Kagan, I. G. see Norman, L.

Kahler, G. see Kahler, F.

Kakhenka, S. V. Baravik, E. A. & Garavaya, S. L. [The problem of Iohthyophtirsiasis of the cel.] Vestz. Akad. Nauk Beloruss. S.S.R. biol. 2 1959, 91–93. [In Russian.]

Kalvaitis, A. see Chute, H. L.

Kamei, S. see Kanuma, M.

Kaneda, M. (1). The morphology and morphogenesis of the cortical structures during binary fission of Chlamydodon pedarius. J. Sci. Hiroshima Univ. Ser. B. Div. 1 (Zool.) 18: 265-277, figs.

Kaneda, M. (2). The structure and reorganization of the macronucleus during the binary fission of *Chlamydodon pedarius*. Jep. J. Zool. **12**: 477-492, for

Kaneda, M. (3). Phase contrast microscopy of cytoplasmic organelles in the gymnostome Chlamydodon pedarius. J. Protozool. 7: 306-313, figs.

Kanmera, K. (1). The stratigraphical and paleontological studies of the Kuma formation. J. Geol. Soc. Japan 59 (694): 1953: 362. [In Japanese.]

Kanmera, K. (2). Fusulinids from the Yayama-dake Limstone of the Hikawa Valley, Kumamoto Prefecture, Kyushu, Japan. Part II. Fusulinids of the Upper Carboniferous. Jap. J. Geol. Geogr. 26 3-4 1955: 177-192, figs.

Kanmera, K. (3). Fusulinids from the Yayamadake Limestone of the Hikawa Valley, Kumamoto Prefecture, Kyushu, Japan. Part III. Fusulinids of the Lower Permian. Mem. Fac. Sci. Kyúshu Univ. Geol. 6 3 1958: 153-215, figs.

Kano, H. see Kanuma, M.

Kantorova, V. (1). Mikropaleontologicky vyskum podtatranskeho fiysa. Geol. Prace, Bratislava 1 1954: 78–79. [In Czech.]

Kantorova V. (2). Mikropaleontologicky vyskum presovskeho, solinosneho miocenu. Geol. Prace, Bratislava 1 1954: 91–93. [In Czech.]

Kantorova, V. (3). Uber die sogenannte Inoceramen-Kreide in der Umgebung von Snina. Geol. Prace. zpravy 9 1956: 52-63, figs. [Czechoslovakian: German summary.]

Kanuma, M. & Sakagami, S. & Kano, H. & Kamei, S. & Igo, H. & Sato, T. Permian conglomerates in Kwanto and Chubu districts, Japan. J. Geol. Soc. Japan 62 1956: 361. [abstract in Japanese.]

Kaptarenko-Chernousova, O. K. (1). On the interpretation of new species and on the geological duration of the Meso-Cainozoic Foraminifers. Dopov. Akad. Nauk. Ukr. RSR No. 7, 944-949, figs. [English summary.]

Kaptarenko-Chernousova, O. K. (2). On the stratigraphy of the Jurassic and lower Cretaceous (by the foraminifer fauna). Dopov. Akad. Nauk Ukr. RSR No. 8: 1103-1107. [English summary.]

Karapetyan, A. E. (1), [Obtaining cultures of Lamblia intestinalis.] Med. Parazit. (Mosk.) 29: 84-85, figs. [Russian: English summary.]

Karapetyan, A. E. (2). [The study of Lamblia biology in culture.] Med. Parazit. (Mosk.) 29 639-646. [In Russian.]

Karapetyan, A. E. (3). [Method of cultivation of Lamblia.] Citologia, Moscow-Leningrad 2: 379-384, figs. [In Russian.]

Karlson, P. see Cleveland, L. R.

Kashima, N. The new localities of fossils in the Oonogahara District, Ehime Prefecture. J. geol. Soc. Japan 66 772: 52.

Kashirtsey, A. S. [Field-atlas of the fauna of the Permian deposits of the north-east of the USSR.] 1959: 1-85, figs.

Katashima, R. (1). A correlation between morphogenesis and old macronucleus during sexual reproduction in *Euplotes eurystomus*. J. Sci. Hiroshima Univ. (Zool.) Series B, Div. 1, 18 1959: 99–107, figs.

Katashima, R. (2). Correlations between nuclear behaviour and disposition of the nuclei in cytoplasm during conjugation of *Euplotes patella*. J. Sci. Hiroshima Univ., Series B, Div. 1. (Zool.), 18: 239–263, figs.

Katoh, A. K. Localization of sulfhydryl compounds in *Tetrahymena*. J. Protozool. 7 (Suppl.) 21.

Katoh, A. K. see Dysart, M. P.

Kaushiva, B. S. Comparative action of some standard and newer amoebicides. J. sci. industr. Res. 19C 8: 204–205.

Kawada, S. (1). Stratigraphical and palaeontological studies of the Omi limestone in the Mt. Myōjō district Nügata Prefecture. Misc. Rep. Res. Inst. nat. Resour. Tokyo No. 36 1954: 39-48, figs. [English summary.]

Kawada, S. (2). Stratigraphical and palaeontological studies on the Omi Limestone in the Mt. Kurohima district, Nügata Prefecture. Misc. Rep. Res. Inst. nat. Resour. Tokyo No. 35 1954: 48-56, figs. [English summary.]

Kawada, S. (3). Geological studies on the Shimizukura conglomerate in Omi Machi. Misc. Rep. Res. Inst. nat. Resour. Tokyo No. 37 1955: 66-72, figs. [English summary.]

Kawada, S. see Morikawa, R.

Kawano, M. Some fusulinids from the Aratani Conglomerate in the north eastern part of Yamaguchi City. Sci. Rep. Tokohu Univ. Geol. Spec. Vol. 4: 223-230, figs.

Kaye, C. A. Lower Tertiary of Puerto Rico. Bull. Amer. Assoc. Petroleum Geologists 40 1956 : 108-121, figs.

Kazubski, S. L. (1), Semitrichodina gen. nov. sphaeronuclea (Lom, 1958) (Peritricha—Urceslariidae) in Schistophallus orientalis Cless. (Pulmonata-Zonitidae) in Poland. Bull. Acad. polon. Sci. Biol. 6 1958: 109-112, figs.

Kazubski, S. L. (2). Thigmocoma acuminata gen. nov., sp. nov. (Thigmotricha-Thigmocomidae fam. nov.) a parasite of the renal organ of Schistophallus orientalis Cless. (Pulmonata-Zonitidae). Bull. Acad. polon. Sci. Biol. 6 1958: 167–172, figs.

Kecskeméti, T. (1). Bis jetzt in Ungarn unbekannte Disiocyclina und Asterocyclina aus dem Eczän von Ajka. Ann. Hist.-nat. Mus. hung. 50 1958: 39-42. figs.

Kecskeméti, T. (2). Die Discocycliniden des südlich en Bakonygebirges. Ann. Hist.-nat. Mus. hung. 51 1959: 31–84, figs.

Keeler, R., Schrieden, H., Gilles, H. M. & Edington, G. M. Kidney function in experimental malaria. Ann. trop. Med. Parasit. 54: 267-271.

Keilin, D. Maurice Caullery 1868-1958. Biogr. Mem. Fellows roy. Soc. 6: 13-31, fig.

Kennell, D. The effects of indoleacetic acid and kinetin on the growth of some microorganisms. Exp. Cell Res. 21: 19-33, figs.

Kent, J. F. see Fife, E. H. Jr.

Kerkut, G. H. Implications of evolution. London. 174, pp and figs. [Protozoa: Ch. 4, pp. 26-36.]

Kermack, W. O. see Bowman, I. B. R.

Kesling, R. V. News—United States-East-Central Region. Micropaleontology 5 1959: 383–384.

Kessel, J. F., Lewis, W. P. & Ma, S. A hemagglutination test for entamoebae. J. Parasit. 46 (Suppl.) 19.

Key, I. see Shaffer, J. G.

Key, I. D. see Rees, C. W.

Kidder, G. W. see Markees, D. G.

Kimball, A. C., Bauer, H., Sheppard, C. G., Held, J. R. & Schuman, L. M. Studies on toxoplasmosis. III. Toxoplasma antibodies in obstetrical patients correlated with residence, animal contact and consumption of selected foods. Amer. J. Hyg. 71: 93-119.

King, E. S. Jr. see Locke, L. N.

King, R. L. see Beams, H. W.

Krampitz, H. E. Observaciones acerca de algunos hemoparásitos de mamíferos silvestres de El Salvador. Rev. Comunicaciones San Salvador 1959, **8** (1-2): 5-19.

Khromov, A. S. & Fedorova, S. P. [Parasitological situation in the Republic of Guinea.] Med. Parazit. (Mosk.) 29: 614-617. [In Russian.]

Kidder, G. W. see Dewey, V. C.

Kieken, M. & Magné, J. & Polvéche, J. Le complexe marno—greseux du nord de Tiaret (Algérie). C.R. Acad. Sci. Paris 242 1956: 1909–1912.

Kihara, T. & Murata, S. & Sugahara, M. On the occurrence of Foraminifera in the Sechibaru beds, Sasebo formation. J. Geol. Soc. Japan 60 (709), 1954: 457, figs. [In Japanese.]

Kimball, R. F. & Perdue, S. W. The relation of the refractory period for mutation induction and nuclear synthesis in *Paramecium aurelia*, syngen 4. Genetics 45: 996.

Kimball, R. F., Vogt-Köhne, L. & Cospersson, T. O. Quantitative cytochemical studies on Paramecium aurelia. III. Dry weight and ultraviolet absorption of isolated macronuclei during various stages of the interdivision interval. Exper. Cell Res. 20: 368-377, fig.

Kipri iniferio Zaupal figs.

[1960

Kirch Grüne Oberöst 234–23

Kirch mikrofe 1956 :

Kitel
Actinop

Kitch of con water of Biol. 3

> Klass kreides Nierent Maastri den Na menifer u. Palä

> " Comp de la 1 1958 :

> > Klein

Acanth 241-25 Klein mitoch Cell Re

Klin ride al Nature

Kna aus de

Knie La re nóstice Parasi Knie

Knig Inter. 171-1

Kni J. Pal Kipriyanova, F. V. Nekotoruie peschanuie foraminiferie iz meloviukh è Paleoghenovuikh otlozheniè Zaupal'ya. Trudui Ghorno-Gheol. Inst. 51 73–87, figs.

Kirchinayer, M. Durch mikrofossilien belegte Grüne Schichten im norischen Hauptdolomit in Oberösterreich. 'Verh. geol. Bundesanst. 1957 3: 234–239, figs.

Kirchner, Z. & Bajer, J. Maceracja skal do badan mikrofaunistcznych. Przegl. geol. Polska 4 12 1956: 572-573.

Kitching, J. A. (1). Contractile vacuoles. Symposia Soc. exp. Biol. No. 6, 1952: 145-165, figs.

Kitching, J. A. (2). Responses of the heliozoon Actinophrys sol to prey, the mechanical stimulation, and solutions of proteins and certain other substances. J. exp. Riol. 37: 407-416, figs.

Kitching, J. A. & Padfield, J. E. The physiology of contractile vacuoles. XI. Effects of heavy water on the water balance of a Suctorian. J. exp. Biol. 37: 73-82, fig.

Klasy, I. D. Zur Kenntnis der ostalpinen Oberkreidestratigraphie: II. Zur Altersfrage der unteren Nierentaler Schichten: III. Das Alter des Post-Masstrichtien-Vorkommens am Unterberg: IV. Über den Namen "Buchecker Schichten": V. Zur Forameniferenart Globotruncana andori. N. Jahrb. Geol. u. Palaont., Monatsh., No. 6, 1956: 410-419.

Klaus, J. Stratigraphie et micropaléontologie du "Complexe schisteux intermédiairè "dans le synolinal de la Gruyère. Verh. schweiz. naturf. Ges. 138 1958: 122–126.

Klein, H. P. see Stern, A. I.

Klein, R. L. Transmembrane flux of K^{43} in *Aconthamoeba* sp. J. cell. comp. Physiol. **53** 1959: 241-258, figs.

Klein, R. L. & Neff, R. J. Osmotic properties of mitochondria isolated from *Acanthamoeba* sp. Exper. Cell Res. 19: 133-155. figs.

Klinge, K. Pseudomonas-fluorescens-Polysaccharide als Schutz gegen Phagozytose durch Amöben. Naturwissenschaften 45 1958: 550-551, fig.

Kloosterman, W. see Thiel, P. H. van.

Knauft, W. Untersuchungen an Foraminiferen aus dem Lias delta. Paläont. Z. 32 1958: 5-6.

Knierim, F., Niedmann, G. & Thiermann, E. La reacción de hemaglutinación aplicada al diagnóstico serológico de la toxoplasmosis. Bol. chil. Parasit. 15: 48-50. [English summary.]

Knierim, F. see Rubio, M.

Knight, R. H. The biochemistry of trypanosomes Inter. sci. Comm. Trypanosomiasis Res. Publ. No. 62: 171–173.

Knight, R. L. Permian fusulines from Nevada.
J. Paleont. 30 1956: 773-792, figs.

Knipscheer, H. C. G. Das Alter der Hachauer Schichten bei Hachau (Oberbayern). N. Jahrb. Geol. u. Paläont., Monatsh., No. 8, 1956: 420–424.

Knipscheer, H. C. G. see Ganss, O.X.

Kobayashi, M. Paleontological study of the Ibukiyama limestone, Shiga Prefecture, Central Japan. Sci. Rep. Tokyo Kyoiku 5c 1957: 247–311, figs.

Kobayashi, M. see Marikawa, R.

Kobayashi, N. see Morikawa, R.

Kobayashi, T. On the tectonic history of Taiwan (Formosa). J. Fac. Sci. Univ. Tokyo sect. 2, 9 (2) 1954: 205-224.

Kochansky-Devidé, V. (1), Ist Nummulostegina velebitana Schub indentisch mit Everebeekina pablenicensis. Bull. Int. Acad. Yougosl. Sci. N.S. No. 7 1952: 27-35, figs. see orig. S. 1705 A. Rad. Jugosl. Akad. Znan. Umjetn. No. 289 1952: 112.

Kochansky-Devidé, V. (2). Die Fusuliniden Foraminiferin aus dem Karbon und Perm im Velebit und in der Lika (Kroatien, Jugoslawien). I. Allgemeiner Teil und Karbon. Bull. Int. Acad. Yougosl. Sci. N.S. No. 14, 1955: 5–34, figs. See orig. in S. 1705 A Rad. Jugosl. Akad. Znan. Umjetn. No. 305, 1955: 5–62, figs.

Kochansky-Devidé, V. (3). Nalazista Neosvagerurskih fauna fuzne Crna Gore. Geol. Vjesn. 11 1958 : 21-44, figs.

Kochansky-Devidé, V. (4). Die Neoschwagerinenfannen der sudl Crna Gora (Jugoslavian). Geol. Vjesn. 11 1958: 45–76, figs.

Kochansky-Devidé, V. (5). Izmjena generacija vrste Orbitopsella praecursor u Lijasu Plitrica. Geol. Vjesn. 11 1958: 77-86, figs.

Kocharatana, P. see Coatney, G. R.

Kogan, Z. M. (1). [Survival of chick coccidial cocysts after repeated hibernation under natural conditions in the Byelorussia.] Zool. Zh. 39: 617–618. [Russian: English summary.]

Kogan, Z. M. (2). [Effect of sulfonamides administered to chicks on the capacity to sporulation in the occysts of *Eimeria necatrix*.] Zool. Zh. 39 978-983. [Russian: English summary.]

Kohberger, D. L., Fisher, M. W., Galbraith, M. M., Hillegas, A. B., Thompson, P. E. & Ehrlich, J. Biological studies of streptimidone, a new antibiotic. Antibiot. Chemoth. 10 9-16.

Koike, T. (1). [On a strain of *Toxoplasma* which was isolated from a guinea pig and has only a low virulence to mice.] Nisshin Igaku 47: 182–186, figs. [Japanese: English summary.]

Koike, T. (2). [Studies on the experimental infection of Toxoplasma gondii in dogs. 2. Comparison of Sabin-Feldman dye test and complement fixation test.] Nisshin Igaku 47: 322-336, figs. [Japanese: English summary.]

Koike, T., Ueda, H. & Yamato, J. [Toxoplasmin and Sabin-Feldman dye test in healthy men and tuberculosis children.] Nisshin Igaku 47: 130–134. [Japanese: English summary.]

Koizumi, S. An analysis of the process of transformation of antigenic type induced by antiserum treatment in *Paramecium caudatum*, stock KA6. Sci. Rep. Tôhoku Univ. **24** 1958: 23–31, figs.

Kokina, N. N. see Koshtoyants, K. S.

Kol, E. & Varga, L. Beiträge zur Kenntnis der Mikroflora und Mikrofauna in den Donauarmen neben Baja (Südungarn). Acta Biol. Acad. Sci. hung. 11 3 : 187–217, figs. [English summaries.]

Komarovsky, B. The Tintinnina of the Gulf of Eylath (Aqaba). Bull. Sea Fish. Res. Sta. Israel No. 21, 1959: 1-40, figs.

Konishi, K. Notes on the Moscovian (?) deposits of Fukui, Japan. J. Geol. Soc. Japan **60** (700), 1954: 7–17, figs.

Kopik, J. Stratigraphy and microfauna of the Jurassic in the "Borucice" deep bore hole near Leozyca (district of Łódź). Bjul. Inst. Geol. Polska 102 1956: 31–58, figs. [Polish: Russian and English summary.]

Korach, S. see Fromentin, H.

Kormos, J (1). Phylogenetische Untersuchungen an Suctorien. Acta biol. Acad. Sci. hung. 9 1958: 9-23, figs. [English summaries.]

Kormos, J. (2). Remarks on members of the suctorian family Discophryidae. I. "Catherina" florea. J. Protozool. 7 (Suppl.), 21-22.

Kormos, J. (3). Remarks on members of the suctorian family Discophryidae. II. Cyclophrya katharinae n. sp. J. Protozool. 7 (Suppl.), 22.

Kormos, J. & Kormos, K. (1). Determination in der Entwicklung der Suctorien. II. Neue Untersuchung über determination Zusammerhang zwischen der Schwärmerbildung und der Metamorphore. Acta biol. Acad. Sci. hung. 9 1958: 25-45, figs. [English, summaries.]

Kormos, J. & Kormos, K. (2). Direkte Beobachtungen der Kernveränderungen der Konjugation von Cyclophyrya katherinae (Ciliata, Protozoa). Actabiol. Acad. Sei. hung. 10: 373–394, figs. [English summaries.]

Kormos, J. & Kormos, K. (3). Experimentalle Untersuchungen der Konjugation von Cyclophyra katherineae (Ciliata, Protozoa). Acta biol. Acad. Sci. hung. 10: 395–419, figs. [English summaries.]

Kormos, J. & Kormos, K. (4). Die Bedentung des Stadiums des Schwärmers der Suctoria in der Phylogense und Systematik. Állat. Közlem. 47: 97-104, figs. [German summary.]

Kormos, K. (1). Ruhezustand bei'den Protozoen mittels Metamorphose. Acta biol. Acad. Sci. hung., 11: 255-269, figs. [English summary.]

Kormos, K. (2). The formation of the swarmer of Parapodophrya and its relationship. J. Protozool. 7 (Suppl.), 22.

Kormos, K. (3). The anisogamy of Discophrya clongata. J. Protozool. 7 (Suppl.), 22.

Kormos, K. (4). New data concerning the biology of *Urnula*. J. Protozool. 7 (Suppl.), 22.

Kormos, K. see Kormos, J.

Kornicker, L. S. A method of mounting microfossils for photographing. Micropaleontologist 7 1952: 32.

Körting, H. J. Toxoplasmose—Komplementbindungsreaktion mit ultraschallbehandelten Antigenen. Zbl. Bakt. I. Abt. Orig. 179: 278–288, figs. [English, French, Spanish and Russian summaries.]

Koshtoyants,, K. S. & Kokinaj, N. N. The effects of beta-alanine and gamma-aminobutyric acid on the phasic electrical activity of nerveless organisms (Infusoria). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 127: 713-715, figs.

Kostir, W. J. see Graves, L. B.

Kotcher, E. see Hayes, B. S.

Kothane, S. N. see Souza, E. J. de.

Kott, H. & Adler, S. The antigen relationship between the *Trichomonas* sp. parasitic in man. Bull. res. Counc. Israel 8E: 167.

Kouri, A. see Basnuevo, J. G.

Kozar, Z. (1). [On the notion of parasitic anthropozoonoses and their division.] Wiad. Parazyt. 6: 169-172. [English summary.]

Kozar, Z. (2), [On the investigations of the role of Toxoplasmosis in obstetrics.] Wiad. Parazyt. 6: 399-414. [English summary.]

Kozar, Z. (3). Prof. Eduard Reichenow. Wiad. Parazyt. 6: 447-448.

Kozikowski, H. Geology of the Magura nappe and its tectonic windows to the S.W. of Gorlice. Bylul. Inst. Geol. Polska 110 1956: 47-91, figs. [Polish: English and Russian summaries.]

Kozikowski, H & Jednerowska, A. Geological and micropalaeontological research-work within the Slonika Valley. Acta Geol. Polonica 6 4 1956: 403-419, figs. [Polish: English summary.]

Kozloff, E. N. Morphological studies on holotrichous ciliates of the family Hysterocinètidae.

I. Hysterocineta eiseniae Beers and Ptychostomum campelomae sp. nov. J. Protozool. 7: 41-50.

Kozłowska, D. see Pytel, L.

Kramář, J. & Vrabec, F. The inoculation of parasites *Toxoplasma gondii* into the eyes of albino rats. Česk. Parasit. 7: 245-250, fig.

Kramer, J. P. Variations among the spores of the microsporidian Perezia pyrausta Paillot. Amer. midl. Nat. 64: 485–487, figs.

Paras summ Kra studie

[196

Kra

B. ca antige Kra acerve

Kre

Kri Piron Trudi figs.

Swier Polsk and I

Ks

dolne

Ksi Carpa 1956

(1). Trick Kato [Engl Ku (2).

Ku

Ki Ki Ki

nitro

Bull 1954 **K** Ame 1956

Feld 50:

mod 423,

dida cloa to ti (Bis 37-4 Krampitz, H. E. & Anciaux de Faveaux, F. Über einige Haemosporidien aus Fledermäusen der Höhlen des Berglandes von Katanga. Z. Tropenmed. u. Parasit. 11: 391–400, figs. [English and French summaries.]

Krascheninnikow, S. & Jeska, E. Agar diffusion studies of species specificity of Balantidium coli, B. caviae and B. wenrichi: preliminary studies of antigenic properties. J. Parasit. 46 (Suppl.) 44-45.

Krassner, S. M. Quantitative aspects of Eimeria acervulina infections. J. Parasit. 46 (Suppl.) 45-46.

Krezanoski, J. Action of iproniazid on Tetrahymena pyriformis. Va. J. Sci. N.S. 10 1959: 258.

Krivkova, A. M. [New species of piroplasm, Piroplasma meles sp. nov., from blood of badger.] Trudy Inst. Zool. Akad. Nauk Kazakh. S.S.R. 14: 42, figs. [In Russian.]

Kruczek, J. Geology of the anticline težyny-Świerchova (The Carpathians.) Bjul. Inst. Geol. Polska 110, 1956: 139–197, figs. and Russian summaries.]

Krzeminski, W. see Jaskoski, B. J.

Ksiazkiewicz, M. (1). Występowanie orbitolin w dolnej Kredzie okolic Wadowic. Panst. Inst. Geol. Prace Polska 7 1951: 145-148, figs.

Ksiazkiewicz, M. (2). Geology of the northern Carpathiens [Foraminifera.] Geol. Rundschau 45 1956: 369-411, figs.

Kucharczyk, W., Przesmycki, & J. Zawadski, J. (1). [Preliminary investigations on incidence of *Trichomonas vaginalis* among the inhabitants of Katowice - City.] Wiad. Parazyt. 6: 205-208. [English summary.]

Kucharczyk, W., Przesmycki. J. & Zawadzki, J. (2). [Treatment of Trichomoniasis vaginalis with the "tritheon" preparation (2-acetyloamino-5-nitrothiazole).] Wiad. Parazyt. 6: 209-212. [English summary.]

Kudo, H. see Onukè, Y.

Kuenen, P. H. see Vlerk, I. M. Van Der.

Kufferath, H. Les microfossiles (deuxième paxtie). Bull. Soc. Belge Géol. Paleont. et Hydrologie. 58 1954: 127-145.

Kugler, H. G. Trinidad, in Handbook of South American Geology. Mem. Geol. Soc. America 65 1956: 351-365, figs.

Kulasiri, C. (1). The indicator system of the Sabin-Feldman phenomenon in *Toxoplasma*. Parasitology **50**: 13–29.

Kulasiri, C. (2). The nature of the cytoplasm modifying antibodies. Parasitology 50: 419-423, figs.

Kulda, J. Retortamonas boae n. sp. (Retortamonadidae, Flagellata, Protozoa) a new flagellate from the cloaca of Constrictor c. constrictor and a contribution to the knowledge of the species Retortamonas dobelli (Bishop 1931). Acta Univ. carol. Praha 1959 (1): 37-49, figs.

Kunert, H. Uber da Aufteten besonderer Wuchsformen in Kulturen von Entamoeba histolytica. Z. Tropenmed. u Parasit. 11: 6-12, figs. [English summary.]

Kuntz, R. E. Intestinal protozoa and helminths in school children of Dacca, East Pakistan (East Bengal). Amer. J. trop. Med. Hyg. 9: 168-172.

Kupferberg, A. B. Metabolic studies and chemotherapy of *Trichomonas vaginalis*. Gynaecologia **149** (Suppl.) 114–121, figs.

Kupferberg, A. B. see Wellerson, R.

Kurasawa, H. Studies on the biological production of fire pools in Tokyo. II. The stratification and the seasonal succession of zooplankton. Zool. Mag. Tokyo 67 1958: 116–125, figs.

Kurihara, Y. Synecological analysis of the biotic community in microcosm. VI. The biological significance of the starting concentration of bacterial nutrient to protozoan nutrient related to the appearance of the protozoan sequences. VII. Studies on the nature of bacterial nutrient related to the appearance of the protozoan sequences. Sci. Rep. Tôhoku Univ. Biol. 36: 213-226, fig.

Kutzer, E. Über die Kokzidien des Schweines in Österreich. Z. Parasit. 19: 541-547, figs.

Kuwano, Y. (1). Notes on the genus Cassidulina and allied genera from Japan. II. Description of new species of Cassidulina from the Pliocene of southern Kwanto Region. Misc. Rep. Res. Inst. nat. Resour. Tokyo No. 35, 1954: 33–36, figs.

Kuwano, Y. (2). Notes on the genus Cassidulina and allied genera from Japan. I. Description of new species of Cassidulina from the Plicoene of southern Kwanto Region. Misc. Rep. Res. Inst. nat. Resour. Tokyo No. 34, 1954: 78-81, figs.

Kyo, Y. [Investigations on the growth of Ecephalitozoon in experimentally infected mice.] Nisshin Igaku 47: 30-35. [Japanese: English summary.]

La Rocque, A. & Marple, M. F. Ohio fossils. Bull. geol. Surv. Ohio 54 1955: 1-152, figs.

Lacassague, R. see Garrot, H.

Lackey, J. B. (1). A new, large ciliate from warm mineral springs. Quart. J. Fla. Acad. Sci. 20 1958: 255-260, fig.

Lackey, J. B. (2). Calkinsia aureus gen. et sp. nov., a new marine euglenid. Trans. Amer. micr. Soc. 79: 105-107, figs.

Ladd, H. S. Brackish water and marine assemblages of the Texas coast, with special reference to mollusks. Publ. Inst. Marine. Sci. 2 1951: 125-164, figs.

Lainson, R. The transmission of Lankesterella (=Atoxoplasma, in birds by the mite Dermanyssus gallinae.) J. Protozool. 7: 321-322.

Laird, M. (1). Microbiology and mosquito control Mosquito News 20: 129-133.

cts the ms

'ya

gy

ro-

7

ti-

8.]

hip ull.

6: of 6:

ro-

ope ice. igs.

the :

um

of ino

the

er.

Laird, M. (2). Migratory birds and the dispersal of avian malaria parasites in the South Pacific. Canad. J. Zool. 38: 153-155, figs.

Laird, M. (3). Malayan protozoa. 3 Saurian malaria parasites. J. Protozool. 7: 245–250, figs.

Laird, M. (4). Malayan Protozoa. 4. Epistylis caldwelli n. sp. (Ciliata: Piretricha) from freshwater neuston. J. Protozool. 7: 303–306, figs.

Lajos, V. Über die Moosbewohnende Mikrofauna aus einiger Dachrinne von Tihany. Ann. Inst. biol. (Tihany) Hung. Acad. Sci. 27: 169–182, figs. [German summary.]

Lambelin, G., Ectors, F., Vaerenbergh, R. van & Mammerickx, M. Sensibilité du buffle d'Asie aux principales maladies á protozoaires du bétail au Congo Belge. Essais expérimentaux et observations cliniques. Ann. Soc. belge Méd. trop. 40: 189–197. [French, Dutch, English, German, Spanish summaries.]

Lambert, A. sec Delga, M. D.

Lambotte, R. Activité de divers antibiotiques sur Caudilla albicans et Trichomonas vaginalis. C.R. Soc. Biol. Paris 154: 1113-1114.

Lamina, J. see Schoop, G.

Lamy, L. (1). Commentaires sur les kystes et l'enkystement des amibes dysentériques. Bull. Soc. Path. exot. 53: 250-256.

Lamy, L. (2). Dientamoeba fragilis; recherche, culture fréquence, intérêt et caractères pathogènes. Bull. Soc. Path. exot. 53: 505-509.

Lamy, L. (3). Intérêt de l'utilisation de milieux de composition différente pour la culture des protozoaires parasites. Cas particulier de Entamocha histolytica, Trichomonas vaginalis et T. foetus. Ann. Inst. Pasteur, Paris 98: 761-765. [English summary.]

Landers, E. J. Jr. Studies on exceptation of coccidial occysts. J. Parasit. 46: 195-200.

Lane, N. G. Environment of the deposition of the Grenda limestone (Lower Permian) in Southern Kansas. Bull. geol. Surv. Kans. 130 3 1958: 117-164, figs.

Lange, P. R. Die Vorarlberger Flysch-zone am Südrand des helvetischen Halbfensters zwischen Hoher Ifen und Widderstein im kleinen Walsertal. Geologie, Berlin 5 1956: 172–218, figs.

Langer, H. Das Wechseltierchen Amoeba proteus und seine Fortbewegung. Mikrokosmos 47 1958: 145–148, figs.

Lankford, R. R. Distribution and Ecology of Foraminifera from East Mississippi Delta Margin. Bull. Amer. Ass. Petrol. Geol. 43 (9) 1959: 2068-2099, figs.

Lanteaume, M. (1). Présence de Nummulites puschi D'Archiac dans le Lutétien supérieur des Alpes-Maritimes (Col de Braus et Mt. Ventabren). C.R. Soc. géol. Fr. 1955 : 64-66. Lanteaume, M. (2). L'allochthone dans le bassin de la Brigue de Tende. C.R. Acad. Sci. Paris 242 1956: 1806–1809.

Lanteaume, M. (3). Observations sur les flyschs de la Ligurie occidentale (Prov. d'Imperia, Italie). C.R. Soc. géol. France No. 12, 1956: 199–202.

Lanteaume, M. see Bloch, J. P.

Lanterno, E. Contribution a la connaissance de l'écogene des environs de Varise, de lôme et de Bergame. Arch. Sci. Genève 11 2 1958 : 167-193, figs.

Lapeyssonnie, L. Deuxième note concernant un cas exceptionnel de trypanosomiase. Bull. Soc. Path. exot. 53: 28–32, figs.

Lapierre, J., Rousset, J. J. & Picot, H. Réceptivité du hérisson (Erinaceus europlaeus) au Trypanosoma gambiense. Ann. Parasit. hum. comp. 35: 188-189.

Lapierré, J. see Larivière, M.

Larivière, M., Hocquet, P. & Camerlynck, P. Effet protecteur de Borrelia crocidurae sur des souris infectées par une souche virulente de Trypanosoma gambiense. Bull. Soc. Path. exot. 53: 385.

Larivière, M., Hocquet, P., Lapierre, J. & Camerlynck, P. Présence de Balantidium coli chez les porcs d'une village Sérère: déconnerte d'un cas humaine. Bull. Soc. Path. exot. 53: 601-602.

Latour, N. G. see Reeves, R. E.

Latteur, B. Les Ciliates Polydiniinae, Thoracodinium vorax n. gen., n. sp. Cellule 59: 269-296, figs.

Lavette, A. Les polysaccharides chez les flagellés symbiotiques des Termites. C.R. Acad. Soi. Paris 250: 4202–4204.

Lavocat, R., Marie, P. & Sigal, J. La faune de Foraminifères du Miocène de l'île Mahakamby (Madagascar). C.R. Soo. géol. Fr. 1955 : 211-213.

Lazzari, A. Contributi alla conoscenza del pleistocene della provincia di Lecce. I. La microfauna delle argille sabbiose di Nardó. Ann. Inst. Sci. Lett. "S. Chiara" Napoli 6 1956: 345–362, fig.

Le Blanc, R. J. see Greenman, N. N.

Le Calvez, J. & Le Calvey, Y. Répartition des Foraminifères dans la Baie de Villefranche. I. Miliolidae. Ann. Inst. oceanogr. Paris N.S. 35 (3) 1958: 159-233, figs.

Le Calvez, Y. (1). Les Foraminifères du Pliocène de la Corse. C.R. Soc. geol. Fr. No. 10, 1956 : 619. [Abstract.]

Le Calvez, Y. (2). Étude de quelques Foraminifères nouveaux du Cuisien Franco-belge. Rev. Micropaléont. 2 2 1959 : 88-94, figs.

Le Calvez, Y. & Le Farrais, A. Extension de la mer miocenè en Bresse (note préliminaire). C.R. Soc. géol. Fr. 7 1954 : 137-138. Le Ca belge: e paléonte 1956 :

[1980]

Le C

Le G Le I eection, 1-73, fi

Lee, gen. no J. Prote

Lee, (Mosko J. Prot Lee, B. F. Forami

Lee, of a de therms.

Leek Lefel caput

of free

géol. F Lehr n. sp. 104 :

Lehr

Lehi betwee autock 54: 4

Leh

J. Pal

Lehe tercier Prace

Lein im H 22–29,

> Gestei Abt. 1

1

242

ie).

93,

un oc.

ité

89.

P.

ma

DBS

96,

lés ris

me

by

na

tt.

les

(3)

6 :

ni-

R.

Le Calvez, Y. & Feugueur, L. L'Yprésien francobelge: essai de corrélation stratigraphique et micropaléontologique. Bull. Soc. géol. Fr. ser. 6, 6 1956 : 735-751, figs.

Le Calvez, Y. see Le Calvez, J.

Le Farrais, A. see Le Calvez, Y.

Le Favrais, A. see Le Calvez, Y.

Le Grand, H. E. see Siple, G. E.

Le Roy, L. W. Biostratigraphy of the Magfi section, Egypt. Mem. Geol. Soc. Amer. 54 1953: 1-73, figs.

Lee, J. J. Hypotichomonas acosta (Moskowitz) gen. nov. from reptiles. I. Structure and division. J. Protozool. 7: 393-401, figs.

Lee, J. J. & Pierce, S. Hypotrichomonas acosta (Moskowitz) gen. nov. from reptiles. II. Physiology. J. Protozool. 7: 402-409, figs.

Lee, J. J., Pierce, S., McLaughlin, J. J. A. & Ellis, B. F. Preliminary studies on in vitro growth of Foraminifera. J. Protozool. 7 (Suppl.) 39 13. [Abstract.]

Lee, J. J., Pierce, S. & Samuels, R. Development of a defined medium for trichomonads from poikilotherms. J. Protozool. 7 (Suppl.), 6.

Lee, J. W. & Rene, A. Chromatographic analysis of free amino acids in three species of *Paramecium*. Proc. La. Acad. Sci. 18 1955: 13-16.

Leek, R. G. see Lotze, J. C.

Leiebvre, S. Observations sur Nummulites millecaput Boubée (form macrosphérique). C.R. Soc. géol. Fr. 1956 (10), 169. [Abstract.]

Lehmann, D. L. (1). Haemogregarina aurorae n. sp. from Rana a. aurora. Proc. Amer. phil. Soc. 104: 202-204, figs.

Lehmann, D. L. (2). Some parasites of Central Californian amphibians. J. Parasit. 46: 10.

Lehmann, D. L. (3). Some culture differences between *Trypanosoma rhodesiense* and *T. brucei* in autoclaved diphasic media. Ann. trop. Med. Parasit. 54: 419–427, figs.

Lehmann, E. P. A technique of stereophotomicrography for illustrations in micropaleontology. J. Paleontology 30 1956: 757-759, figs.

Lehotayova-Danihelova, R. H. Mikrofauna tortonu vycholdného Slovenska. Vestn. geol. Úst. ésl. 32 6 1957 : 414–417. [German summary.]

Lehotayova, R. Mikrobiostratigraficky vyskum tercieru severnej casti handlovskej panvy. Geol. Prace Slovensk. Akad. 53 1959: 113-119.

Leiner, M. Drè Riesen—Amöbe *Pelomyxa palustris* im Hessischen Ried. Natur u. Volk **88** 1958 : 22-29, figs.

Leischner, W. Zur Mikrofazieo kalkalpiner Gesteine. S.B. öst. Akad. Wiss. Math.-Nat. Kl. Abt. I. **168** 8-9 1959 : 839–882, figs. Lemcke, K., Engelhardt, W. von, Fuchtbauer, H, Fahrion, H. & Straub, E. W. Geologische und sedimentpetrographische Untersuchungen im Westkil der ungefalteten Molasse dessüddentschen Alpenvorlandes. Geol. Jahrb. Hannover Beih. 11 1953: 1–110, figs.

Lemoine, M. Note prélimmaire sur le mode de gisement de certaines Ophiolites des Schistes lustrés du Queyras (Htes-Alpes). C.R. Soc. géol. Fr. 1955: 94-96.

León, Rivas, C. E. Premunicion de bovinos con Anaplasma centrale en Venezuela. Bol. Inst. Inv. Vet. **10-11** 1959: 47-55.

Leopold, E. B. see McKee, E. D.

Lepşi, J. (1). Considerations sur l'Amoeba spumosu auct. et l'A. Eichhormial n. sp. Comun. Acad. Republ. Pop. rom. 1 1951: 1069-1673, figs. [French summary.]

Lepsi, J. (2). Über Thekamöben aus dem Hochmoor Mohos in Siebenbürgen. Trav. Mus. Hist. nat. "Gr. Antipa" 2: 53-67, figs.

Lepsi, J. (3). Protozoen aus Boden und Laubstren eines Eichenwaldes. Notat. biol., București 6 1948: 149–159, figs.

Lepti, J. (4). Protozoen aus dem anmoorigen Gebirgssee St. Anna in Rumänien. Trav. Mus. Hist. nat. "Gr. Antipa" 1 1957: 73-104, figs.

Lepsi, J. (5). Deux nouvelles espèces de Mastigamoeba Comun. Acad. Republ. Pop. rom. 5: 1955: 97-101, figs. [French summary.]

Lesser, E. (1). Replacement of serum in the cultivation of *Histomonas meleogridis*. J. Parasit. **46**: 271.

Lesser, E. (2). Cultivation of *Histomonus meleo-gridis* in a modified tissue culture medium. J. Parasit. **46**: 686.

Lesser, E. (3). Cultivation of *Histomonus meleo-gridis* in modified tissue culture media. J. Parasit. **46** (Suppl.) **43**.

Lessie, T. see Aaronson, S.

Leva, A. M. de see Newton, W. L.

Levine, L. Cytochemical adenosine triphosphate of vorticellid nyonemes. Science 131: 1377-1378, figs.

Levine, N. D. & Ivens, V. Eimeria and Tyzzeria (Protozoa: Eimeriidae) from deermice (Peromyscus spp.) in Illinois. J. Parasit. 46: 207-212, figs.

Levine, N. D. & Mohan, R. N. Isospora sp. (Protozoa: Eimeriidae) from cattle and its relationship to I. lacazei of the English sparrow. J. Parasit. 46: 733-741, figs.

Levine, N. D. see Mehra, K. N.

Levine, N. D. see Saxe, L. H.

Levine, R. P. Genetic control of photosynthesis in *Chlamydomonas reinhardi*. Proc. nat. Acad. Sci. Wash. 46: 972-978, figs.

Levine, R. P. & Ebersold, W. T. (1). Gene recombination in *Chlamydomonas reinhardi*. Cold Spr. Harb. Symph. quant. Biol. **23** 1958: 101-109, figs.

Levine, R. P. & Ebersold, W. T. (2). The genetics and cytology of *Chlamydomonas*. Annu. Rev. Microbiol. 14: 197-216, figs.

Levit, A. V. (1). [Serological diagnosis of toxoplasmosis.] Trudy Inst. Zool. Akad. Nauk Kazakh S.S.R. 12: 75-77. [In Russian.]

Levit, A. V. (2). [Isolation of a strain of Toxoplasma gondii from ferret.] Trudy Inst. Zool. Akad. Nauk Kazakh S.S.R. 14: 187. [In Russian.]

Lewis, A. C. see Finley, H. E.

Lewis, W. P. see Kessel, J. F.

Liebmann, H. Handbuch der frischwasser-und abwasser. Biologie, München 2 1959-60: 1-960, figs.

Lilley, D. M. see Rice, M. M.

Lin, F. Y. see Tsan, S. F.

Lin, S. see Ritchie, L. S.

Lin Hsin, C. On the occurrence of Parafusulina rothi in the Permo-Carboniferous rocks of Hsilingrameng, Inner Mongolia. Acta Palaeont. Sinica 5 1957: 451-456, figs.

Lincicome, D. R. Serial passage of *Trypanosoma lewisi* in the heterologous mouse host. II. Developmental history during transfer in adequately-fed hosts. Ann. Parasit. hum. comp. 35: 457-468, figs.

Lincicome, D. R. & Francis, E. H. Induction of development of *Trypanosoma lewisi* in the mouse by heterologous sera. J. Parasit. 46 (Suppl.) 42.

Lincicome, D. R., Rossan, R. N., Jones, W. C. Rate of body weight gain of rats infected with *Trypanosoma lewisi*. J. Parasit. **46** (Suppl.) 42.

Lind, K. see Siim, J. C.

Linder, J. Behaviour of various Trypanosomidae in larvae of the bee-moth Galleria mellonella. Bull. res. Counc. Israel 8E: 128-134, figs.

Links, J., Verloop, A. & Havinga, E. The carotenoids of *Polytoma uvella*. Arch. Mikrobiol. **36**: 306-324, figs.

Liosner, L. D. see Vorontsova, M. A.

Lipina, O. A. (1). Quelques données sur l'ontogénèse des Tournayellidae (Foraminiferès). Bull. Soc. géol. Fr. (7), 1 7 649-650.

Likina, O. A. (2). Tournaisian Foraminifera from the Russian Platform, Urals. Trav. geol. Inst. U.R.S.S. 14: 3-135, figs.

Lipparini, T. (1). Foraminiferi di un livello ittiolitico laughiano a S.W. di Anzano di Puglia (F. 174 Ariano Irpino). Boll. Uff. geol. Ital. 77 4–5 1955: 467-472, figs.

Lipparini, T. (2), Foraminiferi cretacei della struttura di Monteveglio. Boll. Uff. geol. Ital. 79 1958: 327-353, figs.

Lipparini, T., Malatesta, A., Nicosia, M. I. & Valdinucci, A. Contributi alla conoscenza della faune neogeniche e quaternarie della Sicilia.—V. Pliocene e Quarternario del Capo Milazzo in Sicilia. Boll. Uff. geol. Ital. 77 4-5 1955: 579-604, figs.

Lipparoni, E. Problemi parassitologici della vallata dell'Esino (Marche) e adiacenze. Parrassitologia 2: 187–189.

Lisbôa, A. C. Sôbre a forma congênita du doença de Chagas. Rev. Inst. trop Med. São Punto 2 319-334, figs.

Liskova, J. Mikrofauna serü podslaskiej. Przegl. Geol., Warsawa 10 1956.

Liszka, S. (1). Microfauna of the Upper Eccene from Grabno. Ann. Soc. géol. Pologne 25 3 1957: 161–202, figs.

Liszka, S. (2). Culm Foraminifera from Gluchowki near Cracow. Ann. Soc. géol. Pologne 28 2 1958: 153–168, figs.

Litvinova, I. B. (1). The effects of incubation temperature on radiation damage in Paramecium. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 124 1959: 22-24 (p. 448, in original), figs.

Litvinova, I. B. (2). The effects of postirradiation temperature on the response of *Paramecium* to ionizing radiation. Dokl. Akad. Nauk S.S.R. (Transl.) Biol. Sci. 124 1959: 25–27 (p. 678 in original), figs.

Livadas, G. A. Malaria in ancient Greece. Riv. Parassit. 20 1959: 299–304.

Lloyd, A. J. Arenaceous foraminifera from the type Kimeridgian (Upper Jurassic). Palaeontology 1 4 1959: 298-320, figs.

Locke, L. N., Herman, C. M. & King, E. S. Jr. The need for differentiation of trichomoniasis and pox infection in doves. J. Wildl. Managmt. 24: 348.

Loeblich, A. R. Jr. The foraminiferal genus Halyphysema and two new Tropical Pacific species. Proc. U.S. nat. Mus. 107 No. 3385, 1958: 123-126.

Loeblich, A. R. & Tappan, H. (1), Planktonic foraminifera versus the Cretaceous-Tertiary boundary in the Paleocene and Lower Ecoene of the Atlantic and Gulf Coastal plains. Trans. Gulf Coast Assoc. geol. Socs. 6 1956: 178.

Loeblich, A. R. Jr. & Tappan, H. (2). Saedeleeria, a new genus of the family Allogromidae (Foraminifera). Proc. biol. Soc. Wash. 73 195-196.

Logemann, W. see Almirante, L.

Logemann, W. see Carneri, I. de.

Lokke, D. H. see Verville, G. J.

Lokke, D. H. see Thompson, M. L.

Lom, J. (1). A contribution to the knowledge of astomatous ciliates. Mém. Soc. zool. tehécosl. 23 1959: 200-210, figs. Lom, ciliaten 164 : 1

[1960]

Lom, fish in C

(Phoxine Lomb Long,

Longi Piacenz Cecine. 1956:

Losin factors after th of cyto grad :

Lotze
in excy
sheep c

in responent property for the second property for the

Luci Torton the ba

Luci dgórza 105–12 Lud miesch

Lun studie N.F.

97-10 Lur of tric

Lui

of the Polon

Ma

0]

delle V.

cilia.

della

ença to 2

zegl.

957 :

owki

958:

tion

ium

124

ation oniz-

nsl.) figs.

Riv.

the

ology

. Jr.

and

24:

genus

ecies.

-126.

tonie

dary

antic

eeria,

Fora-

ge of

Lom, J. (2). Polysaccharidenreserven bei den ciliaten aus der Ordnung Astomata. Zool. Anz. 164: 111-114, fig.

Lom, J. (3). Urccolariid ciliates from fresh water fish in Czechoslovakia. J. Protozool. 7 (Suppl.) 23.

Lom, J. (4). On two trichodinids on the minnow (Phoxinus phoxinus). J. Protozool. 7 (Suppl.) 23.

Lombardi, L. see Carboni, S.

Long, P. L. see Horton-Smith, C.

Longinelli, A. Foraminiferi del Colabriano e Piacenziano di Rosignano Marittimo e della Val di Cecine. Palaeontogr. Italica, Pisa 49 (n.s. 19) 1866: 99-214, figs.

Lopes Faria, J. see Moraes, G. E. S.

Losina-Losinsky, L. K. [The influence of some factors on the reactivation of *Paramecium caudatum* after the irradiation by ultra-violet rays.] Problems of cytology and protistology. Moscow and Leningrad: 224-253, figs. [In Russian.]

Lotze, J. C. & Leek, R. G. Some factors involved in excystation of the sporozoites of three species of sheep coccidia. J. Parasit. 46 (Suppl.), 46-47.

Louderback, A. L. see Scherbaum, O. H.

Levlie, A. & Zeuthen, E. Growth in mass and in respiration during the division cycle of *Tetrahymena pyriformis*. Acta Univ. lund. N.F. Avd. 2, 56: 456.

Lubinsky, G. Note on the use of McIlvaine's buffer solutions in staining blood protozoa. Canad. J. Zool. 38: 437-438, fig.

Lucas, J. M. S. see Ashley, J. N.

Luczkowska, E. (1). Stratigraphy of the Lower Tortonian Clays from Benezyn near Wadowice on the basis of microfauna. Ann. Soc. géol. Pologne 25 3 1957: 305-336.

Luczkowska, E. (2). Mikrofauna mioceńska przedgórza karpackiego. Kwartalnik Geol. 2 1 1958: 105-125, figs. [English summary p. 122.]

Ludvik, J. The electron microscopy of Sarcocystis micscheriana Kuhn 1895. J. Protozool. 7: 128-135.

Lund, E., Lyke, E. & Sourander, P. Tissue culture studies of *Tozoplasma gondii*. Acta Univ. lund. N.F. Avd. 2, **56**: 44–45.

Lund, J. W. E. Some new and rare Chrysophyceae from the English Lake District. Hydrobiologia 16: 97-108.

Lund, P. G. & Shorb, M. S. Steroid requirements of trichomonads. J. Protozool. 7 (Suppl.) 5-6.

Lunsford, C. L. see Waldschmidt, W. A.

Lyke, E. see Lund, E.

Lydka, K. The Mesozoic deposits in the foreland of the eastern Sudetes (Poland). Acta geol. Polonica 6 1956: 37-39, figs.

Ma, S. see Kessel, J. F.

Maaz, T. B. Geografia medica del Estado Anzoategui, Venezuela. Arch. venezul. Patol. trop. 3 1959: 50-120, figs. [English summary.]

McArdle, E. W. (1). A comparative investigation of free-living strains of Tetrahymena rostrata. J. Protozool. 7 (Suppl.) 17.

McArdle, E. W. (2). The occurrence of "small" strains from normal clones of Tetrahymena rostrata.

J. Protozool. 7 (Suppl.) 23.

Macarovici, N., Mărgineanu, C. & Cehan-Ionesi, B. [Distribution des Foraminifères sur la plate-forme continentale du Nord-Ouest de la mer Noire (Note 1).] Hidrobiol., București 1 1958: 33-54. [French summary.]

McCashland, B. W., Marsh, W. R. & Kronschnabel, J. M. Variations in the inhibitory effect of potassium cyanide upon growth and respiration in seven strains of *Tetrahymena*. Growth 21 1957: 21-27.

McConnachie, E. W. Experiments on the encystation of Opalina in Rana temporaria. Parasitology 50: 171-181.

McConnachie, E. W. see Bishop, A.

McDonald, B. B. Time of DNA synthesis in microand macronuclei of Tetrahymena pyriformis. J. Protozool. 7 (Suppl.) 10.

Macevičiene, J. [Zur Frage der Trichomonaden geschlechtserkrankungen der Fran.] Acta parasit. lithuanica 2 1959: 161-167. [German summary.]

McGhee, R. B. (1). An auto-immune reaction produced in ducklings in response to injections of duck embryo blood infected with Plasmodium lophurae. J. Protozool. 7 (Suppl.), 7.

McGhee, R. B. (2). An auto-immune reaction produced in ducklings in response to injections of duck embryo blood infected with *Plasmodium lophurae*. J. infect. Dis. 107: 410-418, figs.

McGhee, R. B. see Tolbert, M. G.

Macgillavry, H. J. Mutation pressure, a possible cause of directional evolution in Cycloctypeus Carpente (Foraminifera). Verhandl. K. Nederl. geolmijnbouwk. Genootsch., geol. serie. 16 Gederkboek H. A. Brouwer, 1956: 296–308, figs.

McGlasson, R. H. Foraminiferal biofacies around Santa Catalina Island, California. Micropaleontology 5 2 1959: 217-240, figs.

McGugan, A. Comments on "A simplified method of grinding foraminifera". Micropaleontology 5 1959: 76.

McGuire, W. C. & Morehouse, N. F. Notes on the chemotherapy of hexamitiasis. Proc. Iowa Acad. Sci. 67: 584-590.

Machado, R. C. S. Resultado de um inquérito hematológico na área da Circunscrição de Magudo. An. Serv. vet. Ind. Anim, Moçambique No. 6: 391– 401. McKee, E. D., Chronic, J., & Leopold, E. B. Sedimentary belts in lagoon of Kapingamarangi Atoll. Bull. Amer. Ass. Petrol. Geol. 43 (3) 1959: 501-562, figs.

McKelvey, V. E. see Cheney, T. M.

Mackenzie, C. P. see Stephen, L. E.

McLean, J. D. (1). The Foraminifera of the Yorktown formation in the York-James penisula of Virginia, with notes on the associated mollusks. Bull. Amer. Paleontology 36 160 1956: 255-394, figs.

McLean, J. D. (2). Textularia yorktownensis, new name. J. Paleont. 33 5 1959: 969.

McLoughlin, D. K. see Gardiner, J. L.

McLaughlin, J. J. A., Zahl, P. A., Nowak, A., Marchisotto, J. & Prager, J. Mass cultivation of some phytoplanktons. Ann. N.Y. Acad. Sci. 90: 856-865, fig.

McLaughlin, J. J. A. see Hulburt, E. M.

McLaughlin, J. J. A. see Lee, J. J.

McLure, M. T. see Honigberg, B. M.

McManus, M. A. & Sullivan, K. The effect of kinetin on the rate of multiplication of paramecia. Proc. Iowa Acad. Sci. 67: 501-506.

McMillan, B. The inhibition of leptomonads of the genus Leishmania in culture by antifungal antibiotics. Ann. trop. Med. Parasit. 54: 293-299.

McNeal, J. E. & Yaeger, R. G. Observations on a case of *Pneumocystis* pneumonia. Arch. Path. 70: 397–406, figs.

McNalty, C. L. Jr. see Harris, R. W.

McQuay, R. M. Jr. Chilomastix mesnili encystment in vitro. Proc. Soc. exp. Biol. N.Y. 103: 838.

McTaggart, H. S. Coccidia from mink in Britain. J. Parasit. 46: 201-205, figs.

Madison, K. M. Fossil protozoans from the Keewatin sediments. Trans. Ill. Acad. Sci. 50 1958: 287–290, figs.

Magné, J. (1). Annexe: Tableau des associations de microfaunes caractéristiques du Crétacé et du Tertiaire de Titteri. Publ. Serv. Carte géol. Algérie n.s., Bull. No. 8 1956: 74-87, figs.

Magné, J. (2). La présence de Calpionelles dans les séries néritiques du Berriasien et du Néocomien supérieur des Mts. des Oulad-Nail (Atlas saharien, Algerie). C.R. Soc. géol. France, No. 12 1956 : 203-205.

Magné, J. (3). News—North Africa. Micropaleontology 5 1959: 507-509.

Magné, J. & Mattauer, M. Sur le Miocène inférieur ante-nappe et le Miocène inférieur post-nappe du Tell méridional. C.R. Soc. géol. France, No. 12 1956: 203-205, Magné, J. see Blant. G.

Magné, J. see Caire, A.

Magné, J. see Dame, R.

Magné, J. see Delga, M. D.

Magné, J. see Drooger, C. W.

Magné, J. see Emberger, J.

Magné, J. see Fallot, P.

Magné, J. see Glintzboeckel, C.

Magné, J. see Hilly, J.

Magné, J. see Kieken, M.

Maegraith, B. G. see Jarumilinta, R.

Mackelt, G. A. (1). Investigaciones serologies de la enfermedad de Chagas mediante la reaccion de fijacion del complemento. Arch. venezol. Patol. trop. 3 1959: 252-271. [English and German summaries.]

Mackelt, G. A. (2). Die Komplementbindungsreaktion der Chagaskrankheit. Z. Tropenmed. u Parasit. 11: 152–186, figs. [English, Spanish summaries.]

Magaudda-Borzi, L. & Pennisi, L. Studio di nuori antigeni grezzi estratti da E. histolytica. Parassitologia 2: 207-215.

Magaudda-Borzi, L., Pennisi, L. & Bertucci, E. [Amoebiasis serology. VI. A study on the influence of bacterial antigens, in C.F. tests, on normal seratested with criolised samples from various entancebae (E. histolytica, E. invadens, E. moshkovskii) and from their respective associated bacterial floral. Riv. Parassit. 21: 249-266, figs. [English summary.]

Mager, J. Chloramphenicol and chlortetracycline inhibition of amino acid incorporation into proteins in a cell-free system from Tetrahymena pyriformis. Biochem. & Biophys. Acta 38: 150-152.

Maguire, B. Temperature toleration of Colpode cucullus. Physiol. Zool. 33: 29-38, figs.

Mahon, J. (1). Ecology of parasites. Nature, Lond. 185: 290-291.

Mahon, J. (2). Parasites as enemies and allies. Nature, Lond. 187: 203-204.

Maier, D. (1). III. Zur Flora und Fauna der marinen Ablagerungen. Coccolithophoridean aus dem niederrheinischen Tertiär. Fortschr. Geol. Rhein. Westfalen 1–2 1958: 179–183, figs.

Maier, D. (2). Planktonuntersuchungen in tertiären und quartären marinen Sedimenten USW. Neues Jb. Geol. Paläont. Abh. 107 3 1959: 278–340, figs.

Majzon, L. New stratigraphic results of Hungarian oil-prospecting borings. Földtani Közlöny 1956: 44-58, figs. [Hungarian: Russian and English summaries.]

Mak Zool. [Japan

[196

Mak

Mala nough Urala Inst.

> Male Male branch

> Soc. ge

English

Make
forami
Geol.

Mall forami 145.

graphy 1959 : Mal

der Z

Ein B

figs.

Mal
beding
aurelia
Z. Ver

mal ners v snakyaurelia

Mai

Mai

small possib J. ma

Ma

Mai

Makata, A. Mating types in Paramecium calkinsi. Zool. Mag., Tokyo 67 1958: 210-213, figs. [Japanese: English summary.]

Maksheev, D. N. see Druikin, G. D.

Maksimova, A. P. see Agapova, A. I.

Malakhova, N. P. Stratighrafiya Nizhnekamennoughol'nuikh Otlozhenii severnogho i srednegho Urala po faune foraminifer. Trudui Ghorno-Gheol. Inst. 52: 1-111.

Malatesta, A. see Lipparini, T.

Malaurie, J. & Pimienta-Frenex, S. Sur les lamellibranches et les foraminifères quaternaires recoltés en Terre d'Inglefield (Groenland, côte N.W.). C.R. Soc. géol. Fr. 1953: 159-162.

Malecki, J. (1). Flabellamminopsis, new genus of agglutinated Foraminifera from the Dogger in the vicinity of Czestochowa. Ann. Soc. Geol. Pologne 22 1964: 101–122, figs. [In Polish, Russian and English.]

Malecki, J. (2). New genera of agglutinated foraminifers from the Polish Miocene. Ann. Soc. Geol. Pologne 22 1954: 497-513, figs. [Polish: Russian and English summaries.]

Mallory, V. S. (1). California lower Tertiary foraminiferal sequence.

145. [Abstract.]

California lower Tertiary J. Sedim. Petrol. 24 1954:

Mallory, V. S. (2). Lower Testiary biostratigraphy of the California Coast Ranges. A.A.P.G., 1959: 1-416, figs.

Malhotra, M. N. see Ray, H. N.

Maly, R. (1). Eine genetische bedingte Störung der Zelltrennung bei Paramecuim aurelia var. 4. Ein Beitrag zum Problem der Mutabilität plasmatischer Systeme. Z. VererbLehre 89 1958: 397-421, figs.

Maly, R. (2). Die Normalisierung genetisch bedingter Defekte der Zelltrennung bei Paramecium aurelia durch sauerstoffmangel und Kohlennonoxyd. Z. VererbLehre 91: 226–236.

Maly, R. (3). Die Wirkung eines Komplexbildners und von Metallionen auf die Ausprägung des snaky-und Monstra-Charakters bei Paramaecium auretia. Z. VererbLehre 91: 333-337.

Mammerickx, M. see Lambelin, G.

Mandras, A. see Angelillo, B.

Manea, V. see Băcesco, M.

Manton, I. & Parke, M. Further observations on small green flagellates with special reference to possible relations of *Chromulina pusilla* Butcher. J. mar. biol. Ass. U.K. **39**: 275–298, figs.

Manton, I. see Parke, M.

Manty, A. see Huddeston, M. S.

Manwell, R. D. see Nydegger, L.

Manwell, R. D. see Weiss, M. L.

Marchisotto, J. J. see Burke, J. M.

Margalef, R. Silicoflagellate populations in the plankton of Cape Cod area, past and present. Biol. Bull. 119: 326.

Mărgineanu, C. P. Quelques données sur les Foraminifères du faciès phaséolinoïde au droit de la cête roumaine de la mer Noire. Hidrobiol., București 1 1958 : 55-60. [French summary.]

Mărgineanu, C. & Petran, A. Cercetări asupra zooplanctonului marin în Regiunea Sudică a litoralului Romînesc al Mării Negre. Bul. Inst. Cercet. Pisc. 18 1959: 5–23, figs. [Rumanian: French and Russian summaries.]

Margineanu, C. P. see Macarovici, N.

Marie, P. Goupillaudina, nouveau genre de foraminifère du Crétacé supérieur. Bull. Soc. géol. Fr. (6) 7 6 1958 : 861–876, figs.

Marie, P. & Perriaux, J. Contribution a l'étude de la microfaune des marnes plasisanciennes des Alpes-Maritimes. Bull. Soc. géol. Fr. (6) 7 6 1958 : 767-774.

Marie, P. see Caire, A.

Marie, P. see Lavocat, R.

Marinček, M. [Les coccidies chez les carpes do nos ponds.] Acta Vet., Belgrade, 10: 91-95, figs. [Russian: French summary.]

Markees, D. G., Dewey, V. C. & Kidder, G. W. The inhibition of certain Protozoa by diaminoalkoxypyridines'. Arch. Biochem. & Biophys. 86: 179–184.

Marks, J. G. Ecuador: Pacific Coast geological province. Mem. Geol. Soc. America 65 1956: 277-288, figs.

Manay, S. H. & Yochelson, E. L. Floral-faunal associations in American coal balls. Science 118 1953: 240-241.

Marple, M. F. see La Roque, A.

Marquardt, W. C. Oocyst production in subclinical infections with coccidia in cattle. J. Parasit. 46 (Suppl.) 46.

Marquardt, W. C., Senger, C. M. & Seghetti, L. The effect of physical and chemical agents on the oocyst of *Eimeria zurnii* (Protozoa, Coccidia). J. Protozool. 7: 186-189.

Marshall, J. M., Jr. & Nachmias, V. T. Protein uptake by pinocytosis in amoebae. Science 132:

Martin, G. P. R. Eine Foraminiferen-Fauna aus dem Helvétien des Jensberges südlich Biel (Kt. Bern). Ecl. geol. helv. 51 1958: 309–329, figs.

Martin, H. & Brocklesby, D. W. A new parasite of the eland. Vet. Rec. 72: 331-332.

Martin-Kaye, P. H. A. Cretaceous chalk of Cassada Garden well, Antigua, British West Indies. Bull. Amer. Assoc. Petroleum Geologists 40 1956; 1698-1699,

gicas on de atol. man

[0

o di

ings-

sera moeand ora.]

teins rmis.

ature,

der aus Geol.

ter-JSW. -340,

Hunzlöny EngMartinotti, L. Problemi attinenti alla Leishmaniosi Cutanea. R.C. Acad. Bologna. Cl. Sci. Fis. N.S. 56 1953; 58-62.

Maryon, M. see Shute, P. G.

Mastrandrea, G., Mazzetti, M. & Mele, G. Studio di alcune attivita enzimatiche ed ossidoniduttine in culture di *Trichomonas foetus* Riedmuller, 1928. Parassitologia 2: 227–229.

Mata, A. D. Infeccion latente producida por Pneumocystis carinii en conejos de la ciudad de Mexico. Rev. Inst. Salubr. Enferm. trop. Mex. 19 1959: 357-360, figs. [English summary.]

Matejka, A. & Roth, Z. The geology of the Magura flysch group in the northern river basin of the Váh between Bytča and Trenčín. Rozpr. Ustred Ustavu Geol. Prague 22 1956: 332 pp., figs. [Czechoslovakian: English and Russian summaries.]

Matějka, A. see Hanzliková, E.

Matjašiř, J. Observations on the cave suctorium Spelacophrya troglocaridis Stammer. Biol. Vestn. Ljubljana 5 1956: 71-73, figs. [Slovesnian: English summary.]

Mtsuda, K. On the geology of Machino-machi, Najimi-mura and Yanaida-mura, Fugeshi-gun, Ishi-kawa prefecture. J. geol. Soc. Japan 60 (703) 1954: 145-152, figs.

Matsuda, K. & Imamura, S. The Permian system in Karita-mura area. J. geol. Soc. Japan 60 (706), 1954: 301-304. [In Japanese.]

Matsuda, T. Bathyal sediments of Toyama Bay. J. geol. Soc. Japan 63 746 1957 : 619-635, figs. [Japanese: English summary.]

Matsushiro, A. see Inoki, S.

Matsuzaki, A. see Morikawa, R.

Mattauer, M. Les problèmes du Miocène inférieur dans le Tell Algérois. Bull. Soc. géol. France 6, 6 1956: 901-908, figs.

Mattauer, M. see Magne, J.

Mattern, P. see Pautrigel, R.

Matthes, D. Petritiche Wimpertiere und Sauginfusorien in enger Vergesellschaftung. Mikrokosmos 47 1958: 178–182, figs.

Matthews, W. H. III. The paleontology and paleoecology of the biostrome fauna of the Edwards formation of Texas. Trans. Gulf Coast Assoc. Geol. Soc. 6 1956: 109-116, figs.

Mayer, M. Untersuchung von Protozoen. Microkosmos 47 1958: 211-214, figs.

Mayer, R. see Băcesco, M.

Mayerholz, M. see Jarpa, A.

Mayne, W. (1). Note on the genera Alveolo-phragmium and Reticulophragmium (Foraminifera). Ecl. geol. helv. 51 1958; 305-308.

Mayne, W. (2). Torinosuella n. gen., eine mesozoische Gattung der lituliden Foraminiferen. Ed. geol. helv. 52 1 1959: 5-14, fig.

Mayne, W. (3). The foraminiferal genera Spiro. cyclina and Iberina. Micropaleontology 5 1959: 33-68, figs.

Maync, W. (4). Bemerkungen zur Systematik der Lituolidae. Paläont. Z. 33 4 1959 : 199-210.

Maync, W. (5). Martiguesia cyclamminiformis n. gen. n. sp. un nouveau genre de Lituolidés à stucture complexe. Rev. Micropaléont. 2 (1) 1959 : 21-27, figs.

Maync, W. (6). Biocaractères et analyse morphométrique des espèces jurassiques du genre Pseudocyclammina (Foraminifères). I. Pseudocyclammina lituus (Yokoyama). Rev. Micropaléont. 2 (3) 1959: 153–172.

Mayne, W. (7). Deux novelles espèces Crétacées du genre Pseudocyclammina (Forammières). Rev. Micropaléont. 1 (4) 1959: 179–189, figs.

Mazza, F. G. Sulla variabilita dei microforaminiferi. Riv. ital. Paleont. 64 3 1958; 296-297.

Mazzetti, M. see Benedetto, A.

Mazzetti, M. see Mastrandrea, G.

Medina, R. & Romero, J. Estudio clinicoy parasitologico de una nueva cepa de Leishmania. Arch. venezol. Patol. trop. 3 1959: 298–326, figs. [English summary.]

Medina, R. see Convit, J.

Meel, L. van. Etudes hydrobiologiques sur-les eaux saumatres de la Belgique. IV. Les criques au Nord de la province de Flandre orientale (Période 1956–1958). Bull. Inst. Sci. nat. belg. 36: 1–86.

Megyeri, J. see Abraham, A.

Mehra, K. N., Levine, N. D. & Reber, E. F. The amino-acid composition of trichomonad protozoa. J. Protozool. 7 (Suppl.) 12.

Mele, G. see Benedetto, A.

Mele, G. see Mastrandrea, G.

Melton, M. L. see Jacobs, L.

Mercado, T. I. & Brand, T., von. Histochemical studies of liver glycogen and lipid in some parasitic infections. J. inf. Dis. 106: 95-105, figs.

Menčik, E. & Pesl, V. [Die Oberkreideschichten in dem Magura-Flysch in Mähren.] Acta Acad. Sci. Čech., Brno 30 5 1958: 203-219, figs.

Metselaar, D. Relative increase in the prevalence of *Plasmodium falciparum* some years after the beginning of a house-spraying campaign in Netherlands New Guinea. Trans. roy. Soc. trop. Med. Hyg. **54**: 523–528.

Meyer, H. & Musacchio, M. de O. Electron microscope study of the excerythrocytic form of *Plasmodium gallinaceum* in thin sections of infected tissue cultures. J. Protozool. 7: 222-229, figs.

essen (Wm Mi

[16

electi Plas An.

Me

aspec

Me

" oen Mil Mil Para

Proto

Mil Foras Kans Mil

partie J. Pa

Mil micro Paras Mil

Mildans Acad. Mildispitiv

Min köpek yayali [Engli

Mir

Paleo

Japan

figs.

Mir dition 1498-

korale pohor 10 2

Mit

Mit dioriti bouw

Voi

0]

Ecl.

59:

atik

210.

mis

8 à 59:

nor-

enre

ont.

Dées

lev.

ini-

TRrch.

igs.

·les

au

ode

The oa.

ical

itie

ten Sci.

nce

the

ed.

eus

Meyer, H., Oliveiro, M & Musacchio, M. de. Estudo etron microscopico da forma exocritrocitaria do Plasmodium gallinaceum em culturas de tecido. An. Acad. bras. Cienc. 32: 91-94.

Meyer, H. & Queiroga, L. T. Submicroscopical spects of Schizotrypanum cruzi in thin sections of tissue culture forms. J. Protozool. 7: 124-127, figs.

Meyer, M. C. & Penner, L. R. Laboratory comentials of animal parasitology. Dubuque, Iowa (Wm. C. Brown Company) 1958: pp x+103:figs.

Micks, D. see Duncan, D.

Miklukho-Maklai, A. D. (1). Novuie fuzulinidui Verkhnegho Paleozoya S.S.S.R. Materialui k "cenovam paleontologui" 3 1959: 3-6, fig.

Militante, P. J. see Graham, J. J.

Miller, C. A. & Johnson, W. H. Nutrition of Paramecium: a fatty acid requirement. J. Protozool. 7: 297-301.

Miller, H. W. Jr. The index value of Silurian Foraminifera, and some new forms from wells in Kansas. J. Paleont. 30 1956: 1350-1359, figs.

Miller, J. H. & Swartzwelder, J. C. (1). Virus-like particles in an Entamoeba histolytica trophozoite. J. Parasit. 46: 523-524, fig.

Miller, J. F. & Swartzwelder, J. C. (2). An electron microscope study of Entamoeba histolytica. J. Parasit. 46 (Suppl.) 20.

Miller, O. N. see Yaeger, R. G.

Milliard, Y. Sur la présence d'assises carbonifères dans le massif paléozoique interne du Rif. C.R. Acad. Soi. Paris **249** 17 1959 : 1688–1690.

Milovanović, D. & Zivković, A. Limnoloska ispitwanja baražnog jezero na Vlasine. Zborn. Rad. Inst. Ekol. & Biogeogr. Beograd 7 1956: 1-47, figs. [Serbo-kroatian: English summary.]

Mimioğlu, M., Güralp, N. & Sayin, F. Ankara köpeklerinde görülen parazit türleri ve bunların yayalis nisbeti. Vet. Fak. Dergisi 6 1959 : 53–68. [English summary.]

Minato, M. Stratigraphy and fossil zones of the Paleozoic strata of Northern Japan. J. Geol. Soc. Japan 59 (694), 1953: 288-292. [In Japanese.]

Miner, M. L. see Hammond, D. M.

Mirsky, A. F. & Katz, M. S. Avoidance "con-tioning" in paramecia. Science 127 1958 :

Mišik, M. & Zelman, J. O prislušnosti riasovokoralovych rifov Myjavskej pahorkatiny (Brezovské pohorie) k paleogénu. Geol. Sborn. Slovensk. Akad. 10 2 1959 : 301-308, figs.

Mitchell, E. D. Jr. see Wood, S. F.

Mitchell, R. C. (1). New data regarding the dioritic rocks of the West Indies. Geol. en Mÿnbouw 15 1954: 285-295, fig.

Mitchell, R. C. (2). Paleogene of Puerto Rico. Bull. Amer. Assoc. Petroleum Geologists 40 1956 : 2970-2973.

Mitzopoulos, N. K. see Renz, K.

Miyake, A. (1). Physiological analysis of the life cycle of the Protozoa. I. Artificial division and breakdown of the macronucleus in Paramicium caudatum. Physiol. & Ecol., Kyoto 6 (1954): 17-22, figs. [Japanese: English summary.]

Miyake, A. (2). Idem. II. Induction of macronuclear division by osmotic change in Paramecium caudatum. Physiol. & Ecol., Kyoto 6 (1955): 87-94, figs.

Miyake, A. (3). Idem. III. Artificial induction of selfing conjugation by chemical agents in *Paramecium caudatum*. Physiol. & Ecol., Kyoto 7 (1956): 14–23,

Miyake, A. (4). Idem. IV. Artificial induction of excystment in Bursaria truncatella. Physiol. & Ecol., Kyoto 7 (1957): 123-126, figs.

Miyake, A. (5). Artificial induction of conjugation by chemical agents in Paramecium aurelia, Paramecium multimicronucleatum, Paramecium caudatum and between them. J. Protozool. 7 (Suppl.)

Möbest, H. see Schmidtke, L.

Mohrhoff, M. see Huddleston, M. S.

Møller, T. La toxoplasmose chez les animaux domestiques au Danemark. Bull. Off. int. Épizoot. 54: 509-522.

Mohan, B. N. Further observations on sporogony cycle of Plasmodium relictum in a DDT-resistant strain of Culex fatigans. Indian J. Malar. 14: 179-

Mohan, K. see Bhatia, S. R.

Mohan, R. N. see Levine, N. D.

Mohanrao, G. J. see Pillai, S. C.

Molinari, V. (1). Behaviour of Trypanosoma lewisi at the temperature of dry ice (solid CO₃). Trans. roy. Soc. trop. Med. Hyg. 54: 2.

Molinari, V. (2). Preservation of Plasmodium berghei at low temperature. Trans. roy. Soc. trop. Med. Hyg. 54: 288.

Moncharmont Zei, M. (1). Contributo alla cono-cenza del Calabriano della Valle dell'Ofanto. Bol.. Uff. geol. Ital. 77 4-5 1955: 499-554, figs.

Moncharmont Zei, M. (2). Foraminiferi e molluschi di un livello tirreniàno presso Nova Siri Scalo (Matera). Boll. Soc. Nat. Napoli **66** 1958 : 53–68, figs.

Montanaro Gallitelli, E. (1). Specie nuove e note di foraminiferi del cretaces superiore di Serramazzoni (Modena). Atti Accad. Modena (5) 16 1958: 127-152, figs.

VOL 97

Montanaro-Gallitelli, E. (2). Nuovi reperti a riesame paleontolozico-stratigraphico delle arenarie "stampiane" dello Scandianeeo (Appennino settentrionale modenese-reggiano). R.C. Accad. Lincei (8) 26 3 1959: 392-395.

Montero, E. see Jarpa, A.

Mookerjee, S. Nuclear-cytoplasm dependency in radiated cells. Proc. Indian sci. Congr. Ass. 42nd 4 1955: 90.

Mockerjee, S. & Alamelu, M. G. Nuclear cytoplasmio separation in n-ethylurethane treated amoebae. Nucleus 2 1959: 215–222, figs.

Mookerjee, S. & Hazra, B. Pattern of substance localization in the alternate existence of Amoeba. Proc. nat. Inst. Sci. India 26B: 51-59, figs.

Mookerjee, S. see Hajra, B.

Moon, A. P. see Ritchie, L. S.

Moore, D. R. Notes on Blanquilla Reef, the most northerly coral formation in the western Gulf of Mexico. Publ. Inst. mar. Sci. Univ. Tex. 5 1958: 151-155.

Moore, J. Factors in the *in vitro* survival of gregarine parasites of *Tenebrio molitor L. J. Parasit.* 46 (Suppl.) 7.

Moraes, G. E. S., Faria, J. L. & Fernandes, J. F. Nucleotide and polynucleotide synthesis in *Trypanosoma cruzi*. V. Effects of primaguine, stylomycin derivatives and analogs, on experimentally infected mice. Rev. Inst. Med. trop. S. Paulo 2: 147-154, figs.

Morehouse, N. F. see McGuire, W. C.

Moriai, Y. see Onuki, Y.

Morikawa, R. (1). A method of observation for fusulinids by "sump-figures". J. Geol. Soc. Japan 59 (689) 1953: 59-63. [Japanese: English summary.]

Morikawa, R. (2). Fusulinids from the Akasaka limestones (Part I). Sci. Rep. Saitama Univ. 3B 1 1958: 93-130, figs.

Morikawa, R. (3). Fusulinids from the Iwaizaki limestone. Sci. Rep. Saitama Univ. 3B 3 273–299, figs.

Morikawa, R. (4). Parafusulina found in the base of Kamiyoshida Group, uppermost strata of Chichibu System, northern part of Kanto-Mountainland. J. geol. Soc. Japan 66 781: 684, figs.

Morikawa, R. et al. Stratigraphy and biostratigraphy of the "Iwaizaki Limestone" in the southern Kitakami Mountainland. Jubilee Pub. H. Fujimoto 1958: 81-90, fig.

Morikawa, R. & Fujita, H. & Murata, M. & Kawada, S. & Okubo, M. & Matsuzaki, A. & Igo, H. & Sato, M. & Kobayashi, M. & Taguchi, K. Fermian fusulinid zones in Kwanto and Chubu Districts, Japan. Geol. Soc. Japan J. 62 1956: 359-360. [Abstract in Japanese.]

Morikawa, R. & Isomi, H. A new genus, Biwaelle, Schwagerina-like Schubertella. Sci. Rep. Saitama Univ. 3B 3: 301-305, figs.

Morikawa, R. & Kobayshi, M. Two new species of Oketaella from Kwanto Massif, Japan. Sci. Rep. Saitama Univ. 36 3 307-312, figs.

Morris, K. R. S. (1). New frontiers to health in Africa. Science 132: 652-658.

Morris, K. R. S. (2). Studies on the epidemiology of sleeping sickness in East Africa. II. Sleeping sickness in Kenya. Trans. roy. Soc. trop. Med. Hyg. 54: 71-96, figs.

Morris, K. R. S. (3). Studies on the epidemiology of sleeping sickness in East Africa. III. The endemic area of Lakes Edward and George—Uganda. Trans. roy. Soc. trop. Med. Hyg. 54: 212-224, figs.

Morris, K. R. S. (4). Studies on the epidemiology of aleoping sickness in East Africa. V. Sleeping sickness in the Bunyoro district of Uganda. Trans. roy. Soc. trop. Med. Hyg. 54: 585-596.

Morrisey, J. E. see Hull, R. W.

Moruzi, C., Vasiliu, Gh. A. & Janou, M. S. Contribution à l'étude du phytoplancton du delta du Danube. Stud. Cercet. [N.S.] 2: 131-179, figs.

Most, H. see Yoeli, M.

Moynihan, P. see Natt, M. P.

Mueller, J. A. & Sonneborn, T. M. Killer action on cells ot her than *Paramecium*. Anat. Rec. 134 1959: 613.

Mugard, H. & Renaud, P. (1). Étude de l'effet des ultrasons sur Paramecium caudatum. C. R. Acad. Sci. Paris 247 1958: 144-147, fig.

Mugard, H & Renaud, P. (2). Étude de l'effet des ultrasons sur un infusoire cilié Paramecium caudatum. Arch. Biol., Paris 71: 73-91, figs.

Muhletahler, K. see Frey-Wyssling, A.

Mühlpfordt, H. (1). Mischinfektionen mit markierten trypanosomenarten. Z. Tropenmed. u. Parasit. 11: 265–287, figs. [English summary.]

Mühlpfondt, H. (2). Der Einfluss tiefer Temperaturen auf Protozoen. Z. Tropenmed. u. Parasit. 11: 481–507.

Müller, M., Tóth, J. & Törö, I. Increase of esterase activity during intracellular digestion in a histophagous ciliate. Nature, Lond. 187: 65, fig.

Mulvey, P. F. Jr. The uptake and fate of radioactive elements in *Trypanosoma equiperdum*. J. inf. Dis. 107: 155-159, figs.

Mumford, E. P. The distribution of some parasites of man in the Near and Middle East. J. trop. Med. 63: 77-85.

Muñoz-Rivas, G. Toxoplasmosis en Colombia. Rev. Inst. Salubr. Enferm. trop. Med. 19 351-355. [English summary.] 1955 : Mui Mui

[196

Mur

les va

emia l dell' 1 2 : 25 Mu the Fe

Prefect Sci. N Mus group Shimo Kyusl 35-43

forma Pref., Nat.

Mu

Mu Crithi anato Tadzl Russi

Mu cocci Akad [Russ

Na Prote Med. Acta

Na

Mem figs.

Na

Alve on to foun 324,

No of t

Pak 1956 1

s of

in

ing ed.

ns.

ogy

ns.

03

du

134

ad.

49%.

ier.

mit.

ait.

to-

lin

inf.

ed.

55.

Muraour, P. Sur la présence du pyrite de fer dems les vases en cours de dépôt dans la zone bathyale supérieure au large de Tigzirt. C.R. Soc. géol. Fr. 1955 : 264–265.

Muraour, P. see Colom, G.

Mura, D. & Altieri, M. Sull' and amento dell' endemia la Entamoeba histolytica e da Giardia intestinalis dell' uomo in provincia di Sassari. Parassitologia 2: 253-256.

Murata, S. (1). The stratigraphical significance of the Foraminifera in the Yagami coal-field, Nagasaki Prefecture. Bull. Kyushu Inst. Tech. Math. Nat. Sci. No. 5, 1955: 18-22, figs.

Murata, S. (2). Foraminifera from the Sakasegawa group in the north coastal district of the Arnakusa-Shimoshima, Kumamoto Pref., Kyushu. Bull. Kyushu Inst. Tech. Math. Nat. Sci. No. 6, pt. 1: 35-43, figs.

Murata, S. (3). Foraminifera from the Nakado formation; Sakito-Matsushima coal-fields, Nagasaki Pref., Kyushu. Bull. Kyushu Inst. Tech. Math. Nat. Sci. 5a, No. 6, pt. 1: 43-49, figs.

Murata, M. see Morikawa, R.

Murata, S. see Kihara, T.

Muratov, E. A. & Cheissin, E. M. [Discovery of Crithidia hyalommae in Hyalomma detritum and H. anatolicum in Tadzhikistan.] Dokl. Akad. Nauk Tadzhakist. SSR 2 No. 1, 1956: 33-37, fig. [In Russian.]

Musacchio, M. de O. see Meyer, H.

Musaev, M. A. & Veisov, A. M. New species of coccidia occurring in *Arvicola terrestris*. Izv. Akad. Nauk. Azerb. SSR. biol. I, 51-61, figs. [Russian summary.]

Nachmias, V. T. see Marshall, J. M.

Nachmias, V. T. & Marshall, J. M. Pinocytosis of ferritin by amoebae. Anat. Rec. 136: 250.

Nagahana, M. & Ishigami, K. On the intestinal Protozoa of man in the City of Yonago. J. Yonago Med. Ass. 10 1959: 204-206. See Abstr. in Yonago Acta Med. 4 1959: 67.

Nagami, Y. Fusulinids from the Maizuru zone southwest Japan, Part II. Derived Fusulinids. Mem. Coll. Sci. Univ. Kyoto 26B 2 1959: 67-83, figs.

Nagami, T. see Nakazawa, K.

Nagappa, Y. (1). On the systematic position of Alvestina meandrina Carter together with a discussion on the age of the rocks in which this fossil has been found. Records Geol. Surv. India 82 1952: 317–324, figs.

Nagappa, Y. (2). Note on Operculinoides Hanzawa 1935. Palaeontology 2 1 1959: 156-160.

Magappa, Y. (3). Foraminiferal biostratigraphy of the Cretaceous-Eocene Succession in the India-Pakistan-Burma region. Micropaleontology 5 2 1959: 145-192, figs.

Nagappa, Y. (4), News—India. Micropaleon-tology 5 1959: 138-139.

Nair, K. N. On the occurrence of a heterotrichous ciliate, Metopus spiralis Smith, 1897 (Protozoa) in India. Curr. Sci. 29: 435-436, fig.

Naitoh, Y. Relation between the deformation of the cell membrane and the change in beating direction of cilia in Opalina. J. Fac. Sci. Tokyo Univ. (Zool). 8 1959: 357-369, figs.

Nakabayashi, T. see Inoki, S.

Nakanishi, K. see Inoki, S.

Nakaseko, K. see Ichihara, M.

Nakayama, I. & Hoshiai, T. [A preliminary report of a comparison of the survival of high virulent RH strain and cyst-producing Beverley strain of Toxoplasma in rats.] Keio J. Med. 9: 217-223.

Nakazawa, K. & Shiki, T. Geology of the Miharaiyama district, Yabu-gun, Hyogo prefecture, Japan, with Special Reference to the Triassic Miharaiyama Group. A study on the stratigraphy and Geologic Structure of the "Maizuru Zone" (Part 2). J. Geol. Soc. Japan 60 (704) 1954: 192-201, figs.

Nakazawa, K., Shiki, T., Shimuzu, D. & Nagami, Y. Lepidolina zone in Maizuru District. J. Geol. Soc. Japan 62 1956: p. 361. [Abstract in Japanese.]

Nakkady, S. E. Biostratigraphy of the Um Elghanayem Section, Egypt. Micropaleontology 5 4 1959: 453–472, figs.

Nanney, D. L. (1). Epigenetic factors affecting mating type expression in certain ciliates. Cold Spr. Harb. Sympl. quart. Biol. 23 1958: 327-335.

Nanney, D. L. (2). Temperature effects on nuclear differentiation in variety I of Tetrahymena pyriformis. Physiol. Zool. 33: 146-151.

Nanney, D. L. (3). Genetic factors affecting mating type frequencies in variety I of Tetrahymena pyriformis. Genetics 44: 1173-1184.

Nanney, D. L. (4). Microbiology, developmental genetics and evolution. Amer. Nat. 94: 167-179, figs.

Narasimhamurti, C. C. Observations on the morphology and sporegony of a new coccidian, Adelea hyalospora from the gut of a centipede, Rhysida longipes (new host.) J. zool. Soc. India 12: 60-68, figs.

Narasimhamurti, C. C. see Ganapati, P. N.

Narchi, W. Foraminíferas recentes do Brazil. Famílias Miliolidas. Peneroplidas e Alveolinellidas. Bol. Inst. oceanogr. S. Paulo 7 1-2 [1958]: 161-193, figs.

Naruse, Y. On the sedimentary environment of the Toyofusa formation, Boso peninsula, Chiba prefecture, Japan. J. Geol. Soc. Japan 60 (708), 1954: 388-399, figs.

b 4-2

Natarajan, C. V. see Pillai, S. C.

Natt, M. P., Gustafson, R. R., Schultes, L. & Moynihan, P. Comparative antitrichomonal activity of furazolidone (3-(5-nitrofurfurylideneamino)-2-oxazolidone) and aminothiazol (2-acetamido-5-nitrothiazol) in vitro against Trichomonas vaginalis and in vivo against experimental trichomonal infections in mice and hamsters. J. Parasit. 46 (Suppl.) 7-8.

Navarrete, F. see Zabala, J. T.

Navarro, C. see Jarpa, A.

Navotny, J. see Huddleston, M. S.

Nazar, T. see Galuszka, J.

Neagu, T. (1). L'étude micropaléontologie du Cretacé supérieur de la vallée de Telin. An. Univ. "C. J. Parhon" Bucureşti", Ser. Şt. nat. 21 1959 : 151-181, figs. [French summary.]

Neagu, T. (2). Étude paleontologique du cretacée inferieur de Giurgui. (Note preliminairè.) An. Univ. "C. J. Parhon" Bucuresti. Ser. St. nat. 22 1959: 195-205. [French summaries.]

Neal, R. A. Enzymic proteolysis by *Entamoeba histolytica*; biochemical characteristics and relationship with invasiveness. Parasitology **50**: 531-550, figs.

Neal, R. A. & Stewart, A. Cholesterol and virulence of Entamoeba histolytica. Trans. roy. trop. Med. hyg. 54: 282-283.

Neal, R. A. see Vincent, P.

Nedeljković, A. The Skadar Lake. Study of organic production in a Karstic Lake. Posebna Izd. biol. Inst. Beograd No. 4, 1957: 1-156, figs. [Serbo-Kroatian: English summary.]

Neff, R. H. Volume, nucleic acid and introgen contents of strains of green and colorless Euglena gracilis and of Astasia longa. J. Protozool. 7:69-74.

Neri, I. see Corradetti, A.

Neomersitskaya, M. see Golubtsov, V. K.

Neumann, M. & Boulanger, D. Discorbis (Lamellodescorbis) magna Vialli var. aquitanica nov. var. Foraminifère carateristique des marnes à Xanthopsis dufouri de la Chalosse (Landes). C.R. Soc. géol. Fr. 5 1954: 114-116, figs.

Neumann, M. see Aubonin, J.

Neumann, M. see Barrier, J.

Newell, N. D., Chronic, J. & Roberts, J. G. Upper Palaeozoic of Peru. Mem. geol. Soc. Amer. 58 1953: 1-276, figs.

Newell, N. D., Rigby, J. K., Fischer, A. G., Whiteman, A. J., Hickox, J. E. & Bradley, J. S. The Permian reef complex of the Guadalupe Mountains region, Texas and New Mexico. A study in paleoecology. Freeman, San Franscisco 1953: 236 p, figs.

Newton, B. A. Inhibition of ¹⁴C-labelled purines into nucleic acids by a substituted pyrimidine. Biochem. J. 77: 17 p.

Newton, W. L., Reardon, L. V. & Leva, A. M. de. A comparative study of the subcutaneous inoculation of germ-free and conventional guinea pigs with two strains of *Trichomonas vaginalis*. Amer. J. trop. Med. Hyg. 9: 56-61, figs.

Nicol, J. A. C. (1). Observations on luminescence in pelagic animals. J. mar. biol. Ass. U.K. 37 1958: 705-752, figs.

Nicol, J. A. C. (2). The regulation of light emission in animals. Biol. Rev. 35: 1-42, figs.

Nicol, J. A. C. (3), The biology of marine life. London (Sir Isaac Pitman & Sons Ltd.), pp. xi, 707, text illust.

Nicolau, A., Popovici, P. & Christian, A. Contributions a l'étude hydrobiologique du Lac Graeca de la région inondable du Danube. Stud. Cercet. (N.S.) 2 35–101, 3 tables. [Rumanian: English and Russian summaries.]

Nicoli, J. see Demarchi, J.

Nicosia, M. L. see Lipparini, T.

Niedmann, G. see Knierim, F.

Niedmann, G. see Thiermann, E.

Nobili, R. (1). The effect of macronuclear regeneration on vitality in Paramecium aurelia, syngen 4. J. Protozool. 7 (Suppl.) 15.

Nobili, R. (2). Kappa in a macronucleate Paramecium aurelia: its development and effect on survival time. J. Protozool. 7 (Suppl.) 15-16.

Noble, E. R. Fishes and their parasite-mix as objects for ecological studies. Ecology 41: 593-596.

Nocchi, M. Sulla presenza del Cretaceo e dell' Eocene nella serie degli "soisti policromi "affiorante nella parte meridionale dei Monti del Chianti. R.C. Accad. Lincei (8) 26 1 1959 : 43–46.

Noël, D. (1). Coccolithes des terrains Jurassiques de l'Algerie. Bull. Serv. Carte géol. l'Alger 8 1956 : 303-345, figs.

Noël, D. (2). Étude de coccolithes du Jurassique et du Crétacé inférieur. Bull. Carte géol. Alger N.S. 20 1958: 155-196, figs.

Noirot-Timothée, C. (1). Infusoires du rumen de quelques Antilopes. Mém. Inst. franç. Afr. noire No. 48 1956 : 259–266.

Noirot-Timothée, C. (2). Diplodinum moucheti n. sp. (infusoire cilié). Remarques sur l'évolution des Orphryoscolecidae en Afrique. Ann. Sci. nst. (Zool.) (12) 1 1959 : 331-337, figs.

Nonet, G. see Garrot, H.

Norman, L. & Kogan, I. G. (1). Immunologic studies on *Trypanosoma cruzi*. II. Acquired immunity in mice infected with avirulent American strains of *T. cruzi*. J. inf. Dis. 107: 168-174.

Non tierise Paras

[19

Non

Paras

No

No.

lysoso studie Nov on ch

of infe of K Kazal

Nov

Nm

Kaza

Nyd the c parasi (Supp

Nye Trans Nyi a Szo 1958 :

Nyi in th 1958

Obe Mikro Gebier Reich

Oel A con logica Med.

Ogr

Ogr Terzia Riv. i 37

on

)7,

2

ia,

on

93-

ell'

nte

.C.

56:

No.

heti

tion

nity s of Norman, L. & Kagan, I. G. (2). Studies on the immunology of experimental Chagas disease. J. Parasit. 46 (Suppl.) 44.

Norman, L. see Kagan, I. G.

Nouvel, H. see Dion, Y.

Novák, L. & Pleško, I. Wirkung verschiedener tierischer Seren auf Urtierehen. I. Wirkung auf Paramecium caudatum. Biologia, Bratislava 13 1568: 203-207. [Czech: German summary.]

Novác, L. see Pleško, I.

Novák, L. see Vršanský, V.

Novikoff, A. B. Pinocytosis, phagocytosis, and lysosomes: cytochemical and electron microscopic studies. Biol. Bull. 119: 287-288. [Abstract.]

Novinskaja, V. F. [Cultivation of trypanosomes on chick embryos.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR 12: 78-81. [In Russian.]

Novinskaja, V. F. & Butovskij, P. M. [Incidence of infection with Trypanosoma spermophili in sousiliks of Kazakhstan.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR 14: 24–28. [In Russian.]

Novinskaja, V. F. see Galuzo, I. G.

Nursall, J. R. The origin of the Metazoa. Trans. roy. Soc. Can. (3), 53 5 1959: 1-5.

Nydegger, L. & Manwell, R. D. Further studies of the cultivation requirements of the avian malaria parasite, *Plasmodium hexamerium*. J. Protozool. 7 (Suppl.) 7.

Nye, P. Plasmodium berghei in the golden hamster. Trans. roy. Soc. trop. Med. Hyg. 54: 293.

Nyirö, M. R. (1), A Lagenidae esalád uj alakjai a Szokolyai tortónai rétegekből. Foldt. Kozl. 88 1958: 243–244, figs.

Nyiro, R. M. (2). The studying of Foraminifera in thin sections. Ann. Hist. nat. Mus. hung. 50 1958: 31-38, fig.

Oberdoerster, F. see Hertwig, F.

Oberhauser, R. Neue Beiträge zur Geologie und Mikropaläontologie von Helvetikum und Flysch im Gebiet der Hohen Kugel (Vorarlberg). Verh. geol. ReichsAnst. (St. Anst.) Wien 1958 2: 121-140.

Oberhauser, R. see Plüchinger, K.

Obetz, S. W. see Roth, L. E.

Oellerman, I., Hennessy, E. & Elsdon-Dew, R. A comparison of various techniques for the parasitological examination of faeces. S. Afr. J. Lab. clin. Med. 6: 247-251, figs.

Oertli, H. J. see Rutsch, R. F.

Ogawa, K. see Igo, H.

Ogniben, L. (1). Stratigrafia e microfaune del Terziario della zona di Caiazzo (Caserta) [Pts. I-V.] Riv. ital. Paleont. 64 2 1958: 89-142. Ogniben, L. (2). Stratigrafia e microfaune del Terziario della zona di Caiazzo (Caserta). [Pt. V.] Riv. ital. figs. Paleont. 64 4 1958: 199–286,

Ohmura, K. [Studies on the *Trichomonas vaginalis* infection in male genito-urinal tracts.] Jap. J. Parasit. 9:510-514. [Japanese: English summary.]

Okimura, Y. Biostratigraphical and paleontological studies on the Endothyroid foraminifera from the Atetsu limestone plateau, Okayama Prefecture, Japan. J. Sci. Hiroshima Univ. C.2 3 1958: 235-264, figs.

Okubo, M., see Morikawa, R.

Okumura, M., Brito, T. de, Pereira da Silva, L. H., Carvalho da Silva, A. & Correa Netto, A. The pathology of experimental Chagas' disease in mice. I. Digestive tract changes, with a reference to necrotizing arteritis. Rev. Inst. Med. trop., S. Paulo 2: 17-28, figs.

Oliveiro Musacchio, M. de, see Meyer, H.

Olszewski, B., see Herbst, S.

Omara, S. New Foraminifera from the Cenomonan of Sinai, Egypt. J. Paleont. 30 1956: 883–890, figs.

O'Meara, D. C. see Chute, H. L.

Onuki, Y. & Kudo, H. The confirmation of the Permian system in northern Kitakami Mountainland J. Geol. Soc. Japan 60 1954 (707): 360-362. [In Japanese.]

Onuki, Y. & Asama, K. & Moriai, Y. Permian system in Vitakami Mountains, Japan. J. Geol. Soc. Japan 62 1956: p. 362. [Abstract in Japanese.]

Opravilová-Spálovská, V. Krytenky (Testacea) rašeliništ z Hrubého Jeseníku. Přírod. Čas. Slezský 21: 215–241, figs.

Orfila, J., see Fabiani, G.

Orias, E. The genetic control of two lethal traits in variety. 1. Tetrahymena pyriformis. J. Protozool. 7: 64-69.

Ormerod, W. E. Cell inclusions and the epidemiology of Rhodesian sleeping sickness. Trans. roy. Soc. trop. Med. Hyg. 54: 299-300.

Ormerod, W. E., see Healey, P.

Ormières, R., see Tuzet, O.

O'Rourke, F. J. Zoonoses—the diseases of animals transmissible to man. Irish J. med. Sci. October, p. 443–452.

Osebold, J. W. see Christensen, J. F.

Osborne, M. M. see Grayshon.

Osmolska, H. Fluoritization method in micropaleontology. Przeglad Geol. 1958 10: 445–446.

Ottman, F. Sur la stratigraphie du Néogène dans la plaine d'Aleria (Corse orientale). C.R. Acad. Sci. Paris 242 1956: 2377-2379.

Oura, H. [In vitro studies on the inhibitory effects of antibiotics, especially of anti-tumor substances upon the growth of a species of free-living amebae.] Nisshin Igaku 47: 42-50. [Japanese: English summary.]

Ouspenskaia, A. V. Parasitofaune, des crustacés benthiques de la Mer de Barents. Ann. Parasithum. comp. 35: 221-242.

Oye, P. von (1). Étude sur les rhizopodes des marais du Sud-ouest d'Uvira (Congo-Belge). Hydrobiologia 10, 1958: 85–137, figs.

Öztemur, V. Note on the new Haplophragmium species found in south-eastern Turkey. Bull. Min. Res. Exp. Inst. Turkey 50 1958: 73-74, figs.

Packer, E. see Frank, O.

Padfield, J. E. see Kitching, J. A.

Padilla, G. M. (1). Alterations in the synthesis of nucleic acids and proteins of synchronized cells. J. Protozool. 7 (Suppl.) 23-24.

Padilla, G. M. (2). Cyclical changes in the respiratory activity of synchronized cells. J. Protozool. 7 (Suppl.) 24.

Padilla, G. M. & James, T. W. Synchronization of cell division in *Astasia longa* on a chemically defined medium, Exper. Cell Res. 20: 401-415, figs.

Padmavathi, P. B. (1). Studies on the cytology of an Indian species of *Blepharisma* (Protozoa: Ciliata). Mém. Soc. zool. tchécosl. 23 1959: 193–199, figs.

Padmavathi, P. B. (2). Hemixis in Blepharisma undulans (Ciliophora: Spirotricha). Naturwissenschaften 47: 383.

Paine, W. R. The Nonion struma "Lower Fino" wedges of Acadia Parish. Bull. Coast Assoc. Geol. Soc. Trans. 6 1956: 153-160, figs.

Pak, S. M. (1). [Intestinal trichomonads of jird.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR. 12: 82-85, figs. [In Russian.]

Pak, S. M. (2). [On the multiplication of *Trichomonas foetus* in culture.] Trudy Inst. Zool. Akad. Nauk Kazakh SSR. 14: 185, figs. [In Russian.]

Palmquist, D. & Buttrey, B. W. The relation of hydrogen-ion concentration to growth and size of a porcine trichomonad from the caecum. Proc. S. Dak. Acad. Soi. 39: 109-116, figs.

Pan, C. T. Studies on the monoxenic cultivation of *Entamoeba histolytica* with hemoflagellates. J. inf. Dis. 106: 284-289.

Papageorgiou, C. see Coudert, J.

Papastamatiou, J. & Reichel, M. Sur l'âge des Phyllades de l'île de Crète. Eclogae geol. Helvet. 49 1956 : 147-149, figs. Papp, A. (1). Bericht über die Bearbeitung von Orbitoiden aus dem Flysch des Wienerwaldes. Verh. Geol. Bundesanst. Wien No. 1, 1956: p. 118.

Papp, A. (2). Orbitoiden aus dem Oberkreideflysch des Wienerwaldes. Verh. Geol. Bundesanst. Wien No. 2, 1956: 133-143, figs.

Papp, A. (3). Vorkommen und verbreitung des Obereozans in Österreich. Mitt. geol. Ges. Wien 50 1958: 251-269, figs.

Pappas, G. D. & Brandt, P. W. The fine structure of the contractile vacuole in Ameba. J. biophys. & biochem. Cytol. 4 1958: 485-488, figs.

Paproti, E. Eine Kohlenkalkfauna aus dem Kulmkonglomerat von Frankenberg au der Eder. Paläont. Z. 27 1953: 169–207, figs.

Para, I. see Filepescu, M. G.

Parachoniak, W. see Alexandrowicz, S.

Parent, H. Sur la présence d'une série renversée devant le front de la nappe de Caussols. Bull. Soc. géol. Fr. (6) 4 1954: 509-513, fig.

Piàrducz, B. Reizphysiologie Untersuchungen au Ziliaten. VIII. Ablauf der Fluchtreaktion bei allseitiger und anholtender Reizung. Ann. hist. nat. Mus. hung. 51 1959: 227–246, figs.

Parke, M., see Manton, J.

Parke, M. & Adams, I. The motile (Crystallolithus hyalinus Gaarder & Markali) and non-motile phases in the life history of Coccolithus pelagicus (Wallich) Schiller. J. mar. biol. Ass. U.K. 39 2: 263-274, figs.

Parke, M., Manton, I. & Clarke, B. Studies on marine flagellates. IV. Morphology and micro-anatomy of a new species of Chrysochromulina. J. mar. biol. Ass. U.K. 37 1958: 209–228, figs.

Parker, F. L. & Athearn, W. D. Ecology of marsh foraminifera in Poponesset Bay, Massachusetts. J. Paleont. 33 1959: 333-343, figs.

Parr, W. J., The foraminifera of the Bluff Beds, Durban and some other South African Calcareous coastal rocks. Trans. geol. Soc. S. Afr. 61 1959: 103-109.

Pasher, I., see Baker, H.

Pasini, G., see Dessi, P.

Pasquini, P., Ghirardelli, E. & Welponer, C. Ricerche sulla "acclimazione" di Paramecium a concentrazione saline crescenti. I. Appunti di tecnica ed osservazioni sulla alimentazione dei parameci in coltura. II. Sui vacuoli sopranumerari di P. caudatum. III. Risultoti delle prime experienze con particolare riguanes alla funzione dei vacuoli contrattile. R. C. Accad. Bologna Cl. Sci. Fis. (11) 2 1955: 104–130.

Patton, C. L. & Clark, D. T. Trypanosoma equiperdum infections in chicks treated with delta-l-hydrocortisone. J. Protozool. 7 (Suppl.) 7.

Pand Gel-diff Sci. 29

[1960

Paul Paul mental Biophy

Paut sérolog anticor Bull. S

du foet Trypar 35 : 46

Paut

in Bulg [Englis

> Contrib l'infect blanche hum.

Payn Wenniz with di

Pand neighb delta. Polish.

Pazd and Ba Bull. S [Russia

of Milie geol. p

Vet. R

Penr

Pere aminor against S. Pau Pere

Perk

Whitst 1 1958 Pande, P. E., Shukla, R. R. & Sekariah, P. C. Gel-diffusion studies on Toxoplasma gondii. Curr. Sci. 29: 302-303, figs.

Paulik, J., see Cioha, I.

Pantard, F. G. E. Hydroxyapatite as a developmental feature of Spirostomum ambiguum. Biochim. Biophys. Acta 35 (1959): 33-46, figs.

Pautrizel, R., Mattern, P. & Duret, J. Diagnostie sérologique de la maladie du sommeil. II. Les anticorps fixant le complément au cours de l'infection. Bull. Soc. Path. exot. 53: 878-885, figs.

Pantrizel, R., Ripert, C. & Duret, J. Resistance du foetus de rongeur (rat, cobaye, Lapin) vis a vis de Trypanosoma equiperdum. Ann. Parasit. hum. comp. 35: 469-487, figs.

Pawlow, P. [Diseases with natural foci occurring in Bulgaria.] Wiad. Parazyt. 6 2-3 1960: 141-146. [English summary.]

Payan, H., Sautet, J. & Aldighieri, J. & Aldighieri, R. Contribution a l'etude anatomo-pathologique de l'infection à *Plasmodium berghei*, chez les souris blanches sonmises à divers régimes. Ann. Parasit. hum. comp. 35: 209-220, figs.

Payne, D. D., see Chute, H. L.

Payne, F. J., Atchley, F. O., Wasley, M. A. & Wenning, M. E. Association of Giardia lamblia with disease. J. Parasit. 46: 742.

Pandro, O. (1). For a minifer a in varied clays of the neighbourhood of Kwidzyn, south of the Vistula delta. Przeglad Geol. 6 1956: p. 265, figs. [In Polish.]

Pazdro, O. (2). Some remarks on index foraminifers. Przeglad Geol. 1958 12: 552-554, figs.

Pazdrowa, O. (1). Ophthalmidium of the Vesulian and Bathonian in the neighbourhood of Częstochowa. Bull. Serv. géol. Pologne 121 1958: 91–162, figs. [Russian and English summary.]

Pazdrowa, O. (2). On the stratigraphic distribution of Miliolidae in the Middle Jurassic of Poland. Acta geol. polon. 9 3 1959: 343-382, figs.

Peele, J. D. An outbreak of trichomoniasis. Vet. Rec. 72: 858.

Penner, L. R. see Meyer, M. C.

Pennisi, L. see Magandda-Borzi, L.

Perdue, S. W. see Kimball, R. F.

Pereira da Silva, L. H. In vitro effect of the aminonucleoside of stylomycin and dimethyl-adenine against Toxoplasma gondii. Rev. Inst. Med. trop. S. Paulo 2: 155-162, figs.

Pereira da Silva, L. H. see Okumura, M.

Perez, C. L. see Zeledón, R.

Perkins, E. J. The food relationships of the microbenthos, with particular reference to that found at Whitstable, Kent. Ann. Mag. nat. Hist. Ser. 13 1958: 64-77.

Perna, E. Calanchi nelle marne ecceniche della Val di Non (Trentino). Studi trentini 36 1 1959 : 3-9, figs. [English, etc. summaries.]

Perriaux, J., see Marie, P.

Perrodon, A., & Tempère, C. Sur l'extension du Miocène dans le Seba Chioukh (Oranie occidentale, Algérie). Bull. Soc. géol. France (6), 3 1953: 583– 588

Pesl, V., see Mencik, E.

Pessoa, E. de P., see Alencar, J. E. de.

Peters, W. Studies on the epidemiology of malaria in New Guinea. Part I. Holoendemio malaria—the clinical picture. Trans. roy. Soc. trop. Med. Hyg. 54: 242-249, figs.

Peters, W. & Christian, S. H. Studies on the epidemiology of malaria in New Guines. Part IV. Unstable highland malaria—the clinical picture. Part V. The entomological picture. Part VI. The unstable highland malaria analysis of date and possibilities for eradication of malaria. Trans. roy. Soc. trop. Med. Hyg. 54: 529-548, figs.

Peters, W. & Standfast, H. A. Studies on the epidemiology of malaria in New Guinea. Part II. Holoendemic malaria—the entomological picture. Trans. roy. Soc. trop. Med. Hyg. 54: 249–254.

Petersen, J. B. & Hansen, J. B. Elektronenmikroskopische Untersuchungen von zwei Arten der Heliozoen-Gattung Acanthocystis. Arch. Protistenk. 104: 547-553, figs.

Peterson, R. S. see Jellison, W. L.

Petránek, J. Composition of the Triassic Limestones from Gombasek in the Karst of Southern Slovakia. Sborn. geol. Úst. Csl. 24 1958: 353–399, 4 figs. [English summary.]

Petrova, V. J. Beitrag zur Untersuchung des Phytoplanktons im nordwestlichen Teil des Schwarzen Meeres. C.R. Acad. bulg. Sci. 12 1959; 431–434, fios.

Petrović, Z. see Simič, C.

Petrovitch, Z. see Simitch, T.

Petterson, Hans. The Ocean Floor, New Haven, Yale Univ. Press. 1-181, figs. 1954.

Peyre, Y. see Delga, M. D.

Pflug, H. O. see Jux, U.

Phelps, A. & Fernández, B. A simple method for obtaining protozoa in pure culture. Rev. Biol. trop. 8: 263–269, fig.

Phillips, N. R. (1). Experimental studies on the quantitative transmission of Trypanosoma cruzi: considerations regarding the standardization of materials. Ann. trop. Med. Parasit. 54: 60–70.

Phillips, N. R. (2). Experimental studies on the quantitative transmission of Trypanosoma cruzi; aspects of the rearing, maintenance and testing of vector material, and of the origin and course of infection in the vector. Ann trop. Med. Parasit. 54: 397-414, figs.

Phleger, F. B. (1). Some modern faunal and lithologic associations (abstr.). J. Sedim. Petrol 24 1954: 135-136.

Phleger, F. B. (2). Significance of living foraminiferal populations along the central Texas coast J. Paleont. 30 1956: p. 999. [Abstract.]

Picot, H., see Lapierre, J.

Piekarski, G. Toxoplasma gondii in Erythrocyten von Hühnerembryonen. Beitr. Naturk. niedersachs. 13: 18-20, figs.

Piekarski, G. see Dallenbach, F.

Pierce, R. L. Upper Miocene Foraminifera and fish from the Los Angeles area, California. J. Paleont. **30** 1956: 1288–1314, figs.

Pierce, S., see Lee J. J.

Pierreux, G. see Jadin, J.

Pifano, C. F. Algunos aspectos de la patologia comparada geografica de la leishmaniasis tegumentaria en el tropies Americano. Bull. Soc. Path. exot. 53: 510-517, figs.

Pillai, S. C., Mohanras, G. J., Prabhakara Rao, A. V. S., Sastny, C. A., Subrahmanyam, P. V. R. & Natarajan, C. V. Natural purification of flowing sewage. Curr. Sci. 29: 461–465.

Pimienta-Freneux, S. see Malaurie, J.

Pinto, S. C. see Castro, M. P. de.

Pipkin, A. C. Avian embryos and tissue culture in the study of parasitic Protozoa. II. Protozoa other than *Plasmodium*. Exper. Parasit. **9**: 167–202

Pipkin, A. C. & Coles, W. C. Growth of Leishmania braziliensis in tissue cultures of rodent cells. J. Protozool. 7 (Suppl.) 24.

Pipkin, A. C., see Huff, C. G.

Pizzi, T. Identificación de Entamoeba histolytica en cortes histológicos. Bol. chil. Parasit. 15: 6-8. [English summary.]

Pizzi, T. & Silva, R. Evaluación de metodos diagnosticos en amibiasis intestinal. Bol. chil. Parasit. 15: 2-6, figs. [English summary.]

Pizzi, T. see Taliaferro, W. H.

Plant, W. & Sagan, L. A. Incorporation of thymidine in the cytoplasm of *Ameeba proteus*. J. biophys. & biochem. Cytol. 4 1958: 843-846, figs.

Pleiko, I. & Novák, L. (1). Über die Bedentung des Properdins für die toxische Wirkung von Sera auf Protozoen. Biológia, Bratislava 15: 685-689, figs.

Pleško, I. & Novák, I. (2). Wirkung verschiedener trierischer Sera auf Urtierchen. II. Wirkung auf Tetrahymena piriformis. Biológia, Bratislava 15: 81-86. [Czech: German summary.]

Plotnikov, N. N. & Sassuchin, D. N. [100 years since the discovery of Giardias]. Terapevtich Arkhiv (Moscow) 32: 83–85. [In Russian.]

Plüchinger, B. & Oberhauser, R. Ein bemerkenswertes Profil mit rhätisch-liavischen Mergeln am Untersberg-Ostfuss, (Salzburg). Verh. Geol. Bundesanst., Wien 1956: 275-283.

Pocock, M. A. Haematococcus in Southern Africa. Trans. roy. Soc. S. Afr. 36: 5-55, figs.

Pokorny, V. (1). Paleontologický výzkum neogennich vrestev v oblasti Sučany-Klačany. Vesta. Ustred. Ustavu Geol., Praha 29 1954: 81-84. [In Czech.]

Pokorny, V. (2). Nalez svochní křédy ve ždánickém flyši u Střílek (okres Kroměříž). Vestn. Ustred. Ustavu Geol., Praha 29 1954 : 114–117. [In Czech.]

Pokorny, V. (3). K mikrostratigrafickému členéní eocenních vrestev s planktonickými foraminiferami u oblasti Zdánického lesa. Vestn. Ustred. Ustavu Geol., Praha 29, 1954: 266–270. [In Czech.]

Pokorny, V. (4). Cassigerinella boudecensis n. gen., n. sp. (Foraminifera, Protozoa) z oligocénu zdánického flyše. Vestn. geol. Úst. ésl. 30 3 1955: 136–140, figs.

Pokorny, V. (5). Grundzüge der zoologischen mikropaläontologie, Band 1: 1–582, figs. Berlin, 1958.

Poljansky, G. I. [On chromosomes and the chromosome apparatus in protozoa.] Problems of evolution, biogeography, genetics and selection (Symposium dedicated to Acad. N.I. Vavilov.) Moscow-Leningrad, 204–209. [In Russian.]

Poljansky, G. I. see Aleksandrov, V. Y.

Pols, J. W. Studies on bovine besnoitiosis with special reference to the actiology. Onderstepoort J. vet. Res. 28: 265-356, figs.

Polski, W. Foraminiferal biofacies off the north Asiatic coast. J. Paleont. 33 (4) 1959: 569-587, for

Polski, W. see Waller, H. O.

Polyèche, J. Le Crétacé inférieur dans l'Oursenais occidental. Tectonique paléographie. Bull. Soc. géol. France ser. 6 6 1956 : 909-921, figs.

Polvéche, J. see Kieken, M.

Polyansky, Y. I. & Orlova, A. F. Temperature adaptation in Infusoria. I. Relation of heat resistance of *Paramecium caudatum* to the temperature conditions of existence. Zool. Zh. **36** (1957): 1630-1646, figs. [Russian: English summary.]

Poole, D. B. R. Protozoan organisms in chinchillas Vet. Rec. 72: 18.

Pór, F. see Băcesco, M.

Pomeyrol, R. Permanence paléogeographique et faunique de las côte ouest de la Nouvelle Caladeonie. Bull. Soc. géol. Fr. (6), 4 1954: 773-777, fig.

Porter, E. D. The buccal organelles in Paramecium aurelia during fission and conjugation, with special reference to the kinetosomes. J. Protozool. 7: 211-217, figs.

Porter, R. J. see Schneider, C. R.

Polon Polon

[19

Pol

of th

rhyth [Abst

Por Lager en F

Pos of mi 1958

the transfer of the transfer o

strati

97-13

Pro Vinel immu

283-2

Pra Vinck prime mease mice.

from 1950 Prometo

red 1 20:

Pro Came

Proto Pra J. Pr

Proder Crice ol.

8.

14.

n.]

nî

mi

nu

in,

he

m-

w.

th

ort

th 37.

ais

00.

ire

is-

170

1):

las

ial

7:

Potter, N. B. The effect of an increase in viscosity of the medium on transmission of metachronal hythm of Opalina. J. Protozool. 7 (Suppl.): 24. [Abstract.]

Pozaryska, K. The upper Cretaceous index foraminifera from Central Poland. Acta Geol. Polonica 4 1954: 249-276, figs. [In Polish.]

Porzaryska, K. & Urbanek, A. Sur' evolution de Lagena sulcatiformis n. sp. dans le Cretace supérieur en Pologne. Acta Paleont. Polonica 1 1956: 113-134, figs. [Polish: French summary.]

Pozaryski, W. (1). Mikropaleontologie in Czechoslowacji. Przgl. geol. Polska 3 1953: 111-113.

Pozaryski, W. (2). Actual methods and directions of micropalaeontological researches. Przeglad. Geol. 1958 12: 550–552.

Pozaryski, W. & Witwicka, E. Globotruncana of the upper Cretaceous in central Poland. Biul. Instytut Geol. Warszawa 102, 1956: 5-30, figs. [In Polish, Russian and English.]

Pazzi, R. & Villa, F. Contributo allo studio stratigrafico della serie Permo-Triassica del Monte Marzola (Trento). Rev. ital. Paleont. 65 2 1959 : 97-130, figs.

Prabhakara Rao, A. V. S. see Pillai, S. C.

Prakash, S. (1). Studies on Plasmodium berghei Vincke & Lips, 1948. XXVIII. The duration of immunity due to a single untreated P. berghei infection in albino rats. Indian J. Malar. 14: 283-290.

Prakash, S. (2). Studies on Plasmodium berghei Vincke & Lips, 1948. XXVII. Duration of patent primary parasitemia necessary for the development of measurable acquired immunity, if any, in the albino mice. Indian J. Malar. 14: 165-170, figs.

Prantl, F. (1). Some Llandoverian Radiolarites
 from Bohemia. Mém. Soc. Sci. Bohême 1949 1
 1950: 1-6, figs.

Prantl, F. (2). Poznamky k micropaleontologické metodice. Vestn. geol. Úst. ésl. 32 6 1957 : 380–382.

Prasad, H. (1). A new species of coccidia of the red kangaroo *Macropus rufus* Mamm. Z. Parasit. 20: 385-389, figs.

Prasad, H. (2). Studies on the coccidia of some mammals of the families Bovidae, Cervidae and Camelidae. Z. Parasit. 20: 390-400, figs.

Prasad, H. (3). A new species of coccidia of the grey squirrel *Sciurus* (*Neosciurus*) carolinensis. J. Protozool. 7: 135-139, figs.

Prasad, H. (4). Two new species of the coypu.
J. Protozool. 7: 207-210, figs.

Prasad, H. (5). Studies on the coccidia of some rodents of the families Muridae, Dipodidae and Cricetidae. Ann. trop. Med. Parasit. 54: 321–330, figs.

Prasad, R. R. A note on the occurrence and feeding habits of *Noctiluoa* and their effects on the plankton communities and fisheries. Proc. Indian Acad. Sci. 47B 1958: 331-337, figs.

Pravda, O., Bican, J. & Brown, F. Beitrag zur limnologischen Durchforschung der Teiche im biedweiser Becken. Sborn. krajsk. vlast. Mus. Přír. Věd. 1 1958, : 77–106. [German summary.]

Prescott, D. M. (1). The growth rate of Tetrahymena gelesi HS under optimal conditions. Physiol. Zool. 31 1958: 111-117, figs.

Prescott, D. M. (2). The nuclear dependance of RNA synthesis in *Acanthamoeba* sp. Exper. Cell Res. 17: 29-34, figs.

Prescott, D. M. (3). Relation between cell growth and cell division. IV. The synthesis of DNA, RNA, and protein from division to division in *Tetrahymena*. Exper. Cell Res. 19: 228-238, figs.

Prey, S. Flysch, Klippenzone und Kalkalpenrand im Almtal bei Scharnstein und Grünau. Jahrb. Geol. Bundesanst., Wien 96 1953: 301–343, figs.

Prescott, D. M. & Bors, K. Synthesis of protein, ribonucleic acid, and desoxyribonucleic acid over the cell cycle. Anat. Rec. 132 1959: 489.

Pringle, G. Two n w malaria parasites from East African vertebrates. Trans. roy. Soc. trop. Med. Hyg. 54: 411-414, figs.

Pringle, G., Draper, C. C. & Clyde, D. F. A new approach to the measurement of residual transmission in a malaria control scheme in East Africa. Trans. roy. Soc. trop. Med. Hyg. 54: 434—438.

Pringsheim, E. G. Die sammlung von Algen-, Flagellaten- und Mooskulturen am Botanischen Institut der Universitat Cambridge. Arch. Mikrobiol 16 1951: 1-17.

Profant, R. J. see Small, E. B.

Prokopič, J. see Erhardova, B.

Pruss, J. (1). Das natürliche Vorkommen von Entamoeba muris und die Übertragungsmöglichkeit auf Versuchstiere. Z. Tropenmed. u. Parasit. 11: 190–206, figs. [English summary.]

Pruss, J. (2). Infektionen mit Entamoeba muris und Entamoeba histolytica Kulturen in Labatoriumsratten und die chemotherapeutische Beeinflussung in vivo. Z. Tropenmed. u Parasit. 11: 306-315. [English summary.]

Przesmycki, J. see Kucharczyk, W.

Pulvertaft, R. J. V. & Hoyle, G. F. Stages in the life cycle of *Leishmania donovani*. Trans. roy. Soc. trop. Med. Hyg. **54**: 191–196, figs.

Puri, H. S. (1). Zonation of the Ocala group in peninsular Florida J. Sediment. Petrol. 23 1953: 130. [Abstract.]

Puri, H. S. (2). Contribution to the study of the Miocene of the Florida Panhandle. Bull. Florida Geol. Surv. 36 1954: 1-345, figs.

Puri, H. S. (3). Stratigraphy and zonation of the Ocala group. Geol. Bull. Fla. geol. Surv. 38 1957: 1-248, figs.

Pieri, H. S. & Vernon, R. O. Paleoecology of the Florida Miocene. J. Paleont. 30, 1956: 999-1000. [Abstract.]

Puytorac, P. de (1). Origine infraciliaire des fibres squelettiques de certains Infusoires astomes et présence d'un ergasttoplasme chez les Ciliés. C.R. Acad. Sci. Paris 246 1958 : 3186–3188, figs.

Puytorac, P. de (2). Complément à l'étude des ciliés Radiophryinae. Bull. Soc. zool. Fr. 84 1959 (1960): 411-414, figs.

Puytorae, P. de (3). Observations sur quelques ciliés astomes des oligoohètes du lac d'Ohrid (Yougoslavic). II. Famille des Hoplitophryidae (Hoplitophryinae et Manpasellinae), des Intoshellinidae et des Anoplophryidae. J. Protozool. 7: 278–289, figs.

Puytorac, P. de (4). Observations en microscopie électronique de l'appareil vacuolaire pulsatile chez quelques ciliés astomes. Arch. Anat. micr. Morph. exp. 49: 241–256, figs.

Puytorac, P. de (5). L'"argyrome" chez les grégarines monocytinae. C.R. Ass. Anat. 43 1957: 694-706, figs.

Puytorac, P. de & Grain, J. Sur deux grégarines du genre Monocystella endoparasites des planaires ochridiennes: Fonticola ochridana Stankovič et Neodendrocoelum sancti-naumi Stankovič. Ann. Parasit. hum. comp. 35: 197—208, figs.

Pyne, C. K. (1). L'ultrastructure de l'appareil basal des flagelles chez Cryptobia helicis (Flagellé Bodonidae). C.R. Acad. Sci. Paris 250: 1912-1914, figs.

Pyne, C. K. (2). Études sur la structure inframicroscopique du cinétoplaste chez Leishmania tropica. C.R. Acad. Sci. Paris 251: 2776-2778, figs.

Pytel, L., Dymowska, Z. & Kozłowska, D. An attempt to define the role of toxoplasmosis in the ethology of developing. Wiad. Parazyt. 6: 415-423 [English summary.]

Queiroga, L. T. see Meyer, H.

Quittet, P. L. Toxoplasmose canine dans la Calvados. Bull. Acad. vét. France 33: 213-216.

Radier, H. Contribution à l'étude stratigraphique et structurale du Détroit soudanais. Bull. Soc. géol. Fr. (6) 3 1953 : 677-695, figs.

Radulović, M., see Simič, C.

Rae, R. & Hreczko, I. Trichomoniasis in chickens. Aust. vet. J. 36: 473–474, figs.

Raffaele, G. Giuseppe Bastianelli (1862–1959). Riv. Parassit. **20** 1959 : 223–228.

Raffi, G. & Forti, A. Micropaleontological and stratigraphical investigations in "Montagna de Morrone" (Abruzzi.—Italy). Rev. Micropaléont. 2 1 1959: 8-20, figs.

Raikov, J. B. (1) [Nuclear apparatus and its reorganization during the fission cycle in the infusorian Trachelocerca margaritata (Kahl) and T. dogicli sp. n. (Holotricha).] Zool. Zh. 36 (1957): 341-359, figs. [Russian: English summary.]

Raikov, I. B. (2). Special cytochemical features of the nuclear apparatus of the isociliary Infusoria *Toxodes striatus* and *L. magnus*. Dokl. Akad. Nauk SSSR (Transl.) Biol. Soi. **121** 1958: 554-558, figs.

Raikov, I. B. (3). [The chromosomes in the macronucleus of the holotrichous infusior Nassula ornata, Ehrbg.] Citologia, Moscow-Leningrad 2: 589-601, figs. [In Russian.]

Ramisz, A. [Blood parasites of Passeres from Wrocław and its environment.] Wiad. Parazyt. Wrocław 6: 505-517, figs. [English summary.]

Ramo Rao, L. Recent contributions to our knowledge of the Cretaceous rocks in South India. Indian Acad. Sci. Proc. sect. B, 44 1956: 185–245, figs.

Ramos, C. see Apt, W.

Ramos, I. see Soorza, J. V.

Ramovš, A. Die Entwicklung des Oberperms in Loka-und Polhovgradechügel (W. Slowenien, N. W. Jugoslavien). Razpr. Akad. Ljubljana (4) 4 1958: 451-622, figs.

Rampal, C. see Aldighieri, J.

Ramseyer, R. Geologie des Wistenlacherberges (Mont Vully) und der Umgebung von Murten (K. T. Freiburg). Eclog. geol. Helv. 45 1952 (1953) (2): 165-217, figs.

Randall, J. T. & Jackson, S. F. Fine structure and function in Stentor polymorphus. J. biophys & biochem. Cytol. 4 1958: 807-830, figs.

Raper, K. B. Levels of cellular interaction in amoeboid populations. Proc. Amer. phil. Soc. 104: 579-604, figs.

Rasmussen, L. & Zeuthen, E. Inibition of cell division with p-fluorophenylcalanine in *Tetrahymena pyriformis*. Acta Univ. Lund., N. F. Avd. 2, 56 (No. 15): 53.

Rat, P. (1). Observations sur les faciés et les microfaunes du Maestrichtien au N. de Bilbao (Espagne). C.R. Soc. géol. Fr. 1953 : 103-104.

Rat, P. (2). Sur la découverte de calcaires pseudooolithiques à Nubéculaires dans le Bajocien de Bourgogne. C.R. Soc. géol. Fr. 1953 : 228–230.

Ratnayake, W. E. The chemical composition of gregarine hard-parts. J. Parasit. 46: 22.

Rauzer-Tchernoussova, D. M. Sur l'ontogénèse chez les Fusulinidés (Foraminifères). Bull. Soc. géol. Fr. (7), 1, 7: 658-661.

Ray, C. The application of Bergmann's and Allen's rules to the poikilotherms. J. Morph. 106 85–108, figs.

Med R stra diur

[]

R

Sci.

B

stra diur R

R

qua histe Ame

Styl

Enterois mye

Inhe J. I R The tion 211-

> in I zona Pale

wat 328 R Dar de

de

(194

B stat

Gul Sea

Mie

an

n.

gs.

ria uk

the

ula

2:

om

yt.

ian

W.

ges ten

53)

ure

&

in

oc.

pell

ena

56

les

bao

do-

de

of

èse éol.

n's

08,

Ray, H. N. Exo-erythrocytic schizogony of a malaria parasite in the Himalayan flying squirrel, Petaurista inornatus (Geoffroy). Proc. nat. Inst. Sci. India 26B (Suppl.), 1-5, figs.

Ray H. N. & Aajra, B. Immersion refractometry of Plasmodium berghei. Bull. Calcutta Sch. trop. Med. 8: 158-160, figs.

Ray, H. N. & Malhotra, M. N. Akinetoplastic strain of *Trypanosoma evansi* produced by 'Prothidium'. Nature, Lond. 188: 870.

Ray, H. N. see Hajra, B.

Read, C. P. see Honigberg, B. M.

Reardon, L. V. see Newton, W. L.

Reber, E. F. see Mehra, K. N.

Rebman, C. A. see Brawerman, G.

Reed, B. L. & Lilley, D. M. Strain differences in Stylonychia. Anat. Rec. 134 1959: 627-628.

Rees, C. W., Key, I. D. & Shaffer, J. G. Some quantitative data on the growth of *Entamoeba histolytica* from single-cell isolations in microcultures. Amer. J. trop. Med. Hyg. 9: 162-167, figs.

Reeves, R. E. & Frye, W. W. Cultivation of Entamoeba histolytica with penicillin-inhibited Bacteroides symbiosus cells. III. The effects of streptomycin. J. Parasit. 46: 187-194, figs.

Reeves, R. E., Latour, N. G. & Frye, W. W. The cultivation of *Entamocha histolytica* with penicillininhabited cells of *Bacteroides symbiosus*. IV. Amer. J. Hyg. 71: 212-217.

Reeves, R. E., Schweinfurth, D. I. & Frye, W. W. The cultivation of *Entamoeba histolytica* with radiation-inactivated bacterial cells. Amer. J. Hyg. 72: 211-217.

Reggiori, G. Studi stratigrafici sul sistema cretaces in Italia. Nota II. Gli affioramenti cretacei della zona nord-occidentale del lago di Varese. Riv. Ital. Paleont. 64 1958: 27-44, figs.

Rehácková, U. Hydrobiology of the Klicava water basin. Mém. Soc. zool. tchécosl. 23 1959 : 328-346, figs.

Reichel, M. Remarques sur les Globigerines du Danien de Faxe (Danemark) et sur celles des couches de passage du Crétacé au Tertiire dans la Scaglia de l'Apennin. Eclog. geol. Helvet. 45 (2) 1952 (1953): 341-349, figs.

Reichel, M., see Papastamatiou, J.

Reid, W. M. The relationship between coccidiostats and poultry flock immunity in coccidiosis control programs. Poultry Sci. 39: 1431-1437.

Reiss, Z. (1). Notes on Foraminifera from the Gulf of Eylath, Ras Muhamed and Tiran. Bull. Sea Fish Res. Sta. Israel No. 20 1959: 1-3.

Reiss, Z. (2). Note sur Pseudolituonella. Rev. Micropaléont. 2 2 1959: 95-98, figs.

Reiss, Z. (3). The wall-structure of Cibicides, Planulina, Gyroidinoides, and Globorotalites. Micropaleontology 5 3 1959: 355-357, fig.

Reiss, Z. (4). News-Israel. Micropaleontology 5 1959: 139-141.

Reiter, M. Seasonal variations in intertidal foraminifera of Santa Monica Bay, California. J. Paleont. 33 (4) 1959: 606-630, figs.

Reitler, R. see Bergmann, F.

Reitlinger, E. A. Limits of Lower Carboniferous in stratigraphic diagram of the USSR [Foraminifera]. Rept. 4th. Inter. Congr. Carb. Strat. & Geology, Heerlen 1958 memeo, 1-25.

Remington, J. S. see Jacobs, L.

Renaud, P. see Mugard, H.

Rene, A. see Lee, J. W.

Renz, K. & Mitzopoulos, M. K. Découverte de Nummulite aux environs du lac Hyliki en Béotic. Prakt. Akad. Athens 23 1949 : 231-235.

Restrepo, M. see Botero, D.

Rex. R. W. see Hamilton, E. L.

Reyes, H. see Thiermann, E.

Reyes, O. see Convit, J.

Reyes, R. P. & Gómez, E. S. Euglenae del Valle de Mexico. III. Euglena tornata sp. nov. Acta zool. Mexicana 4: 1-6, figs.

Ribeiro, A. M. & Barbosa, F. S. Considerações a propósito do primeira caso de isosporose humana em Pernambuco. An. Soc. biol. Pernambuco 15 1957: 63-67, fig. [English summary.]

Ricci, M. Notizie sul parassitismo intestinale nella popolazio nescolara di Rofrano. Parassitologia 2 283–286.

Rice, M. M. & Lilley, D. M. The growth of Stylonychia on heat-killed food organisms. J. Protozool. 7 (Suppl.) 24.

Rice, N. E. Hydramoeba hydroxena (Entz), a parasite on the freshwater medusa Craspedacusta sowerbit Lankester, and its pathogenicity for Hydra cauliculata Hyman. J. Protoxool. 7: 151-156.

Richart, R. see Benirschke, K.

Richter, B. see Simič, C.

Rieger, H. Zur Frage der Toxoplasmosebehandlung. Z. Tropenmed. u. Parasit. 11: 298–305. [English summary.]

Rigassi, D. (1). Nummulite monstreuse du Vicentin. Arch. Sci. Genève 11 3 1958 : 396–398, figs.

Rigassi, D. (2). Foramifères des "Grès des Voirons". Arch. Sci. Genève 11 3 1958 : 398-400.

Rigby, J. K. see Newell, N. D.

Riggs, E. A. see Thompson, M. L.

Rigo de Righi, F. Olistostromi neogenici en Sicilia. Boll. Soc. geol. Ital. 75 1956 : 185-215, figs.

Riedel, W. R. (1). Radiolaria in Antaretic Sediments. Rep. B.A.N.Z. Antaret. Exped. 1929-31, **6B** 10 1958: 219-255, figs.

Riedel, W. R. (2). Oligocene and Lower Miocene Radiolaria in tropical Pacific sediments. Micropaleontology 5 3 1959: 285–302, figs.

Riley, M. V. & Deegan, T. The effect of *Plasmodium berghei* malaria on mouse-liver mitochondria. Biochem. J. **76** 41-46, figs.

Rinaldi, R. A., see Jahn, T. L.

Ringuelet, R. A. Nuevos Folliculinidos Antarticos (Ciliata Heterotrichia). Notas Mus. La Plata 19 1959 : 211–222, figs.

Ripert, C. see Pautrizel, R.

Ristic, M. (1). Structural characterization of Anaplasma marginale. J. Amer. vet. med. Ass. 136: 417-425, figs.

Ristic, M. (2). Studies of anaplasmosis. 1. Filtration of the causative agent. Amer. J. vet. Res. 21: 890-894, figs.

Ristic, M. & White, F. H. Detection of an Anaplasma marginae antibody complex formed in vivo. Science 131: 987-988, figs.

Ritchie, L. S., Lin, S., Moon, A. P., Frick, L. P., Williams, J. E., Asakura, S. & Hishinuma, Y. The possible effects of pH and specific gravity on the ether-sedimentation procedure in concentrating eggs and cysts. Amer. J. trop. Med. Hyg. 9: 444-449.

Rivoirard, R. A propos des nappes de glissement et des failles de la région de Tablat (Dep. d'Alger). C.R. Soc. géol. France No. 9, 1956 : 124-127, figs.

Rivoirard, R. & Sigal, J. Observations géologiques dans l'Atlas tellien prés de Tablat (Department d'Alger). Bull. Soc. Hist. Nat. Afrique du Nord 45 1954: 254–265, figs.

Roberts, T. G. see Newell, N. D.

Robin, L. A. & Fondimare. Un cas de coccidiose intestinale humaine a *Isospora belli* (Wenyon, 1923) Bull. Soc. Path. exot. **53**: 35–38.

Robinson, F. M. & Rucker, F. P. & Bergquest, H. R. Sequence of Mesozoic rocks in Alaska. Two subsurface formations of early Cretaceous age. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 223–233, figs.

Roch, E. see Varela, G.

Rodgi, S. S. & Ball, G. H. Some gregarines from millipedes of Mysore State, India. J. Protozool. 7 (Suppl.) 12.

Rodriguez Torres, A. see Covaleda Ortega, J.

Roever-Bonnet, H. de. Influence of a few fluid media on *Toxoplasma* parasites. Trop. geogr. Med. 12: 71-81, figs.

Rollet, M. Etude de deux coupes de l'Argovien à Besançon et à Fertans. Ann. Sci. Univ. Besançon (2) Geol. No. 9 1959 : 79-96., figs.

Romero, J. see Medina, R.

Ronkin, R. R. and Buretz, K. M. Sodium and potassium in normal and paralysed *Chlamydomonas*. J. Protozool. 7: 109-114, figs.

Rosen, M. N. see Christensen, J. F.

Rosický, B. Resultats des recherches faites par l'expedition parasitologique de l'Académie des Sciences Tchecoslovaque en Albanie. Česk. Parasit. 7: 5-16.

Ross, C. A. The Wolfcamp series (Permian) and new species of fusulinids, Glass Mountains, Texas. J. Wash. Acad. Sci. **49** 9 1959: 299–316, figs.

Rossan, R. N. Serum proteins of animals infected with *Leishmania donovani*, with special reference to electrophoretic patterns. Exper. Parasit. 9: 302-333, figs.

Rossan, R. N. see Lincicome, D. R.

Rossi, D. see Cita, M. B.

Rossman, D. A., Protozoan fauna of a limestone sinkhole in North-Central Florida. Quart. J. Fla. Acad. Sci. 22 2 1959: 121-124.

Rostirolla, M. see Corradetti, A.

Roth, J. S., Henry, E. and Wiercinski, C. Further studies on the biochemical effects of X-radiation on Tetrahymena pyriformis. Biol. Bull. 119: 337.

Roth, L. E., Electron microscopy of pinocytosis and food vacuoles in *Pelomyxa*. J. Protozool. 7: 176-185, figs.

Roth, L. E. and Daniels, W. E. Infective organisms in the cytoplasm of *Amoeba proteus*. J. Protozool. 7 (Suppl.) 10.

Roth, L. E., Obetz, S. W. and Daniels, E. W. Electron microscopic studies of mitosis in amebae. I. Amoeba proteus. J. biophys. biochem. Cytol. 8: 207-220, figs.

Roth, Z. see Matejka, A.

Rothwell, W. J. Age or biofacies correlation in petroleum geology. J. Sedim. Petrol. 23 1953: 129. [Abstract.]

Roubichon, N. Étude micrographique du Crétacé supérieur sur la bordure Nord du Massif du Vercors. Trav. Lab. Géol. Univ. Grenoble 33, 1957 : 157–206, figs.

Rousset, J. J. see Lapierre, J.

Routhier, P. Sur la structure autochthone de la Balagne (Corse). C.R. Soc. géol. France No. 3, 1956: 26-29, figs.

de Nu Micro Ro

[196

Ro

Trype 30–37

Intraand 24-20

Ru 13° 0 1956

Ru

Ru

Ru the t

Ru 1941 figs.

Ru Ru in th

Strat

Pare Re surfa Lone

Amo J. P

Neu Aar Osta 195

Bi Soie

8

luid

ogr.

çon

and

uas.

par

des

ıra-

and

cas.

in.

cial

TR-

Fla.

her

osis

7:

or-

W.

080.

8:

in 29.

acé

ors.

206,

la No. Rouvillois, A., Le Thanétien du Bassin de Paris. (Étude hydrogéologique et micropaléontologique.) Mém. Mus. Hist. nat. Paris N.S. 8C: 1-155, figs.

Roveda, V. Nummulites retiatus, nouvelle espèce de Nummulite réticulée des Abruzzes. (Italie.) Rev. Micropaléont. 1 4 1959 : 201–207, fig.

Roy, N. see Chaudhuri, R. N.

Rowenoft, A. see Healey, P.

Rubio, M. & Knierim, F. Estudio serológico en hansters o cricetos (Cricetus auratus) inoculados con Trypanosoma cruzi. Biologica, Santiago No. 29: 30-37. [English summary.]

Rucker, F. P. see Robinson, F. M.

Rudzinska, M. A., Bray, R. S. & Trager, W. Intracellular phagotrophy in *Plasmodium falciparum* and *Plasmodium gonderi*. J. Protozool. 7 (Suppl.) 24-25.

Rudzinska, M. A. & Trager, W. The fine structure of Babesia rodhaini. J. Protozool. 7 (Suppl.) 11.

Ruegg, W. Geologie zwischen Canete-San Juan, 13° 00'-15° 24', Süd-Peru. Geol. Rundschau 45 1956: 775-858, figs.

Ruggieri, G. L'arrivo delle argille scagliose sul margine padano dell' Appennino. Boll. Soc. geol. Ital. 75 1956: 41–48.

Ruiz, A. (1). Tritrichomonas batrachorum from the toads Bufo luetkens and B. marsnus. J. Parasit. 46 (Suppl.) 8.

Ruiz, A. (2). Entamoeba moshkovskii Tshalaia 1941 en Costa Rica. Rev. Biol. trop. 8: 253-261, figs.

Ruscelli, M. Rettifica di nomenclatura di foraminiferi per ononimia. Riv. Ital Paleont. e Strat. 60 1954: 257.

Ruscelli, M. A. see Cita M. B.

Russell, P. F. Daniel Drake. Outstanding pioneer in the epidemiology of malaria in America. Riv. Parassit. 20 1959: 371–378.

Rustad, R. C. (1). Molecular orientation at the surface of Amoebae during pinocytosis. Nature, Lond. 183 1959: 1058-1059. fig.

Rustad, R. C. (2). Preparation of binucleate Amocha proteus by low-temperature treatment. J. Protezool. 7 (Suppl.) 25.

Rutsch, R. F., Drooger, C. W. & Oertli, H. J. Neue Helvétien-Faunen aus der Molasse zwischen Aare und Emme (Kt. Bern) (Foraminifera, Mollusca, Ostracoda). Mitt. naturf. Ges. Bern N.S. 16 1958: 1-36, figs.

Ryšarý, B. see Erhardová, B.

Sager, R. Genetic systems in Chlamydomonas. Science 132: 1459-1465, figs.

Saha, T. K. see Chaudhuri, R. N.

Said, R. & Barakat, M. G. Foraminifera from subsurface Jurassic rocks of Wadia El-Natroun, Egypt. Proc. Egypt. Acad. Sci. 13 1959: 44–49, figs.

Said, R. & Basiouni, M. A. Calabrian microfossils from Kom El Shellul, Giza. Egyptian J. geol. 2 1958: 147–178, figs.

Saito, M. The genus Euglena from Tokyo and its vicinity. Jap. J. Limnol. 14 2 1949: 74-80, figs.

Sajewicz, J. [The problem of intestinal parasites in population of the North-eastern parts of Poland.] Wiad. Parazyt. 6: 71-75. [English summary.]

Sakagami, S. see Kanuma, M.

Sakaguchi, S. Permian system in southern part of Tamba district, Japan. J. Geol. Soc. Japan 62 1956: p. 364. [Abstract in Japanese.]

Saljaev, V. A. & Sustrov, A. K. [Biology of toxoplasms and their preservation in vitro.] Trudy Inst. Zool. Akad. Nauk Kazakh. S.S.R. 12: 73-74. [In Russian.]

Sakamoto, H. see Inoki, S.

Salinesi, T. M. see Buttner, A.

Sameck, E. see Huddleston, M. S.

Samuels, R. & Stouder, D. J. Experiments with trichomonads grown as colonies in agar plates. J. Protozool. 7 (Suppl.) 6.

Samuels, R. see Chun-Hoon, H.

Samuels, R. see Lee, J. J.

Sandor, G. see Fromentin, G.

Sang, H. T. see Galliard, H.

Santos Pintos, J. dos. Contribuição para o estudo do zooplâncton marinha da Guiné Portuguesa. Bol. cult. Guiné portug. 8 1953 : 1–16, figs.

Santos Pintos, J. dos. see Sousa e Silva, E. de.

Santy, L. see Thompson, J. C., Jr.

Sarjeant, W. A. S. Microplankton from the Cornbrash of Yorkshire. Geol. Mag. 96 5 1959; 329–346, fig.

Sargent, J. R. see Grant, P. T.

Sasson, A. see Gayral, P.

Sassuchin, D. N. (1). [Some problems of toxoplasmosis. Trudy Inst. Zool. Akad. Nauk Kazakh, S.S.R. 12:64-72. [In Russian.]

Sassuchin, D. N. (2). [Biology of toxoplasms.] J. Microbiol. Epidemiol. Immunobiol. No. 10: 81–84. [In Russian.]

Sassuchin, D. N. (3). [Outline of development of medical parasitology in our country.] Trudy Sci. Conf. of Parasitologists of Ukrainian S.S.R. 1956: 123-126. [In Russian.]

Sassuchin, D. N. (4). [Some results of the study of the toxoplasmosis in U.S.S.R.] Česk. Parasit. 5 1958: 217-221. [In Russian.] Sassuchin, D. N., Shevkunova, E. A. & Karulin, B. E. (Parasite resembling toxoplasms in the brain of bank voles.) Doklady Akad. Nauk SSSR 122 1958: 1129-1131, fig.

Sassuchin, D. N. see Plotnikov, N. N.

Sastri, V. V. see Jacob, K.

Sastry, C. A. see Pillar, S. C.

Sato, H. & Saito, M. Morphological studies on the macronuclear structure of *Paramecium caudatum* I. Macronuclear constituents in interphase. Zool. Mag., Tokyo 67 1958: 249-258. figs.

Sato, M. see Morikawa, R.

Sato, T. see Kanuma, M.

Satoh, K. see Huzisige, H.

Saunders, D. C. A survey of the blood parasites in the fishes of the Red Sea. Trans. Amer. micr. Soc. 79: 239-252. figs.

Sauro, A. see Huddleston, M. S.

Sautet, J. see Payan, H.

Savin, Z. see Simitch, T.

Sawada, N. A study on the frequency of the contractile vacuole in *Paramecium* by means of microinjection method. Mem. Ehime Univ. 3 1959: 229-233.

Sawai, K. Deposits of the Foraminiferal tests in the Kü Strait, Japan. Mem. Coll. Sci. Kyoto Univ. 24B 4 1958: 325-334, figs.

Saxe, L. H., Levine, N. D. & Ivens, V. New species of coccidia from the meadow mouse, *Microtus pennsylvanicus*. J. Protozool. 7: 61-63, figs.

Saxena, U. & Singh, B. N. Chemotherapeutic action of some compounds related to emetine and conessine and quinazolones and hydroxeyquinolines in amoebiasis of rat. J. sci. industr. Res. 190 12: 293-295.

Sayin, F. see Mimioğlu, M.

Sayka, V. E. & Cheissin, E. M. [Karpfencoccidiose in der Teichwirtschaft Valdai.] Bull. Inst. freshw. Fish., Leningr. 49 1959: 217-221. [German summary.]

Scanga, M. see Corradetti, A.

Schaeffer, A. A. Transformation of the large multinucleate ameba, Chaos chaos Linn. 1767, into the common uninucleate ameba, Chaos diffuens. Mueller 1786. Anat. Rec. 132 1958: 502-503.

Schaub, H. see Hottinger, L.

Scheibuer, E. On the occurrence of the so-called "Globigerine-Radiolarian" beds in the Kysuca evolution of the Pieniny Serie in the interior Klipper belt in West Karpaty. Geol. Sborn. Slovensk. Akad. 9 1958: 182–187, figs.

Scheibner, V. The species Globotruncana heluctics Bolli at Kysuca Evolution of Pieniny Serie of the interior Klipper belt from West Karpaty. Geel. Sborn. Slovensk. Akad. 9 1958: 188-194, figs.

Scheibnerova, V. Nález mikrofauny v liase bradlového pisma okoli Zazrivej. Geol. Sborn. Slovensk. Akad. 10 2 1959 : 335–336.

Schensted, I. V. Model of subnuclear segregation in the macronucleus of ciliates. Amer. Nat. 92 1958: 161-170, fig.

Scher, B. see Scher, S.

Scher, S. & Scher, B. Lytic resistance of algal cells; a comparative study of *Euglena* and *Chlorella*. J. Protozool. 7 (Suppl.) 25.

Scher, S. see Aaronson, S.

Scherb, K. Zur Biologie des belebten Schlammes. Münch. Beitr. Abwass.-Fisch. u. Flussbiol. 5 1958: 86-140, figs.

Scherbaum, O. H. (1) Possible sites of metabolic control during the induction of synchronous cell division. Ann. N.Y. Acad. Sci. 90: 565-579, figs.

Scherbaum, O. H. (2). Synchronous division of microorganisms. Annu. Rev. Microbiol. 14: 283-310, figs.

Scherbaum, O. H. & Louderback, A. L. Incorporation of tritiated thymidine into heat-treated Tetrahymena. J. Protozool. 7 (Suppl.) 25.

Scherbaum, O. H., Louderback, A. L. & Brown, A. Soluble sulphydryls in growing and synchronously dividing Tetrahymena. J. Protozool. 7 (Suppl.) 25.

Schift, J. A. see Stern, A. J.

Schindewolf, O. H. Tektonische Triebkräfte der Lebensentwicklung? Geol. Rundschau 45 1956: 1-17. figs.

Schlanger, S. O. see Forman, M. J.

Schlüter, W. Eine einfache Methode zur Darstellung der Nahrungsvakuolen von Colpidium campylum in Dauerpräparaten. Mikrokosmos 47 1958: 193-195, fig.

Schmidt, H. Die Lebensgemeinschaft Termiten und Mikroorganismen. Umschau 60: 261-263, figs.

Schmidtke, L. & Möbest, H. Beitrag zur serologischen Diagnostik der Toxoplasmose. Zbl. Bakt. I. Abt. Orig., 179: 141-147.

Schneider, C. R. Radiosensitivity of Entanocha histolytica cysts. Exper. Parasit. 9: 87-91, fig.

Schneider, C. R. & Porter, R. J. Gamma ray effects on trophozoites of *Entamoeba histylotica*. Exper. Parasit. 9: 83–86, figs.

Schneider, H. see Shaffer, J. G.

Schneider, L. (1). Die Feinstruktur des Nephridialplasmas von Paramaecium. Zool. Anz. (Suppl.) 23 [Verh. dtsch. zool. Ges. 1959]: 457-470, figs.

Se Se Eoo

[1

der

meci

meci

M. .

and

Fraz Se des

74-

Par von hess

> mar So John

von

Sedi geol sum

8

amo Illin S I. D

Abt Spa Spa Par figs

\$ from 294

whi Whi

rap Che troj Schneider, L. (2). Die Auflösung und Neubildung der Zellmembran bei der Konjugation von Paramecium. Naturwissenschaften 47: 543-544, fig.

Schneider, L. (3). Elektronmikroskopische Untersuchungen über das Nephridialsystem von Paramecium. J. Protozool. 7: 75-90, figs.

Schneiderman, H. A., Gilbert, L. I. & Weinstein, M. J. Juvenile hormone activity in microorganisms and plants. Nature, Lond. 188: 1041-1042.

Schnieden, H. see Allen, D.

Schnieden, H. see Keeler, R.

Schoeller, H. Les limites septentrionales de l'-Eccène du bassin d'Aquitaine. Bull. Soc. géol. France ser. 6 6 1956 : 211-219, figs.

Schalekova, A. & Bystricka, H. Die Entwicklung des Paläogens in der kleinen Donauebene. Geol. Sborn., Slovensk. Akad. Vied., Bratislava 7 1956: 74-79. [Czechoslovaçkian: German summary.]

Schoop, G. & Lamina, J. Die Probleme des Parasitenbefalls beim Haushuhr dargestellt anhand von 10 jährigen Untersuchungen im Raume Lüdhessen. Vet. med. Nachr. No. 3: 139-156, figs.

Schulemann, W. & Wurmbach, H. Die Färbung von Protozoen un Schnittpräparat. Riv. Parassit. 20 1959: 379–387, figs. [Italian, English summaries.]

Schultes, L. see Natt, M. P.

Schussnig, B. & Grell, K. G. Glückwimsch für Johannes Buder. Arch. Protistenk. 104: I-IV, fig.

Schütznerova-Havelková, V. Vyskyt miocennich sedimentů u Lažánek v Moravském krasu. Vestra. geol. Úst. ésl., 33 3 1958 : 208–211, figs. [German summary.]

Schwabe, C. W. see Daoud, K. A.

Schwalb, H. & Collinson, C. Species variations among arenaceous Silurian Foraminifera from Illinois. J. Paleont. 30 1956: p. 1011. [Abstract.]

Schwalbach, G. Die Coccidiose der Singvögel. I. Der Ausscheidungsrkythmus der Isospora Occysten beim Haussperling (*Passer domesticus*). Zbl. Bakt. I. Abt. Orig. 178: 263–276, figs. [English, French, Spanish and Russian summaries.]

Schwartz, V. Chromosomen in Makronucleus von Paramecium bursaria. Biol. Zbl. 77 1958: 347-364, figs.

Schweinfurth, D. I., see Reeves, R. E.

Schwinck, J. Isolation of deoxyribonucleic acid from Chlamydomonas reinhardi. J. Protozool. 7: 294-297.

Schwinck, T. M. The effect of anti-erythrocytic antibodies upon Plasmodium berghei infections in white mice. Amer. J. trop. Med. Hyg. 9: 293-296.

Scorza, J. V., Alvarez, A., Ramos, I., Dagert, C., Vásquez, A. D. & Torrealba, J. F. Nuevo metodo rapido para el diagnostico de la enfermedad de Chagas en su fase cronica. Arch. venezol. Patol. trop. 3 1959: 121-135. [English summary.] Scott, D. A recent series of outbreaks of human trypanosomiasis in Northern Ghana (1957-9). Publ. Inter. sci. Comm. Trypanosomiasis Res. No. 62: 45-64, figs.

Scott, G. H. Distribution of populations of fossil foraminifera. N.Z. J. Geol. Geophys. 1 3 1958: 474-484.

Seaman, G. R. Large-scale isolation of kinetosomes from the ciliated protozoan *Tetrahymena pyriformis*. Exper. Cell Res. 21: 292–302, figs.

Seamer, J. Studies with Eperythrozoon parvum Splitter, 1950. Parasitology 50: 67-80, fig.

Sebestyén, O. (1) The ecological niche of Ceratium hirundinella in the plankton community and in lacustrine life in general. Ann. Inst. biol. (Tihany) hung. Acad. Sci. 26 1959: 265-267, 1 fig. [Hungarian: English, etc. summaries.]

Sebestyén, O. (2). Cönotische Beziehungen im Plankton des offenen Wassers. Eine auf Grund der Balaton-Forschung verfertigte studie. Ann. Inst. biol. (Tihany) hung. Acad. Sci. 26 1959: 276–315. [Hungarian: German summary.]

Seghetti, L. see Marquardt, W. C.

Seidlitz, P. see Werner, H.

Seiglie, G. A. Una nueva especie de Heterochelicidae del Cretácico Superior de Cuba. Mem. Soc. cubana Hist. nat. 24 2 : 121-124, figs.

Sekariah, P. C. see Pande, P. G.

Selim, M. K. see Haiba, M. H.

Sen, A. B., Sharma, S. K. & Hawking, F. Chemotherapeutic reactions of an Indian strain of *Trypanosoma evansi* in rats. J. sci. industr. Res. 19C 10: 238-241.

Sen, A. B. see Hawking, F.

Senger, C. M. see Marquardt, W. C.

Seravin, L. N. (1). Changes of resistance of Paramecium caudatum in the course of adaptation to CaCl, NaCl and KCl. Dokl. Akad. Nauk SSSR (Transl.) Biol. Sei: 121, 1958: 563-565, fig.

Seravin, L. N. (2). To the criticism of the osmoregulatory theory of water balance in Protozoa. Vestn. leningr. Univ. No. 3 Biol. No. 1, 1958: 77-95, figs. [Russian: English summary.]

Sergent, E. (1). Infection latente et prémunition dans le paludisme des passereaux à *Plasmodium relictum*. Riv. Parassit. **20**: 389-395. [Italian: English summaries.]

Sergent, E. (2). Infection latent et prémunition dans le paludisme des passereaux à Plasmodium relictum. Arch. Inst. Pasteur, Alger 38: 1-6.

Seshachar, B. R. Effect of centrifugation on the macronucleus of Spirostomum and Blepharisma. Nature, Lond. 186: 333-334, figs.

cell gs. of 183-

ora-

tra-

1

the

cel.

iaso

orn.

ion

92

ella.

005

58:

olie

, A. usly 25.

stel-

93-

: 1-

iten figs.

t. I. oeba

ray tica.

ohriopl.) Shaffer, J. G. & Key, I. The ingestion of bacteria and of altered bacterial structures of *Entamocba histolytica* in Shaffer-Frye and in modified Shaffer-Frye media. Amer. J. trop. Med. Hyg. 9: 175-179, figs.

Shaffer, J. G. & Shlaes, W. H. Some biological considerations in amebiasis. Chicago med. Sch. Quart. 19 1958: 145-150.

Shaffer, J. G., Shlaes, W. H., Steigmann, F., Conner, P., Stahl, A. & Schneider, H. Small race Entamoeba histolytica. Gastroenterology 34 1958: 981-995, figs.

Shaffer, J. G. see Rees, C. W.

Shakhnazarova, I. E. [Changed physico-chemical conditions in the caecum of rabbits in experimental amebiasis]. Med. Parazit. 29: 447–450. [Russian: English summary.]

Shapiro, M. M. The therapeutic efficiency of a new amoebicide among prison inmates. Trans. roy. Soc. trop. Med. Hyg. 54: 564-573.

Sharma, R. S. On the Nerinea beds of the Pondicherry Cretaceous of South India. Current Sci. 23 1954: 119-120.

Sharma, S. K. see Sen, A. B.

Shaw, R. F. Antigenic relations among stocks of Tetrahymena vorax and Tetrahymena paravorax. J. Protozool. 7 (Suppl.) 14.

Shaver, R. H. see Thompson, M. L.

Shekhanov, M. B. & Suvorova, L. G. [Natural fooi of cutaneous leishmaniasis in the South-west of Turkmenistan.] Med. Parazit. Mosk. 29: 524–528. [Russian: English summary.]

Sheng, J. C. (1). Permian fusulinids from the Liangshan, Hanchung, southern Shensi. Acta palaeont. Sinica 4 1956: 199–221, figs.

Sheng, J. C. (2). Some Upper Carboniferous fusulinids from the vicinity of Beiyin Obo, Inner Mongolia. Acta palaeont. Sinica 6 1 1958: 35–50. figs. [Chinese: English summary.]

Sheng, J. C. (3). Fusulinids from the Penchi Series of the Taitzeho Valley, Liaoning. Palaeont. Sinica B7 1958: 1-119, figs.

Sheng, J. C. (4). Some fusulinids from the Maokon limestone of Chinghai Province, North-western China. Acta palaeont. Sinica 6 3 1958: 268-292, figs. [In Chinese and English.]

Sheng, J. C. & Chang, L. H. Fusulinids from the type-locality of the Changhsing limestone. Acta palaeont. Sinica 6 2 1958: 205-214, fig. [Chinese and English.]

Shenton, E. H. A study of the foraminifera and sediments of Matagorda Bay, Texas. Trans. Gulf Coast Assoc. geol. Socs. 7 1957: 135–150, figs.

Shepard, F. P. Marginal sediments of Mississippi Delta. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 2537–2623, figs. Sheppard, C. G. see Kimball, A. C.

Sherman, I. W., & Hull, R. W. (1). Serum alterations in avian malaria. J. Protozool. 7: 171-176, figs.

Sherman, I. W. & Hull, R. W. (2). The pigment (hemozoin) and proteins of the avian malaria parasite Plasmodium lophurae. J. Protozool. 7: 409-416, figs.

Sherman, I. W. & Hull, R. W. (3). Viable erythrocyte-free avian plasmodia. J. Protozool. 7 (Suppl.) 25–26.

Sherman, I. W. & Hull, R. W. (4). Observations on the host hemoglobin during *Plasmodium lophwas* infections in chicks. J. Parasit. 46: 756-767, fig.

Shigematsu, A. Studies on the metabolism of nucleic acids in Paramecium caudatum during the interphase. Zool. Mag., Tokyo 69: 217-222, figs.

Shiki, T. see Nakazawa, K.

Shimizu, D. see Nakazawa, K.

Shilo, M. & Bosenberger, R. F. Studies on the toxic principles formed by the chrysomonad *Prymnesium parvum* Carter. Ann. N.Y. Acad. Sci. 90: 866-876, figs.

Shlaes, W. H. see Shaffer, J. G.

Shorb, M. S. see Lund, P. G.

Shukla, R. R. see Pande, P. G.

Shuman, L. M. see Kimball, A. C.

Shumway, G. A. Rafted pebbles from the deep ocean off Baja California. J. Sedim. Petrol. 23: 1953 24-33, figs.

Shuster, C. N. Jr. On the ecology of estuarine zooparasites. Trans. N.Y. Acad. Sci (2) 23: 133-137.

Shustrov, A. K. see Salyaev, V. A.

Shute, P. G. & Maryon, M. (1). 1. Films showing Plasmodium falciparum and P, malariae parasites as the result of a blood transfusion. 2. Film showing P. falciparum malaria parasites in a Nigerian boxer who died in the ring following a knockout. Trans. roy. Soc. trop. Med. Hyg. 54: 294.

Shute, P. G. & Maryon, M. (2). A satisfactory technique for storing and staining malaria and other parasites in old blood films. Trans. roy. Soc. trop. Med. Hyg. 54: 415-419, figs.

Sibalic, D. [Contribution a la connaissance de la biologie des Protozoaires parasites en dehors de l'organisme de l'hôte.] Acta Vet., Belgrade 10: 93-100. [Russian: French summary.]

Sido, M. (1). Les foraminifères de la couche que recouvre le corps manganésifère d'Urkut. Foldt. Kozl. 82 1952 : 386–396, figs. [Hungarian: Russian and French summaries, p. 396.]

Sido, M. (2). Karreria fallax Rzh. Foldt. Kozl. 82 1952 : 413-415, figs. Matt Bund Sie bei I Reich

[19

Sid

SSR

sansi

Sie

Sie

Sie Para 252.

Sie

meci

Sie

Sig africa et li 1955

Reici Reici Sig africa et de

Les g voco palée Si

Si Si Si

Si Mik pari 24 :

test.

Si Mio min Si

men do l figs. 6,

ae

17.

ng

88

ng

ns.

de

0 :

ue lt.

m:

zl.

Sidozov, E. J. [Parasites of fishes of central Kazakhstan.] Trudy Inst. Zool. Akad. Nauk Kazakh. SSR 14:88. [In Russian.]

Sieber, R. (1). Die Tortonfauna von Mattersburg und Forchtenau (Burgenland). Verh. Geol. Bundesanst. Wien 1956: 236–249.

. Sieber, R. (2). Bericht 1955 über palaontologischstratigraphische. Untersuchungen im Tertiär von Mattersburg und Ritzing (Burgenland). Verh. Geol. Bundesanst. Wien 1956: 119–120.

Sieber, R. (3). Die Tortonfauna von Steinabrunn bei Drasenhofen (Bez. Mistelbach, N-Ö). Verh. geol. ReichsAnst. (St. Anst.) Wien **1958** 2: 142–155.

Siegel, R. W. (1). An intratertile colony of Parametium bursaria. Amer. Nat. 92 1958: 253-254.

Siegel, R. W. (2). Hereditary endosymbiosis in Paramecium bursaria. Exper. Cell Res. 19: 239-252

Siegel, R. W. & Karakashian, S. J. Dissociation and restoration of endocellular symbiosis in *Para*mecium bursaria, Anat. Rec. 134 1959; 639.

Siegel, S., see Frank, O.

Sigal, J. (1). Notes micropaléontologiques woodafricaines. 1. Du Cénomanien au Sautonien: zones et limites en facies pélagique. C.R. Soc. géol. Fr. 1955: 157-160.

Sigal J. (2). Notes micropaléontologiques nordafricaines. 2. Sur l'extension du genre *Ticinella* Reichel 1949. C.R. Soc. géol. Fr. 1955: 225–226.

Sigal, J. (3). Notes micropaléontologiques nordafricaines. 3. Rosalines à une carène du Cenomanien et de Senonien inferieure. C.R. Soc. géol. Fr. **1955**: 225–227.

Sigal, J. (4). Notes micropaléontologiques alpines. Les genres Schackeina et Leupoldina dans le Gargasien vocontien. Étude de morphogénèse. Rev. micropaléont. 2 2 1959 : 68-79, figs.

Sigai, J. see Bolze, J.

Sigal, J. see Fallot, P.

Sigal, J. see Lavocat, R.

Sigal, J. see Rivoirard, R.

Siim, J. C. & Lind, K. A Toxoplasma flocculation test. Acta Path. Microbiol. scand. 50: 445-446.

Sikorski, R. see Bartoszewski, A.

Silhavý, V. Stempellia weiseri, n. sp. eine neue Mikrosporidienart aus dem Weberknechte Opilio parietinus (De Geer). Mém. Soc. zool. tchécosl. 24: 50-53, figs.

Silva, G. H. da (1). Nota sobre a microfauna do Miocénico marinho da Ilha do Principe. Mem. Mus. min. geol. Univ. Coimbra 45 1958: 56-60, figs.

Silva, G. H. da (2). Contribuição para o conhecimento da microfauna do Microfauno marinho da ilha do Principe. Garcia de Orta 6 3 1958: 507-510, figs.

Silva, I. I. (1). Sobre la conviencia de realizar el xenodiagnostico fuera del organismo humano en todos los casos. Rev. Fac. Med. Tucuman 1 1958: 405-415, figs.

Silva, I. I. (2). Forma quistica de Trypanosoma (Schizotrypanum) cruzi. Rev. Fac. Med. Tucuman 1 1958: 39-66, figs.

Silva, I. I. (3). Contribucion al estudio de la biologia del T. (S.) cruzi en el Triatoma. Rev. Med. Norte, Tucuman. Argentina 3 1956: 195–209, figs.

Silva, I. I. (4). Confirmación de la especie a que pertenecen los quistes del *Trypanosoma* (Schizotrypanum) cruzi, por medio de la inoculation en animales mamiferos. Rev. Med. Norte Tucuman, Argentina 4 1956: 8-9.

Silva, R. see Pizzi, T.

Simič, C., Petrović, Z., Richter, B. & Radulović, M. [La faune des parasites intestinaux chez l'homme en Yougoslaviè. IX. Les parasites intestinaux chez les enfants des écoles primaires du Montenegro.] Rad. Yougose. Akad. Znan. Umjetn. No. 307, 1955: 25–32. [French summary.]

Simitch, T., Bordjochki, A., Petrovitch, Z., Tomanovitch, B., & Savin, Z. Évolution comparée de la toxoplasmose chez des *Cricetus cricetus* inoculés pa la voie péritonéole avec des souches de *Toxoplasma gondis* d'origine différente. Arch. Inst. Pasteur Alger 38: 371-376.

Simitch, T., Tomanovitch, B., Bordjochki, A., Petrovitch, Z. & Savin, Z. Sensibilité comparée de Citellus citellus et de la souris blanche à l'infection avec la souche RH de Toxoplasma gondii. Arch. Inst. Pasteur Alger 23: 377-385.

Singer, I. see Goble, F. C.

Singh, B. N. see Saxena, V.

Singh, S. K. see Bhatia, S. B.

Siple, G. E. & Brown, P. M. & Le Grand, H. E. Stratigraphic significance of Foraminifera from an outcrop of the Tuscaloosa formation at Cheraw, South Carolina. Bull. Geol. Soc. America 67 12 1956: 1757–1758. [Abstract.]

Skabitschevskii, A. P. On the phylogenesis of stained [coloured] Flagellata and some other organisms related to them. Byull. Mosk. Obshch. Isp. Prir. Biol. 65: 52-59. [Russian: English summary.]

Skolnick, H. & Arnal, R. E. Ventura Basin Edge Environment. Bull. Amer. Ass. Petrol. Geol. **43** (2) 1959: 477–484, fig.

Skoracynski, M. see Gatnszka, J.

Skowrońska-Serafin, B. see Chin, Y. C.

Skreb, N. see Skreb, Y.

Skreb, Y. Action des radiations ultra-viollettes sur les fragments nuclées et anuclées d'amibes. Rad. jugoslav. Akad. Znan. Umjetn. No. 317, 1959 : 37-55, figs. [Serbo-Kroatian and French versions.] **Škreb**, Y. & **Škreb**, N. Effets des rayons u.v. sur le respiration des fragments d'amibes. Biochem. & Biophys. Acta **39**: 540-541.

Skyortzow, B. W. New and rare Flagellatae from Manchuria, Eastern Asia. Philipp. J. Sci. **86** 1958: 139–202, figs.

Sládeček, V. A study of the biological treatment of sewage by activated sludge. Sborn. Vysoké Skol. Chem.-Tech. Praze 1957: 165-248, figs. [Czech: English summary.]

Sládeček, V., Fiala, L. & Sládečková, A. Limnologische Forschungen am Stausee Pastoing mit besonderers Berücksichtigung des Einflusses eines Kraftwerkes. Sborn. Vysoké. Škol. Chem.-Tech. Praze Odd. Fac. tech. paliv, a vody 3 1959: 431–595, figs.

Sládičeková, A. see Sládeček, V.

Slaviková, K. Mikrobiostratigrafický výzkum jihoslovenské uhelné pánve. Vestn. geol. Úst. ésl. **32** 6 1957 : 397–402.

Sleigh, M. A. The form of beat in Cilia of Stentor and Opalina. J. exp. Biol. 37: 1-10, figs.

Small, E. B. and Profant, R. J. (1), J. (2). A re-evaluation of the morphology of the hymenostome ciliate, Frontonia leucas Ehrenberg, 1838, with emphasis on the buccal organization. J. Protozool. 7 (Suppl.) 9.

Small, E. B. & Profant, R. J. (2). Stomatogenesis as a part of cell division in the hymenostome ciliate, Frontonia leucas Erhenberg, 1838. J. Protozool. 7 (Suppl.) 9.

Small, E. B. see Jahn, T. L., etc.

Smedile, M. I. & Bonfigero, L. Sui foraminiferi delle marne di S. Maria di Capo Vaticano. Atti Soc. peloritana 5 2-3 1959: 263-266, fig.

Sinigielska, T. The Miocene foraminifera from Gliwice Statre. Ann. Soc. géol. Pologne 25 3 1957: 245–304, figs.

Smillie, R. M. & Krotkov, G. Phosphorus-containing compounds in *Euglena gracilis* grown under different conditions. Arch. Biochem. & Biophys. 89: 83-90, figs.

Smirnoff, W. see Thomson, H. M.

Smirnova, I. B. Effect of temperature during irradiation on the radiation response of *Paramecium*. Dokl. Akad. Nauk SSSR (Transl.) Biol. Sci. 130: 28-30, figs. [Dokl. Akad. Nauk SSSR 130 4: 901-903, figs.]

Smith, A. see Draper, C. C.

Smith, R. J. Geologia de la region de los Teques-Cua. Bol. Geol. Venezuela 2 (4) 1952: 333-406, figs.

Smith, W. N., Davis, L. R. & Bowman, G. W. The pathogenicity of *Eimeria ah-sa-ta*, a coccidium of sheep. J. Protozool. 7 (Suppl.) 8.

Smith, W. N. see Davis, L. R.

Smitter, Y. H. The species relationships and stratigraphic distribution of Southern African Upper Cretaceous Epistomina. Palacont. Africans 5 1958 : 83-85, fig.

Smyth, J. D. see El Mofty, M.

Sobotka, H. see Baker, H.

Socin, C. see Drooger, C. W.

Soika, A. G. Studi di ecologiá e di biogeografia-XIII. Ricerche sull'ecologia e sul popolamento della zona intercotidale delle spiagge di sabbia fina. Boll. Mus. Civ. Stor. nat. Venezia 8 1955: 1-151, figs. [English summary.]

Soldo, A. T. Cultivation of two strains of killer Paramecium aurelia in axonic medium. Proc. Soc. exp. Biol. Med. 105: 612-615.

Soliman, K. N. Globidium infections in the Sudan with special reference to Globidium gilruthi (Chatton, 1910). J. Parasit. 46: 29-32.

Soltys, M. A. see Ingram, D. G.

Sonneborn, T. M. (1). Un episodis en las cencias biologicas. Rev. Soc. mex. Hist. nat. 18 1957: 139–151.

Sonneborn, T. M. (2). Suppression of fission by antiserum in *Paramecium aurelia*. J. Protozool. 7 (Suppl.), 26.

Sonneborn, T. M. & Dippell, R. V. The genetic basis of the difference between single and double Paramecium aurelia. J. Protozool. 7 (Suppl.) 26.

Sonneborn, T. M., Mueller, J. A. & Schneller, M. V. The classes of kappa-like particles in *Paramecium aurelia*. Anat. Rec. **134** 1959 : 642.

Sourander, P. see Lund, E.

Sousa e Silva, E. de (1). Diatomáceas e dinoflagelados das águas litorais da Guiné Portuguesa. Bol. cult. Guiné portug. 7 1952 : 585-606, figs.

Sousa e Silva, E. de (2). Tintinnoinea das águas litorais da Guiné Portuguesa. Bol. cult. Guiné portug. 7 1952 : 607–623, figs.

Sousa e Silva, E. de (3). O planeton marinho. I. Caracterização geral dos principais grupos fitoplanetónicos. Naturalia 7 1958 : 150-162, 2 pls., figs.

Sousa e Silva, E. de & Santos Pintos, J. dos. Estudo do cido sazonal do plâncton marinho da Guiné Portuguesa. Bol. cult. Guiné portug. 7 1952: 131–155.

Souza, E. J. de & Kothare, S. N. Preliminary note on a method for the cytochemical demonstration, of succinic dehydrogenase in leptomonad forms of Leishmania donovani. Curr. Sci. 29 109-110, figs.

Sparke, J. T. see Sullivan, S. J.

Spiegler, D. Die Nummuliten von Brandhorst b. Bünde und die Nummuliten von Latdorf, ein Beitrag zum Latdorf-Problem Ber. geol. Ges. 3 2-3 1958 : 88-89, fig. Si Si B-ca 2778

[1

8

81

81

Si Mik

Wü

8

Si Si

st negli negli pato Para

Sta moch Bull.

Rus Stage larve

Ste ke ve more

Ceno West 2 19

synt some Cell St stud

horis Secti Crus Odd [Eng

of the part 1958

lla

oll.

gs.

ler

an

on,

7:

by 7

tio

ble

26.

um

fla-

iné

ho.

to-

ls.,

08.

da

ary

on,

of

igs.

Ъ.

58:

Spitseshuis, W. C. see Akker, S. van den.

Spooner, D. F. see Fulton, J. D.

Sprumont, G. see Delcourt, A.

Stäesche, K. Württembergische Beiträge zur Mikropaläontologie. Jb. Ver. vaterl. Naturk. Württemb. 115: 216–219.

Stahl, A. see Shaffer, J. G.

Standfast, H. A. see Peters, W.

Stinković, S. The Balkan Lake Ohrid and its living world. Monogr. biol. 9: pp. 357, figs.

Steel, W. S. see Aspinall, K. W.

Steele, B. see Aspinall, K. W.

Steele, W. J. & Gurin, S. Biosynthesis of β-carotene in Euglena gracilis. J. biol. Chem. 235: 2778-2785, figs.

Stefani, R. (1). Parassotosi du gregarine e sterilità negli insetti. Parassitologia 2: 311-313.

Stefani, R. (2). La parassitosi da Diplocystis negli Embiotteri con particolare riguardo all'azione patogena esercitata dal parassita sull'ospite. Riv. Parassit. 21: 87–123, figs. [English summary.]

Steigmann, F. see Shaffer, J. G.

Stein, B. & Talis, B. The prevalence of Dientamoeba fragilis in Tel Aviv district and its surroundings. Bull. res. Counc. Israel 8E 1959: 55-56.

Stein, G. A. (1). [Gregarines of aquatic Arthropods in Karelian lakes.] Zool. Zh. 39: 1135-1144, figs. [Russian: English summary.]

Stein, G. A. (2). [A cytochemical study of various stages of the life cycle of gregarines from dragon-flies larvae.] Citologia 2: 74-87. [In Russian.]

Steinert, G. see Steinert, M.

Stejskalova, M. & Cicha, I. Několik poznámek ke vztahu piská od Žabči k piskům u Smolina. Cas. moravsk. Mus. 44 1959 : 63–68.

Stelck, C. R., Wall, J. H. & Wetter, R. E. Lower Cenomanian foraminifera from Peace River Area, Western Canada. Bull. Res. Council Alberta Geol. 2 1958: 5-35, figs.

Steinert, M. & Steinert, G. Inhibition de la synthèse de l'acide désoxyribonu-cléique de *Trypanosoma mega* par l'urée à faible concentration. Exper. Cell Res. 19: 421-424, figs.

Stépánek, M. & Červenková, E. [Limnological study of the reservoir Sedice near Zeliv. VIII. The horizontal distribution of zooplankton in different sections of the reservoir (Protozae, Rotatoria, Crustacea).] Sborn. Vysoké Škol. Chem.-Tech. Praze Odd. Fac. tech. paliv. a vody 3 1959: 317–362, figs. [English summary.]

štěpánek, M. & Chalupa, J. A limnological study of the reservoir Sedlice near Želiv. II. Biological part. Sborn. Vysoké Škol. Chem.-Tech. Praze 2 1958: 313-574, figs. Štěpánek, M. & Jiří, J. Difflugia gramen Penard, Difflugia gramen var. achlora Penard and Difflugia gramen f. globulosa f. n. Hydrobiologia 10 1958: 138-156, figs.

Stephen, L. E. Phagocytosis of animal trypanosomes. Trans. roy. Soc. trop. Med. Hyg. 54: 289.

Stephen, L. E. & Gray, A. R. (1). Suramin complexes. VI. The prophylactic activity of antrycide-suramin complex and antrycide chloride against Trypanosoma simiae in pigs. Ann. trop. Med. Parasit. 54: 493-507, fig.

Stephen, L. E. & Gray, A. R. (2). The trypanocidal activity of nucleocidin against $Trypanosoma\ vivax$ in West African Zebu cattle. J. Parasit. 46: 509–514.

Stephen, L. E. & Mackenzie, C. P. Experimental Trypanosoma vivax infection in the horse. Vet. Rec. 71 1959: 527-531, figs.

Stephen, L. E. see Williamson, J.

Stern, A. I., Schiff, J. A. & Klein, H. P. Isolation of ergosterol from Euglena gracilis; distribution among mutant strains. J. Protozool. 7: 52-55.

Stern, D. H. Observations on the biology of Pelomyza palustris Greeff collected under polysaprobic conditions. Va. J. Sci. N.S. 10 1959: 264.

Stewart, A. see Neal, R. A.

Stewart, W. J. Fusulina pseudochomatata new name for Fusulina valida Stewart. J. Paleont. 33 (4), 1959: 700.

Štiasny, V., Kachryńa, Z. & Uhrecký, I. Charakteristika půd katestra obce Pístovice na Vyškovsku-Acta Univ. Agric. Silv., Brno (A) 1954 1: 25–48, fors.

Stiller, J. (1). Durch Umweltseinflüsse entstandene Modifikationen epizoischer Peritrichen. Ållat. Közlem. 44 1955: 201–211, figs. [German summary.]

Stiller, J. (2). Die limnologischen Verhältnisse dos Naturschatzgobietes von Bátorliget in Ungarn nebst Beschreibung einiger neuer Peritrichen-Arten (Ciliaten, Protozoa). Arch. Hydrobiol. 56: 186– 260. figs.

Stockton, J. J. see Barrow, J. H. Jr.

Stonder, D. J. see Samuels, R.

Stout, J. D. Morphogenesis in the ciliate Bresslava vorax Kahl and the phylogeny of the Colpodidae. J. Protozool. 7: 26-35, figs.

Straub, E. Mikrofaunistische Untersuchungen im Untermiozan und Oligozan des Raumes Wolfskehlen-Stockstadt. Z. Deutsche Geol. Ges. 105 1953: 151. [Abstract.]

Straub, E. W. see Lemke, H.

Sroczyńska, M. see Bartoszewski, A.

Strother, G. K. & Wolken, J. J. Microspectrophotometry of *Euglena* chloroplast and eyespot. Nature, Lond. **188**: 601–602, figs.

Stuart, E. E. Coccidiosis vaccination. Avian Diseases 4: 305.

Styk, O. Triassic microfauna in the neighbourhood of Chranów and in the north-western part of the Mesozoic periphery of the Święty Krzyz Mts. Bull. Serv. géol. Pologne 121 1958: 163–176, figs. [Russian and English abstract.]

Subrahmanyam, P. V. R. see Pillai, S. C.

Suchanova, K. M. [Cytophysiological characteristics of *Protoopalina caudata* Zeller.] Citologia, Moscow-Leningrad 1 1959: 333-340.

Suess, H. E. Absolute chronology of the last glaciation. Science 123 1956: 355-357.

Sugahara, M. see Kihara, T.

Sugi, H. Contraction and relaxation in the stalk muscle of *Carchesium*. Annot. Zool. jap. 32 1959: 163-169, figs.

Suhama, M. & Yamataka, S. (1). On the cortex of *Tetrahymena*. I. The comparison between the silver-plated structures and the fine structures through the electron microscope in *Tetrahymena vorax*. Zool. Mag., Tokyo 69: 153–157, figs.

Suhama, M. & Yamataka, S. (2). On the cortex of *Tetrahymena*. II. The fine structures of cilia. kinetosomes and kinetodesmas in *Tetrahymena vorax*. Zool. Mag., Tokyo 69: 158-162, figs.

Sukhanova, K. M. (1). [On cyst thermostability in parasitic protozoa of amphibia.] Citologia 2: 219–226, figs. [In Russian.]

Sukhanova, K. M. (2). [Cytophysiological characteristics of life cycles in infusoria of the genus Balantidium from amphibia.] Questions of Cytology and Protistology, 285–312, figs. [In Russian.]

Sukhanova, K. M. (3). [Peculiarities in the morphology and life cycle of *Protoopalina canevi* sp. n.] Dokl. Akad. Nauk SSSR **132**: 1465-1467, figs.

Sukhanova, K. M. (4). [Cytophysiological characteristics of the life cycle of the ciliates of the genus Balantidium from amphibians.] Problems of Cytology and Protistology. Moscow and Leningrad: 285-312, figs. [In Russian.]

Suleimanov, I. S. O mikrostrukture stenki rakovin nekotoruikh vidov tekstulyarüd v svyazi s ikh paleoekologhiei. Voprosui Mikropaleontologhii 3: 37—40.

Sulimski, A. Miliolidae tortoniens et sarmatiques de Suchowola. Acta Palaeont. Polonica 1 1956: 69-101, figs. [Polish: French summary.]

Sullivan, K. see McManus, M. A.

Sullivan, S. J. & Sparks, J. T. The effect of ultraviolet radiation on succinic dehydrogenase activity in *Tetrahymena pyriformis* W. during the different stages of cell division. J. Protozool. 7 (Suppl.) 13.

Sullivan, W. D. The effect of ultraviolet radiation on a cysteine culture of *Tetrahymena pyriformis* W. Trans. Amer. micr. Soc. **79**: 392–396, figs.

Sustrov, A. K. see Saljaev, V. A.

Susuki, T. see Crowell, J. C.

Suvorova, L. G. see Shekhanov, M. B.

Suyari, K. see Ishii, K.

Svanbaev, S. K. (1). [Incidence of coccidial infection in cattle and sheep of Dzhambul Province.] Trudy Inst. Zool. Akad. Nauk Kazakh. SSS 14: 29–33. [In Russian.]

Svanbaev, S. K. (2). [Coccidia of silver-black foxes in Alma-Ata Province.] Trudy Inst. Zool. Akad. Nauk Kazakh. SSR 14: 34-36. [In Russian.]

Svanbaev, S. K. (3). [Chemoprophylaxis of turkey coccidiosis.] Trudy Inst. Zool. Akad. Nauk Kazakh. SSR 14: 37-41. [In Russian.]

Svanbaev, S. K. (4). [Coccidia from sousliks of Alma-Ata Province.] Trudy Inst. Zool. Akad. Nauk Kazakh. SSR 12: 91-93. [In Russian.]

Svoboda, S. Přehled mikrofaunistického vývoje sarmatu v československé části vnitroalpské pánve. Vestn. geol. Úst. ésl. 32 1957 : 417–420. [German summary.]

Swan, J. F. C. see Aspinall, K. W.

Swartzwelder, J. C. see Miller, J. H.

Swarup, H. Parasitic infection in Gasterosteus aculeatus (L.) reared in the laboratory aquarium. J. Univ. Saugar 7 1958: 93-95, figs.

Sweeny, B. M., Haxo, F. T. & Hastings, J. W. Action spectra for two effects of light on luminiscence in Gonyaulax polyedra. J. gen. Phys. 43 1959: 295-299, figs.

Swenson, P. A. The amino acid pool of Trichomonas gallinae. J. Protozool. 7 (Suppl.) 26.

Switzer, W. P. Action of certain viruses, Mycoplasma hyorhinio, and nasal trichomonads on swine tissue cultures. Amer. J. vet. Res. 20 1959: 1010-1019, figs.

Szaflarski, J. see Galuszka, J.

Szenk, B. J. News-Venezuela. Micropaleontology 5 1959: pp. 144.

Sztejn, J. (1). Micropalaeontological stratigraphy of the Lower Cretaceous in Central Poland. Trav. Serv. géol. Pologne 22 1957: 1-263, figs.

Sztejn, J. (2). Key to recognizing foraminifers of the Lower Cretaceous from Middle Poland. Bull. Serv. géol. Pologne 138 1958: 1–55, figs. [In Polish.]

Szymański, P. [Methods of experimental infection of ticks with *Toxoplasma*.] Wiad. Parazyt. 6: 147–156, figs. [English summary.]

form Japa Ta Conc

Japa [In

[19

Ta

Ts

Ts

Dogo 1956

Ta basii Pub

Koc

Soc.

nucle lewis Sci.

Ta

Te

Cilia der hung sum

Cilia Südu (Tiha [Gern

Ta

Ta expr man. mary

Τε

Ta Siebe Trop sumr

Ta reser 132 Taguchi, K. see Morikawa, R.

Tahmisian, T. N. see Beams, H. W.

Tai, Y. (1). Miocene smaller Foraminifera from Dogo, Oki Islands, Japan. J. Geol. Soc. Japan 62 1956: 212-213. [In Japanese.]

Tai, Y. (2). Microbiostratigraphy of the Tertiary formations in the Kinki district, Japan. J. Geol. Soc. Japan 62 1956: p. 381. [Abstract in Japanese.]

Tai, Y. (3). Microbiostratigraphical study of the Cenozoic strata of the Western Setouchi Province, Japan. Geol. Rept. Hiroshima Univ. 5 1957: 1-58. [In Japanese.]

Takahashi, S. Evolution of Nügata geosynclinal basin, as viewed from isopachous maps. Spec. Publ. Yokohama Univ. No. 1, 1959: 1-83, figs.

Takaoka, Y. On the discovery of Kahlerina Kochansky Dovide, 1955, from Gozenyama Formation along the Akigawa, Tokyo-to, Japan. J. geol. Soc. Japan 65, 768, 1959: 570, figs.

Takayanagi, T. Foraminifera from the Pleistocene Yoshida shell-beds in Kagoshima Prefecture. J. geol. Soc. Japan 62 1956: p. 380. [Abstract in Japanese.]

Taliaferro, W. H. & Pizzi, T. The inhibition of nucleic acid and protein synthesis in *Trypanosoma lewisi* by the antibody ablastin. Proc. nat. Acad. Sci. Wash. 46: 733-745, figs.

Talis, B. see Stein, B.

Tamás, G. see Gellért, J.

Tamás, G. & Gellért, J. (1). [Über Diatomeen und Ciliaten aus dem Aufwachs der Ufersteine am Ostufer der Halbinsel Tihany.] Ann. Inst. biol. (Tihany) hung. Acad. Sci. 25 1958: 241–250, fig. [German summary.]

Tamás, G. & Gellért, J. (2). Kieselalgen und Ciliaten im Aufwuchs von Ufersteinen an dem Südufer der Halbinsel Tihany. Ann. Inst. biol. (Tihany) hung. Acad. Sci. **26** 1959: 237–245. [German summary.]

Tan, L. P. see Ho, C. S.

Taniuchi, Y. see Inoki, S.

Tappan, H. see Loeblich, A. R. Jr.

Tarczyński, S. [Parasitic anthropozoonoses as an expression of the unity of the animal world with man.] Wiad. Parazyt. 6: 157-168. [English summary.]

Tardani, A. see Gasparini, G.

Tartaglia, P. Experimentelle Empfänglichkeit des Siebenschläfers (Glis glis L.) für Kala Azar. Z. Tropenmed. u. Parasit. 11: 187–189, fig. [English summary.]

Tartar, V. (1). Behaviour of certain nutritional reserves in *Stentor* during cell division. Anat. Rec. 132 1958: 513.

Tartar, V. (2). Persisting division in Stentor coeruleus regardless of removal of parts. Anat. Rec. 134 1959: 644-645.

Tartar, V. (3). A reproducible lethal abnormality in Stentor coeruleus. Anat. Rec. 134 1959: 645.

Tartar, V. (4). Some effects of altered nucleoplasmic ratio in *Stentor coeruleus*. Anat. Rec. 134 1959: 645-646.

Tasselli, E. & Colella, G. Leishmaniosi nel cane e nell'uomo in provincia di Matera. Parassitologia 2: 321-325.

Taub, S. R. The breeding system of syngen 7, Paramecium aurelia. Anat. Rec. 134 1959: 646.

Tauber, A. F. Zur Morphologie und Systematik von *Textularia carinata* d'Orb. (Foraminifera) aus burgenlandischen Tortonablagerungen. Wiss. Arb. Burgenland. No. 19, 1958: 1–16, figs.

Taunay, A. de E. see Continho. J. O.

Tavani, G. (1). Studio paleontologico delle carote di alcuri sondaggi effettuati nel Miocene della Val di Cecina. Atti Soc. tosi. Sci. nat. 62A 1955: 142–176, figs.

Tavani, G. (2). Osservazioni su alcune specie di Foraminiferi del Miocene superiore. Atti Soc. tosc. Sci. nat. 65A 1 1959 : 6-14, fig.

Taylor, A. E. R. The absorption of prothidium by *Trypanosoma rhodesiense*. Brit. J. Pharmacol. **15**: 230–234, figs.

Taylor, M. Recovery of adult Amoeba lescherae from dried cultures. Nature, Lond. 186: 329.

Teissier de Cros, H. Residus d'erosions crétaciques et tertiaires dans la region de St. Hippolyte-du-Fort (Gard.) C.R. Soc. geol. France No. 13, 1956 : 235–237

Teixeira-Pinto, A. A., Nejelski, L. L., Jr., Cutler, J. L. & Heller, J. H. The behavior of unicellular organisms in an electromagnetic field. Exper. Cell Res. 21: 548-564, figs.

Tejkal, J. see Cicha, I.

Tempère, C. Quelques applications de biofaciès à l'étude stratigraphique du bassin néogène du Bas-Chelif (Algérie occidentale). Bull. Soc. géol. France ser. 6 6 1956 : 727-734, figs.

Tempère, C. see Perrodon, A.

Termier, G. see Termier, H.

Termier, H. & Termier, G. La notion de migration en paléontologie. Geol. Rundschau 45 1956

Ternek, Z. Geological study of the southern region of Lake Van. Turkije Jeol. Kurumbu Bült 4 2 1953: 1-32, figs. [Turkish: English summary.]

Terra, N. de (1). The effect of enucleation on restoration of the interphase rate of 32p uptake after cell division in Stentor coeruleus. Exper. Cell Res. 21: 34-40, figs.

a. es d.

of uk

oje

ve.

an

W.

ycowine

aphy

nifers Bull. [In

ection 6 : Terra, N. de (2). A study of nucleo-cytoplasmic interactions during cell division in Stentor coeruleus. Exper. Cell Res. 21: 41-48, figs.

Terrell, M. see Huddleston, M. S.

Thalmann, H. E. (1). Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1956. J. Paleont. 33 6 1959: 1069– 1114

Thalmann, H. E. (2). Foraminiferal Homonyms. Contr. Cushman Fdn. 10 1959: 127–129.

Thalmann, H. E. (3). New names for Foraminiferal Hamonyms, IV. Contr. Cushman Fdn. 10 1959: 130-131.

Théodoridès, J. (1). Quelques Eugrégarines parasites d'Arthropodes terrestres des Alpes-Maritimes. Ann. Parasit. hum. comp. 35: 5-14, figs.

Théodoridès, J. (2). Quelques parasites de Coléoptères, Ténébrionides d'Espagne. Ann. Parasit. hum. comp. 35: 762–763.

Thibault, M. see Ansel, M.

Thiel, P. H. van, Breijer, H. B. G., Kloosterman, W. & Burgy, A. Experiments in the disinfection of raw lettuce. Part II. Parasitological aspects. Trop. geogr. Med. 12: 162–172.

Thiele, R. Über Lichtadaptation und Musterbildung bei Euglena gracilis. Arch. Mikrobiol. 37: 379–398, figs.

Thiermann, E. & Niedmann, G. Comparación de diferentes tratamientos activos en la toxoplasmosis experimental del ratón. Biologica, Santiago No. 29: 38-43. [English summary.]

Thiermann, E., Reyes, H. & Niedmann, G. Comparación de diversos tratamientos aplicados en diferentes periodos de la toxoplasmosis experimental del ratón. Biologica, Santiago No. 30: 9-16. [English, German summaries.]

Thiermann, E., see Knierim, F.

Thieuloy, J.-P. Etude micrographique des "calcaires à débris" barrémo-aptiens sur le pourtour méridional du Vercors. Trav. Lab. Géol. Univ. Grenoble 35 1959 : 39-99, figs.

Thils, E., Deom, J. & Fagard, P. Considerations sur la sarcosporidiose du Katanga (Congo Belge). Bull. Soc. Path. exot. 53: 106-110.

Thomas, C. W. Lithology and zoology of an Antarctic Ocean bottom core. Deep-Sea Res. 6 1, 1959: 5-15, figs.

Thomas, R. Le genre *Plagiopyxis* Penard. Hydrobiologia **10** 1958: 198–214, figs.

Thomas, R. & Gauthier-Lièvre, L. (1). Le genre Lesquereusia Schlumberger 1845 (Rhizopodes testacés) Bull. Soc. Hist. nat. Afr. noire 50 1959: 34–83, figs.

Thomas, R. & Gauthier-Lièvre, L. (2). Note sur quelques Euglyphidae d'Afrique. Bull. Soc. Hist. nat. Afr. noire 50 1959: 204-221, figs.

Thomas, R. see Gauthier-Lièvre, L.

Thomas, R. see Bonnet, L.

Thomson, H. M. Nosema cerasivoranae n. s.p., a microsporidian parasite of the ugly-nest caterpillar, Archips cerasivorana (Fitch). Canad. J. Zool. 38: 643-644, figs.

Thomson, H. M. & Smirnoff, W. A note on an unidentified microsporidian associated with *Aletia oxygala luteopallans* (Sm.) (Lepidoptera: Noctuidae). Canad. J. Zool. 38: 438-439, fig.

Thompson, J. C., Jr., Santy, L. & Clark, V. (1). Experimental infections of chick embryos with Tetrahymena pyriformis. Va. J. Sci. N.S. 10 1959: 260.

Thompson, J. C., Jr., Santy, L. & Clark, V. (2). Experimental infections of chick embryos with Tetrahymena pyriformes. Va. J. Sci. N.S. 11: 25-26.

Thompson, J. C. Ciliated Protozoa from tree borne mosses and lichens. J. Protozool. 7 (Suppl.) 17.

Thompson, J. C. see Berger, J.

Thompson, M. L., Shaver, R. H. & Riggs, E. A. Early Pennsylvanian fusulinids and ostracods of the Illinois Basin. J. Paleont. 33 (5) 1959: 770-792, figs.

Thompson, M. L., Verville, G. J. & Lokke, D. H. Fusulinids of the Desmoinesian-Missourian contact. J. Paleont. 30 1956: 793-810, figs.

Thompson, M. L. see Verville, G. J.

Thompson, P. E. see Kohberger, D. L.

Thompson, P. E. see Olszewski, B.

Thomsett, L. R. Eperythrozoon felis: observations on incidence and relationship to external parasitism in the cat. Vet. Rec. 72: 397–398.

Tibbs, J. Acetylcholinesterase in flagellated systems. Biochem. & Biophys. Acta **41**: 115-122.

Tinoco, I. de M. (1). Nota sôbre a microfauna do Calcáreo Cretáces da ilha de itamaraca, estado de Pernambuco. Notas Serv. geol. Brasil 91 1955: 1-12, figs.

Tinoco, I. de M. (2). Foraminíferos Recentes de Cabo Frio, estado do Rio de Janeiro. Bol. Div. Geol. min. Rio de J. **159** 1955: 1–44, figs.

Tinoco, I. de M. (3). Observações sêbre a Microfauna de Foraminíferos da Lagoa de Araruama, Estado do Rio de Janeiro. An. Acad. bras. Cienc. 30 4 1958: 575-584, fig.

Tobie, E. J. see Brand, T. von.

Todd, A. C. see Dorney, R. S.

Todd, R. (1). Cushman Foundation for Foraminiferal Research. Systematic Zool. 2 1953: 111.

Todd, R. (2). Recent literature on the Foraminifera. Contr. Cushman Fdn. 10 1959: 21-24.

1

F

n

f

F

fi b

0

U

P

n A

> fe a Ii

tia

e).

ith 10

ith

1:

pl.)

the

92,

H.

ons

ism

sys-

do

55:

de Div.

cro-

ma.

enc.

nini-

nini-

Todd, R. (3). Recent literature on the Foraminifera. Contr. Cushman Fdn. 10 1959: 65-69.

Todd, R. (4). Recent literature on the Foraminifera. Contr. Cushman Fdn. 10 1959: 106-110.

Todd, R. (5). Recent literature on the Foraminifera. Contr. Cushman Fdn. 10 1959: 137-140.

Todd, R. & Blackman, P. Calcite and aragonite in Foraminifera. J. Paleont. 30 1956: 217-219.

Todd, R. see Blackman, P. D.

Tokarski, A. Subsurface tectonics of the Cieszyn flysch. Acta Geol. Polonica 4 1954, geol. pars. 307–340, figs. [In Polish.]

Tokuhiko, K. see Hiwatashi, K.

Tolbert, M. G. & McGhee, R. B. The effect of alloxan diabetes on *Plasmodium berghei* infection in albino rats. J. Parasitol. 46: 552-558, figs.

Tomanovitch, B. see Simitch, T.

Toomey, F. Annotated Bibliography of late Paleozoic nonfusulinid Foraminifera. Contr. Cushman Fdn. 10 1959; 71-105.

Toomka, A. F. [Results of biometric study of Entamoeba gingivalis (Gros, 1849) in relation to their feeding intensity and conditions of existence in the host organism.] Zool. Zh. 39: 509-513, figs. [Russian: English summary.]

Torch, R. Nuclear division in *Holosticha lacazei* Maupas (Abs.) Biol. Bull. **119**: 343–344.

Toriyama, R. Geology of Akiyoshi. Part III Fusulinids of Akiyoshi. Mem. Fac. Sci. Kyushu Univ. Geol. 7 1958: 1-264, figs.

Törö, I. see Müller, M.

Torrealba, J. F. see Scorza, J. V.

Torrico, R. A. Casuistica de la enfermedad de Chagas por la reaccion de fijacion de complemento en cardiacos del Chaeo (Argentina). An. Inst. Med. Region (Argentina) 5 1959: 79-81.

Toś-Luty, S. see Bartoszewski, A.

Tóth, J. see Müller, M.

Trager, W. The physiology of intracellular parasites. Proc. helminth. Soc. Wash. 27: 221-227.

Trager, W. see Rudzinska, M. A.

Travassos, Santos Dias, J. A. (1). Poderá, ein certas ocasiões, transformar-se a *Herpetomonas muscarum* (Leidy, 1856) num parasita heteroxeno? An. Serv. vet. Indust. Anim. Moçambique No. 6: 385-390, figs.

Travassos Santos Dias, J. A. (2). Trypanosomes found in antelopes of a region infested by *Glossina austeni* Newstead, 1912, in Mozambique. Publ. Inter. sci. Comm. Trypanosomiasis Res. No. 62: 175–177.

Treckman, J. F., see Gutschick, R. C.

Trümpy, R. & Bersier, A. Les éléments de conglomérato oligocènes du Mont. Pelerin. Pétrographie, statistique, origine. Eclog. Geol. Helvet. 47 1945: 119-166, figs.

Tsan, S. F. & Yang, Y. T. & Lin, F. Y. Geology of the Fenghuangshan coalfield, Nantow, Taiwan. Bull. Geol. Surv. Taiwan No. 9, 1956: 65–80, figs.

Tsan, S. F. see Ho, C. S.

Tschopp, H. J. Ecuador: Upper Amazon Basin Province (in: Handbook of South American Geology). Mem. Geol. Soc. America 65 1956: 253-267, figs.

Tsuda, K. Faunas and facies of some middle Miccene deposits in Japan. J. Paleontology 30 1956: 974-980, figs.

Tsunematsu, Y. Purification of *Toxoplasma* by means of sonic vibration and tryptic digestion. Amer. J. trop. Med. Hyg. 9: 556-561, fig.

Tuffrau, M. Révision du genre Euplotis, fondée sur la comparaison des structures superficielles. Hydrobiologia 15: 1-77, figs.

Tulchin, N. & Hirschfield, H. I. Studies of cannibal giant Blepharisma undulans. Biol. Bull. 119: 345.

Turk, J. L. see Fulton, J. D.

Turkünal, S. Géologie de la région de Hakkâri et de Baskale (Turquie). Publ. Lab. geol. Univ. Genève 88 1953 : 1-43, figs.

Turnovsky, K. (1). Eine neue art von Globorotalia Cushman aus dem Eozaen Anatoliens und ihre Zuordnung zu neuen untergattung. Bull. geol. Soc. Turk. 6 2 1958: 80–86, fig.

Turnovsky, K. (2). Eine neue art von Ammocibicides aus dem Eozaen Nordanatoliens. Bull. geol. Soc. Turk. 6 2 1958: 78-79, figs.

Tuzet, O. & Ormierès, R. Grasséella microcosmi n.g. n. sp. coccidie parasite de Microcosmus sulcatus Coqueb. C.R. Acad. Sci. Paris 250: 2641-2643, figs.

Tyler, H. M. & Watkins, W. M. Step-wise degradation of blood-group H mucopolysaccharide by an enzyme preparation from *Trichomonas foetus*. Biochem. J. 74: 2 p.

Uchio, T. (1). Planktonic Foraminifera of the Antarctic Ocean. Biol. Res. Jap. Antarct. res. Exped. No. 11: 1-11, figs.

Uchio, T. (2). Benthonic Foraminifera of the Antarctic Ocean. Biol. Res. Jap. Antarct. res. Exped. No. 12, : 1-19, figs.

Ueda, H. (1). [Effect of nutrients upon the *in vitro* encystation of *Entamoeba histolytica*.] Jap. J. Parasit. **9**: 641-645. [Japanese: English summary.]

Ueda, H. (2). [On the virulence and antigenic property of a cyst-producing strain of *Toxoplasma*.] Keio Igaku, 37: 1631–1638. [Japanese: English summary.]

Ueda, H. see Koike, T.

Uherkovich, G. Das Leben der Tisza. VI. Mallomonasarten aus der Tisza und einem "Toten Arm" der Tisza. Acta biol. Szeged N.S. 4 1958: 167–171, figs.

Uhlig, G. Entwicklungsphysiologische Untersuchungen zur Morphogenese von Stentor coeruleus Ehrbg. Arch. Protistenk. 105: 1-109.

Uhrecký, I. see Štiasny, V.

Umiński, J. see Bartoszewski, A.

Urbanek, A. see Pozaryska, K.

Urbański, T. see Chin, Y. C.

Ushakov, D. V., et al. Atlas of the invertebrates of the far-eastern seas of the U.S.S.R. Acad. Sci. Inst. Zool. St. Petersberg 1955: pp. 243, illustr.

Vaerenbergh, R. van, see Lambelin, G.

Vaghi, M. see Gasparini, G.

Valdinucci, A., see Lipparini, T.

Vallée, A. & Destombes, P. Isolement chez le Fennec (Fennecus zerda) d'une souche de toxoplasme pathogène pour le chien. Bull. Acad. vét. France 33: 223-224.

Vanderschmitt, L. see Hottinger, L.

Vanek, J. see Jirovek, O.

Varela, G., Roch, E. & Curbelo, A. Exploracion serologica de toxoplasmosis Estudio de 6569 sucros sanguineos. Rev. Inst. Salubr. Enferm. trop. Méx. 19 1959: 259-263.

Yarga, L. Über die Mikrofauna der Waldstreu einiger auf szikhöden Angelegter Waldtypen. Acta zool., Budapest 6: 211-225.

Varga, L. & Takátas, T. Mikrobiologische untersuchungen des schlammes eines Wasserlosen Teiches der Aggteleker Baradla-Höhle. Acta zool., Budapest 6: 429-437, fig.

Varga, L. see Kol. E.

Vašiček, M. (1). Conditions of the origin of Tegel, Schlier and Flysch and the problem of their stratigraphy. Ustred. Ustavu. Geol. Czechoslov. svaz. vol. 20, 1953: oddil. geol: 69-100. [Czech: English and Russian summaries.]

Vašíček, M. (2). Zprāva o výzkumné cestě na lodi Republika. Ustred. Ustavu. Geol. Vestnik 4 1956: 157–172, 197–214, figs.

Vasina, S. G. [On the presence of cysts in *Toxoplasma gondii.*] Med. Parasit., Moskva **29**: 598–601, figs. [Russian: English summary.]

Vasina, S. G. & Dunaeva, Z. V. [On the survival rate of *Toxoplasma* outside the organism.] Med. Parazit. Moskva 29: 151-154. [Russian: English summary.]

Vasquez, A. see Jarpa, A.

Vaucel, M. & Fromentin, H. Trypanosomose expérimentale du cobaye-recherches sur les anticorps. Publ. Inter. sci. Comm. Trypanosomiasis Res. No. 62: 35-43.

Vavilova, M. P. [Experimental infection of dogs with two types of Borovsky's disease (Leishmaniasis).] Med. Parasitol. parasit. Dis., Mosk. 29: 660–665, figs. [Russian: English summary.]

Vavra, J. (1). Beitrag zur Cytologie einiger Mikrosporidien. Mém. Soc. zool. tchécosl. 23 1959: 347–350, figs.

Vavra, J. (2). A contribution to the knowledge of the parasitic flagellate *Callimastix cyclopis*. J. Protozool. 7 (Suppl.) 26–27.

Vavra, J. (3). Nosema lepiduri, n. sp., a new microsporidian parasite in Lepiduras apus L. J. Protozool. 7: 36-41, figs.

Vecchi, A. Batteri e flagellati, nell' intestino dell'ape domestica (*Apis mellifica* L). Mem. Accad. Bologna (10), 8 1952: 25-27, figs.

Vegas, F. K. see Convit. J.

Veillon, M. & Vigneaux, M. Les couches de passage de l'Eccène inférieur au Lutétien sous Bordeaux. C.R. Soc. géol. Fr. 1955: 15-16.

Veisov, A. M. see Musaev, M. A.

Vella, P. Studies in New Zealand Foraminifera. Part I: Foraminifera from Cook Strait. Part II: Upper Miocene to Recent species of the genus Notorotalia. Palaeont. Bull. N.Z. 28 1957: 1-58, figs.

Venulet, J. see Chin, Y. C.

Vergani, F. Presencia de la Babesia (Micro-babesia) ovis en caprinos y ovinos de Venezuela. Bol. Inst. Inv. Vet. 10-11 1959: 35-39, figs.

Vernon, R. O. see Puri, H.

Verolini, F. see Corradetti, A.

Verville, G. J., Thompson, M. L. & Lokke, D. H. Pennsylvanian fusulinids of eastern Nevada. J. Paleont. 30 1956: 1277-1287, figs.

Verville, G. J. see Thompson, M. L.

Vierloop, A. see Links, J.

Vickerman, K. (1). Structural changes in mitochondria of Acanthamoeba at encystation. Nature, Lond. 188: 248-249, figs.

Vickerman, K. (2). Herpetomonas ludwigi (Kramář, 1950) n. comb., the trypanosomatid parasite of cranefly larvae (Diptera, Tipulidae). Parasitology 50: 351–363, figs.

Vigneaux, M., see Veillon, M.

Vik, R. Henneguya zscholckei (Gurley, 1893) (Sporozoa) in Norway. Nytt Mag. Zool. 9: 16-22, figs.

Villa, F. see Razzi, R.

enti C.R

of I

mito

[]

alpir facie Ital

V

del Bol Eng

> nat V l'ali Ace

Ter

geo

jug

ber 5 I n.s

wic

Ve

Ar

mi in en

de Ar N.

19

Mi Me

w

pr

lóg

Villa, F. A. Studi Stratigrafici sul Terziario Subalpino Lombardo. Nota VI: Microfaune et microfacies del Nummulitico di Travedona (Varese). Riv. Ital. Paleont. Strat. 62 1956: 109-124, figs.

Villaire, M. see Gross, J. A.

Villatte, J. Sur l'extension du Montien marin entre les vallées du Volpe et de l'Arize (Ariège). C.R. Soc. géol. France No. 15, 1956 : 298-301.

Vincent, P. & Neal, R. A. Duration of invasiveness of Entamoeba histolytica maintained in vitro. Parasitology 50: 449-452.

Viterbo, I., Sull'età di alcuni lembi di "flysch" del massiccio del matese (Appennino Meridionale). Boll. Uff. geol. Ital. **79** 1958 : 541–553. [French and English summaries.]

Vivier, É. (1). Contribution à l'étude de la conjugaison chez Paramecium caudatum. Ann. Sci. nat. (Zool.) 2: 387-506, figs.

Vivier, É. (2). Cycle nucléolaire en rapport avec l'alimentation chez Paramecium caudatum. C.R. Acad. Sci. Paris 250 : 205–207, figs.

Vierk, I. M. van der. Problems and principles of Tertiary and Quaternary stratigraphy. Quart. J. geol. Soc. Lond. **115** 1959: 49-63, figs.

Vlerk, I. M. van der & Kuenen, Ph. H. Levensberieht van Johannes Herman Frederick Umbgoove. 5 Februari 1899-14 June 1954. Geol. en Mÿnbouw, n.s. 16 1954: 339-346, figs.

Vlerk, I. M. van der. see Grimsdale, T. F.

Vlk, W. H. Ueber die Morphologie und Entwicklung, von Chiamydomonas cingulata Pascher im Vergleich mit anderen durch ihr Pyrenoid auffallenden Arten. Lotos, Prag 87 1940: 58-69, figs.

Voorthuysen, J. H. Van. (1). Some notes on the microlithology of the siderite and illite facies occurring in the sediments of the North Sea Basin. Geologie en Mynbouw, n.s., 18 1956: 166-170, figs.

Voorthuysen, J. H. van. (2). 12. Holocene ecology of two profiles, based on foraminifera. Verh. van het. Konink, Nederlands geol.-mijnb.Genoot. 17 1957: 190-192.

Voorthuysen, J. H. van (3). Foraminiferen aus dem Eemien (Riss-Würrn-Interglazial) in der Bohrung Amersfoort I (Locus typicus). Meded. geol. Sticht. N.S. 11 (1957) 1958: 27–39, figs.

Voorthuysen, J. H. van (4). Les foraminifères Mio-Pliocènes et quarternaires du Kruisschans. Mém. Inst. Sci. nat. Belg. No. 142 1958 : 1-34, figs.

Voorthuysen, J. H. van (5). News—Benelux. Micropaleontology 5 1959: 263-266.

Vorontsova, M. A. & Liosner, L. D. Asexual propagation and regeneration. London. 489, figs.

Vrabec, F. see Kramář, J.

Vršanský, V., Fedov, P. & Novák, L. Ueber die Wirkung von Biostimulatoren auf Protozoa. Biológica, Bratislava 13 1958: 56-60. [Czech: German summary.] Waaij, D. van der (1). The effect of a lysine-deficient diet on the course of a chronic *Texoplasma* infection. Trop. geogr. Med. 12: 180-182.

Waaij, D. van der (2). Congenital transmission of a virulent *Toxoplasma gondii* after experimental infection in mice prior to gestation. Trop. geogr. Med. 12: 251-257, fig.

Wacławek, D. see Gałuszka, J.

Wada, T. Further study on the plasmolysis in Paramecium. Nat. Sci. Rep. Ochanomizu Univ. 10 1959: 53-59.

Wade, M. see Glaessner, M. F.

Waldroup, P. W. see Harms, R. H.

Waldschmidt, W. A., Fitzgerald, P. E. & Lunsford, C. L. Classification of porosity and fractures in reservoir rocks [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 40 1956: 953–974, figs.

Wall, J. H. see Stelck, C. R.

Wallace, F. G., Clark, T. B., Dyer, M. I. & Collins, T. Two new species of flagellates cultivated from insects of the genus *Gerrie*. J. Protozool. 7: 390-392, figs.

Wallace, F. G. & Dyer, M. I. The cultivation of Blastocrithidia leptocoridis (McCullough). J. Parasit. 46 (Suppl.) 43-44.

Wallace, F. G. see Clark, T. B.

Waller, E. F. see Chute, H. L.

Waller, H. O. & Polski, W. Planktonic Foraminifera of the Asiatic Shelf. Contr. Cushman Fdn. 10 1959: 123–126.

Wang, H. Experimental proteolysis on Paramecium aurelia. Physiol. Zool. 33: 271-276, figs.

Wangersky, P. J. & Guillard, R. R. L. Low molecular weight organic base from the dinoflagellate Amphidinium carteri. Nature, Lond. 185: 689-690.

Wanless, H. R. Pennsylvanian faunas of the Beardstown, Glasford, Havana, and Vermont Quadrangles. Rep. Invest. Ill. geol. Surv. 205 1958: 1-59, figs.

Warren, A. D. Ecology of foraminifera of the Buras-Scofield Bayou Region, South-east Louisiana. Trans. Gulf Coast Assoc. geol. Socs. 6 1956: 131-151, figs.

Warren, L. G. Metabolism of Schizotrypanum cruzi Chagas. I. Effect of culture age and substrate concentration on respiratory rate. J. Parasit. 46: 529-539, figs.

Wasley, M. A. see Payne, F. J.

Watkins, W. M. see Tyler, H. M.

Wawrik, F. (1). Beitrag zur Planktonkunde Ober-Ägytens. Anz. öst. Akad. Wiss. 96: 300–306, fos.

ad.

ous

ino

]

Oge

65,

ger 23

of J.

IOW

II:

ero. Bol.

H. J.

itoire,

of ogy

93) 22, Wawrik, F. (2). Sexualität bei Mallomonas fastigata var. kriegerii. Arch. Protistenk. 104: 541-544, fig.

Wawrik, F. (3). Mastigamoeba nilensis nova spec. Arch. Protistenk. 104: 545-546, fig.

Weathersby, A. B. Experimental infection of Aedes aegypti with excerythrocytic stages of Plasmodium gallinaceum. Exper. Parasit. 9: 334-337.

Weathersby, A. B. see Huff, C. G.

Webster, J. M. Investigations into the coccidia of the grey squirrel Sciurus carolinensis Gmelin. J. Protozool. 7: 139-146, figs.

Weinhandl, R. (1). Aufnahmen 1953 auf den Blättern Hollabrunn (22) und Hadres (23), (früher Blatt Hollabrunn, 4556, 1: 75.000). Verh. Geol. Bundesanst. Wien 1954: 83–87.

Weinhandl, R. (2). Bericht über Aufnahmen auf den Blattern Hollabrunn (22) und Horn (21). Verh. Geol. Bundesanst. Wien 1956: 104–107.

Weinhandl, R. (3). Neuere Bohrungen im Bereiche der Stadt Wien. Verh. Geol. BundesAnst. Wien 1956: 229-235.

Weinhandl, R. (4). Schackoinella, eine neue foraminiferen-gattung. Verh. geol. Reichsanst. (St. Anst.) Wien 1958 2: 141-142.

Weinman, D. (1). Trehalose metabolism of trypanosomes. Nature, Lond. 186: 166.

Weinman, D. (2). Cultivation of the African sleeping sickness trypanosomes from the blood and cerebrospinal fluid of patients and suspects. Trans. roy. Soc. trop. Med. Hyg. 54: 180-196.

Weinman II, D. see Woodworth, H. C.

Weinstein, M. J. see Schneidermann, H. A.

Weiser, J. Zur Kenntnis der Krankheiten der Lurche. Mém. Soc. zool. tchécosl. 24: 232–233, figs.

Weiser, J. & Wille, H. Über eine gregarine aus der leibeshöhle der engerlinge von *Hoplia* sp. aus der schweiz. Česk. Parasit. 7: 351–354, figs.

Weisz, P. B. (1). A general mechanism of differentiation based on morphogenetic studies in ciliates. Amer. Nat. 85 1951: 293-311.

Weisz, P. B. (2). The embryologist and the protozoon. Sci. Amer. 188 1953: 76-83.

Weiss, M. L. & Manwell, R. D. In vitro cultivation of Plasmodium elongalum in duck tissues. J. Protozool. 7: 342-346, figs.

Weitz, B. (1). Feeding habits of bloodsucking Arthropods. Exper. Parasit. 9: 63–82.

Weitz, B. (2). The properties of some antigens of Trypanosoma brucei. J. gen. Microbiol. 23: 589-600, figs.

Weitz, B. G. F. A soluble protective antigen of Trypanosoma brucei. Nature, Lond. 185: 788-789.

Wellerson, R., Doscher, G. E. & Kupferberg, A. B. Carbon dioxide fixation in *Trichomonas vaginalis*. Biochem. J. 75: 562-565, figs.

Welles, C. (1), Identification of free and bound amino acids in three strains of *Tetrahymena pyri*formis using paper chromatography. J. Protozool. 7: 7-10, figs.

Wells, C. (2). Tetrahymena pyriformis, strain HS: micronucleate or a micronucleate? J. Protozool. 7: 313-314.

Welponer, C. see Pasquini, P.

Wenning, M. E. see Payne, F. J.

Wenrich, D. H. Studies on Balantidium simile. J. Protozool. 7 (Suppl.) 27.

Werner, H. (1). Experimenteller Beitrag zur connatalen Toxoplasmose, III. Zbl. Bakt. I. Abt. Orig. 180: 118-135, figs. [English, French, Spanish and Russian summaries.]

Werner, H. (2). Zur Frage der Ubertragung von Toxoplasma gondii auf dem Geschlechtsweg. Z. Tropenmed. u. Parasit. 11: 12-21, figs. [English summary.]

Werner, H. & Seidlitz, P. (1). Experimenteller Beitrag zur connatalen Toxoplasmose. I. Zbl. Bakt. I Abt. Orig. 178: 250-262, figs.

Werner, H. & Seidlitz, P. (2). Experimenteller. Beitrag zur connatalen Toxoplasmose. II. Zbl. Bakt. I. Abt. Orig. 178: 393-406. [English, French, Spanish and Russian summaries.]

West, A. F. Jr. The biology of a species of Nosema (Sporozoa, Microsporidia) parasitic in the flour beetle Tribolium confusum. J. Parasit. 46: 747-754, figs.

Westphal, A. Reflexmikroskopische Untersuchungen am Kern und Blepharoplast einiger Trypanosomen mit dem Azureosin-Reflektor (Giemsafarbung). Z. Tropenmed. u. Parasit. 11: 24–35, figs. [English summary.]

Wetter, R. E. see Stelck, C. R.

Wetzel, O. Eine neue Dinoflagellaten-Gruppe aus dem baltischen Geschiebefeuerstein. Schr. naturw. Ver. Schlesw.-Holst. 31: 81–86, figs.

Wetzel, W. & Weyl, R. Zur Kenntnis des Altertiars im südlichen Santo Domingo (Westindien). N. Jahrb. Min. Geol. Monatshefte Abt. B. 1953: 21-34, figs.

Weyl, R. see Wetzel, W.

White, F. H. see Ristic, M.

White, W. R. Pliocene and Miocene Foraminifera from the Capistrano formation, Orange County, California. J. Paleontology 30 1956: 237-260, figs.

Whiteman, A. J. see Newell, N. D.

Whiteside, E. F. Recent work in Kenya on the control of drug-resistant cattle trypanosomiasis. Publ. Inter. sci. Comm. Trypanosomiasis Res. no. 62: 141–154.

tur im 1–2

[

Col

Pa wit

ma wit the blo An

du

hy

of

rei ch

J

45

Whittington, C. L. Sequence of Mesozoic rocks in Alaska: Revised stratigraphic nomenclature of Colville Group. Bull. Amer. Assoc. Petroleum Geologists 40 1956: 244–253.

Whittington, H. B. Photographing small fossils. J. Paleontology 30 1956: 756-757, figs.

Wicher, C. A. Mikropalaontologische Beobachtungen in der höheren Corealen Oberkreide besonders im Maastricht. Geol. Jahrb. Hannover 68 1953: 1–26. fig.

Wichterman, R. Production of viable races of Paramecium caudatum after micronuclear elimination with X-rays. Biol. Bull. 119: 348.

Wienhols, E. Über die Gliederung des Alttertiärs um westlichen Mecklenburg. Ber. geol. Ges. 3 2–3 1958 : 90–98, figs.

Wiens, C. D. see Amrein, Y. U.

Wijers, D. J. B. & Willett, K. C. Factors that may influence the infection rate of Glossina palpalis with Trypanosoma gambiense. II. The number and the morphology of the trypanosomes present in the blood of the host at the time of the infected feed. Ann. trop. Med. Parasit. 54: 341-350, figs.

Wiley, C. E. see Fellig, J.

Wilhelm, W. E. The role of bacteria in the production of encystment and antogamy in Tetrahymena rostrata. J. Protozool. 7 (Suppl.) 27.

Wille, H. sec Weiser, J.

Willet,, K. C. see Wijers, D. J. B.

William, M. see Ducoff, H. S.

Williams, N. E. (1). The polymorphic life history of Tetrahymena patula. J. Protozool. 7: 10-17, figs.

Williams, N. E. (2). Three sublines of Tetrahymena vorax Strain V₁ with stable and significant differences. J. Protozool. 7 (Suppl.) 9.

Williams, J. E. see Ritchie, L. S.

Williamson, J. Some problems in trypanocidal drug resistance. Publ. Inter. sci. Comm. Trypanosomiasis Res. No. 62: 163–169.

Williamson, J. & Stephen, L. E. A test for drugresistant trypanosomes in experimental testse-fly challenge of cattle. Ann. trop. Med. Parasit. 54: 366-370, fig.

Williamson, J. see Desowitz, R. S.

Willmer, E. N. Further observations on the 'Metaplasia' of an amoeba, Naegleria gruberi. J. Embryol. exp. Morph. 6 1958: 187-214, figs.

Wilson, B. W., Buetow, D. E., Jahn, T. L. & Levedahl, B. H. A differential effect of pH on cell growth and respiration. Exper. Cell Res. 18 1959: 454-465, figs.

Wilson, B. W. & Danforth, W. F. The extent of acetate and ethanol oxidation by Euglena gracilis. J. gen. Microbiol. 18 1958: 535-542, figs.

Wilson, L. R. A Chitinozoan faunule from the Sylvan shale of Oklahoma. Oklahoma Geology Notes 18 4 1958: 67–71, figs.

Windsor, D. A. Morphological changes in *Tetrahymena limacis* upon isolation from three newly discovered hosts. J. Protozool. 7 (Suppl.) 27.

Witwicka, E. Micropalaeontological stratigraphy of Upper Cretaceous of the Chelm borehole (Lublin Upland). Bull. Serv. géol. Pologne 121 1958: 177–267, figs. [Russian and English summaries.]

Witwicka, E. et al. The methods of working out microfossils. Bull. Serv. géol. Pologne 134 1958: 1-156, figs.

Witwicka, E. see Bielecka, W.

Witwicka, E. see Pozaryski, W.

Wohlfarth-Buttermann, K. E. (1). Cytologische Studien V. Feinstrukturveränderungen des Cytoplasmes und der Mitochondrien von Paramecium nach Einwirkung letaler Temperaturen und Röntgendosen. Protoplasma 50 1958: 82-92, figs.

Wohlfarth-Bottermann, K. E. (2). Die elektronenmikroskopische Untersuchung cytoplasmatischer Struktur. Zool. Anz., Suppl. 23 [Verh. dtsch. zool. Ges. 1959]: 393–419, figs.

Wohlfarth-Bottermann, K. E. (3). Protistenstudien X. Lieht-und elektronenmikroskopische Untersuchungen an der Amöhe *Hyalodieais eimplex* n. sp. Protoplasma 52: 58–107, figs.

Wolanska, H. Agathammina pusilla. Geinitz from the Lower Zechstein in Sudetan and Holy Cross Mountains. Acta palaeont. polon. 4 1 1959: 27–59, figs.

Wolburg, J. (1). Schwellen und Becken im Emsland-Tektogen mit einem paläogeographischen Abriss von Wealden und Unterkreide. Geol. Jahrb. Hannover, Beiheft 13 1953: 1–115, figs.

Wolburg, J. (2). Uber ein Vorkommen von tiefem Malm bei Elsfieth an der unteren Weser. N. Jahrb. Geol. Paläont., Monatsh. No 2 1956: 55-75, figs.

Wolfenden, E. B. Paleoecology of the Carboniferous reef complex and shelf limestones in northwest Derbyshire, England. Bull. geol. Soc. Amer. 69 7 1958: 871-898, figs.

Wolff, T. The hadal community, an introduction. Deep-Sea Res. 6: 95-124.

Wolken, J. J. see Gross, J. A.

Wollin, G. see Ericson, D. B.

Wood, R. B. *Trichomonos* disease. Vet. Rec. **72**: 672-673.

Wood, S. F., Mitchell, E. D. Jr. & Brenton, M. J. Trypanosoma cruzi in Conenose bugs from area 13 of Griffith Park, Los Angeles, California. Bull. S. Calif. Acad. Sci. 59: 52.

zur Abt.

[08

A. B.

nalis.

ound

pyrizool.

train

roto-

von Z.

Zbl.

ench,
es of
the
46:

suchnosoung). nglish

e aus turw. Alterdien).

1953:

nifera unty, , figs.

n the niasis.

ne [G

of

E

II

J.

E

or

E

C

I

8

8

G

Woodhead, N. & Tweed, R. D. (1). A check list of tropical West African algae. Hydrobiologia 11 1958: 299-395.

Woodhead, N. & Tweed, R. D. (2). Additions to the algal flora of Newfoundland. Part I. New and interesting algae in the Avalon Peninsula and Central Newfoundland. Hydrobiologia 15: 309-362, figs.

Woodward, S. F. see Cowper, S. G.

Woodworth, H. C. & Weinman II, D. Studies on the toxin of *Toxoplasma* (toxotoxin). J. inf. Dis. 107: 318-324.

Wright, D. E. Pectic enzymes in rumen Protozoa. Arch. Biochem. & Biophys. 86: 251-254, figs.

Wu, Y. Y. see Chin, Y. C.

Wurmbach, H. see Schulemann, W.

Wurtz-Arlet, J. Note limnologique sur quelques étangs de la Double (Domaine de Limage). Rev. gén. Sci. par. appl. (Bull. Ass. franç. Adv. Sci.) Num. spéc. II: 109–110.

Yaeger, R. G. A method for isolating trypanosomes from blood. J. Parasit. 46: 288.

Yaeger, R. G. & Bacigalupo, A. A. Further studies on Trypanosoma cruzi in Louisiana. J. Parasit. 46 (Suppl.), 7.

Yaeger, R. G. & Miller, O. N. Effect of malnutrition on susceptibility of rats to *Trypanosoma cruzi*. I. Thiamine deficiency. Exper. Parasit. 9: 215–222, figs.

Yaeger, R. G. see McNeal, J. E.

Yagi, K. The mechanical properties of amoeba protoplasm. III. The visco-elasticity of ectoplasmic gel. Zool. Mag., Tokyo 69: 245-249, figs.

Yagiu, R. & Shigenaka, Y. (1). Electron microscopical observation of *Condylostoma spatiosum*. Ozaki and Yagin in ultra-thin section I. The pellicle and vacuoles in the cortex. Zool. Mag., Tokyo 67: 106-110, figs.

Yagiu, R. & Shigenaka, Y. (2). Electron microscopical observation of *Condylostoma spatiosum*. Osaki and Yagin in ultra-thin section. II. The cilium and basal granule. Zool. Mag., Tokyo 67 1958: 158-161.

Yagiu, R. & Shigenaka, Y. (3). Electron microscopical observation of *Condylostoma spatiosum*. Osaki et Yagiu, in ultra-thin section V. The longitudinal fibrillar bundle (Kinetodesma). Zool. Mag., Tokyo 69: 183–189, figs.

Yagiu, R. & Shigenaka, Y. (4). Electron microscopical observation of *Condylostoma spatiosum*. Ozaki et Yagiu, in ultra-thin section. VI. The pre-oral membranelle. Zool. Mag., Tokyo 69: 233-238, figs.

Yamagiwa, N. & Ishii, K. Yabeina from Omura Island, Shima, Mie Prefecture. Jubilee Publ. H. Fujimoto 1958: 58-65, figs. Yamato, J. see Koike, T.

Yang, W. C. T. On the continuous culture of opalinids. J. Parasit. 46: 32.

Yang, Y. T. see Tsan, S. F.

Yasarol, S. Les zoonoses en Turquie. Bull. Off. int. Épizoot. 54: 551-567.

Yentsch, C. S. The influence of phytoplankton pigments on the colour of sea water. Deep-Sea Res. 7: 1-9, figs.

Yochelson, E. L. see Mamay, S. H.

Yoeli, M. Animal infections and human disease. Sci. Amer. 202: 161-170, figs.

Yoeli, M. & Most, H. The biology of a newly isolated strain of *Plasmodium berghei* in a rodent host and in experimental mosquito vectors. Trans. roy. Soc. trop. Med. Hyg. **54**: 549-555, figs.

Yuferey, O. V. see Boghush, O. T.

Yusa, A. (1). Effects of repetitive electroshock treatment on incorporation of labelled amino acids in *Paramecium*. J. Protozool. 7 (Suppl.) 27-28.

Yusa, A. (2). Observation on the fine structure of unextruded "resting" trichocysts. J. Protozool. 7 (Suppl.) 28.

Zabala, J. T. & Navarrete, F. Frecuencia de parasitosis intestinales en Ometepec, Estado de Guerrero, México. Medicina, Mexico 40: 200-203.

Zab'yalova, E. A. O foraminiferakh turneiskoglio yarusa L'vovskoi Mul'dui. Trudui. Ukr. NIGRI 1 1959: 174–179, figs.

Zago Filho, H. see Barxetto, M. P.

Zahl, P. A. see Hulbart, E. M.

Zaki, H. Ovine endoparasites of Egyptian sheep and pastures with special reference to fascioliosis. J. Arab. vet. med. Ass. 20: 157-172, figs.

Zalesny, E. R. Foraminiferal ecology of Santa Monica Bay, California. Micropaleontology 5 1959: 101-126, 1 pl., figs.

Zaman, V. Studies with the immobilization reaction in the genus *Entamoeba*. Ann. trop. Med. Parasit. **54**: 381, -391, figs.

Zaman, V. & Barker, D. C. An electron microscopic study of *Entamoeba invadens*. Trans. roy. Soc. trop. Med. Hyg. **54**: 10.

Zanmatti, S. Studio di alcune "microfacies" del Bresciano. Boll., Servizio Geol. d'Italia 78 1956 : 585-595, figs.

Zapletalova, I. Dnešni stav mikrostratigrafického výzkvmu tortonu v Dolnomoravském úvalu. Vesta. geol. Úst. ésl., 32 6 1957 : 409–414. [German summary.]

Zauo, V. A. Homotrema rubrum (Lamark), a red sessile foraminifer of our coral reefs. Geonotes 1 4 1958: 100-103, figs.

Zawadzki, J. see Kucharczyk, W.

[0]

e of

Off.

kton

Res.

9889.

ewly

dent

hock

acids

eture

zool.

de de

-203.

nglin

RI 1

heep

osis.

anta

959:

ation

Med.

roy.

' del

956:

kého

estn.

sum-

), a

notes

8.

Zdárská, Z. Protozoen aus unseren handschnecken. Mém. Soc. zool. tchécosl. 24: 54-62, figs. [German summary.]

Zeledón, R. (1). Comparative physiological studies of four species of hemoflagellates in culture. I. Endogenous respiration and respiration in the presence of glucose. J. Protozool. 7: 146–150, fig.

Zeledón, R. (2). Comparative physiological studies on four species of hemoflagellates in culture. II. Effect of carbohydrates and related substances and some amino compounds on the respiration. J. Parasit. 46: 541–551.

Zeledón, R. (3). Comparative physiological studies on four species of homoflagellates in culture. III. Effect of the Krebs cycle intermediates on the respitation. Rev. Biol. trop. 8: 25-33, figs.

Zeledón, R. (4). Comparative physiological studies on four species of hemoflagellates in culture. IV. Effect of metabolic inhibitors on the respiration. Rev. Biol. trop. 8: 181-195, figs.

Zeledón, R. (5). La enfermedad de Chagas en Costa Rica. Rev. Goiana Med. 5 1959: 439-444.

Zeledón, R., Hidalgo, W., & Hidalgo, H. X. de. Intradermo-reacción de Montenegro con antígeno de Strigomonas oncopelti. Nota previa. Rev. Biol. trop. 8: 145-146.

Zeledón, R., Perez, C. L. & Berrios, A. Hallazgo de Schizotrypanum cruzi en un puerco espín (Coendou mexicanum laenatum) de Costa Rica. Rev. Biol. trop. 8: 201-202.

Zeledón, R. see Berrios, A.

Zehlman, J. scc Mišio, M.

Zeil, W. Fazies—Unterschiede in der Kretazischen Teiltrögen de alpinen Geosynklinale Bayerns. Geol. Rundschau 45 1956: 134–143, figs.

Ziegler, J. H. Lituola grandis (Reuss) aus dem Untermaastricht der Bayerischen Alpen ein beitrag zur systematik und Stammesgeschichte der Lituolidae (Foram). Palaeontographica A. 112 1959: 59–132, figs.

Ziegler, W. H. Geologische studien in der Flyschgebieten des Overhalbsteins (Graubünden). Eclogae geol. Helvetiae 49 1956: 1-78, figs.

Zinoni, A. Microfaune Plioceniche del Golfo di Orosei (Sardegna). Riv. ital. Paleont. **64** 1958 : 65-72, fig.

Zinov'eva, E. G. (1). Dependence of the survival of Paramecium caudatum on their number in unit volume on irradiation by X-rays. Dokl. Akad. Nauk SSR (Transl.) Biol. Sci. 118 1958: 9-12, figs.

Zinov'eva, E. G. (2). Causes of death in infusorians under the influence of X-rays. Dokl. Akad. Nauk SSSR (Transl.) Biol. Sci. 121 1958: 521-524.

Zinov'eva, E. G. see Graevsky, E. J.

Zirković, A. see Milanović, D.

Zsolnai, T. see Jeney, E.

Zuckerman, A. (1). Auto-antibody in rats with Plasmodium berghei. Nature, Lond. 185: 189-190.

Zuckerman, A. (2). Blood loss and replacement in plasmodial infections. III. Plasmodium cynomolgi, Plasmodium gonderi and Plasmodium knowlesi in Macaca mulatta mulatta, the rhesus monkey. J. inf. Dis. 106: 123-140, figs.

Zuckerman, A. (3). Blood loss and replacement in plasmodial infections. IV. Plasmodium gallinaceum and Plasmodium lophurae in untreated and prebled mature chickens and in untreated chicks. J. inf. Dis. 107: 133-148, figs.

Zuloaga, M. see Jarpa, A.

Zwart, D. (1). Een onderzoek naar het voorkomen van bloed-parasieten bij runderen te Meranke (Nederlands Nieuw Guinea). Tijdschr. Diergeneesk. 84 1959 : 90-99, figs.

Zwart, D. (2). Bestrijding van blredprotozoaine ziekten bij nunderen op Nederlands Nieuw Guinea. Tijdschr. Diergeneesk. **84** 1959: 156–162.

Zwart, D. (3). Dierziekten en veeteelt op Nederlands Nieuw Guinea. Tijdschr. Diergeneesk. 84 1959: 812–831.

Zwart, P. Trichomonas hepatica infecties bij twee zebra-vinken en een oranjekaakje in een Nederlandse volière. Tijdschr. Diergeneesk. 84 1959 : 1312-1314.

Zygas, A. [Pathogenesis of balantidiasis and the penetration of balantidia into the tissues of colon and into the blood vessels of man. Acta parasit, lithuanica 2 1959: 169-177, figs. [English summary.]

II. SUBJECT INDEX

GENERAL

Text-books.—Laboratory manual of parasitic protozoa, M. C. Meyer & L. R. Penner; Freshwater biology, H. Liebmann; Introduction to microfossils, D. J. Jones; The ocean floor, H. Pettersson; Zoological micropalaeontology, V. Pokorny (5).

History.—A review on modern micropalaeontology, J. Cuvillier (1); Recent foraminiferal research in the Benelux, J. H. van Yoorthuysen (5); Cushman foundation for foraminiferal research, R. Todd (1); Recent literature on foraminifera, R. Todd (2), (3), (4), (5); Review of micropalaeontology, K. Stiesche; Polish micropalaeontological research work, W. Pozaryski (2); Recent foraminiferal research in Poland, F. Bieda (3); Recent foraminiferal research in Astarlia, J. Crespin (3); Recent foraminiferal research in Australia, J. Crespin (3); Recent foraminiferal research in Linited States—East Coast, R. C. Douglass; Recent foraminiferal research in United States—Mid-Continent Region, D. J. Echolls; Recent foraminiferal research in Pakistan, A. F. M. M. Haque; Recent foraminiferal research in Pakistan, A. F. M. M. Haque; Recent foraminiferal research in Germany, H. Hiltermann (3); Recent foraminiferal research in Germany, H. Wezeland, N. de B. Hornibrook (2); Recent

[]

flor

in (

fore

fors fers Mos

Mot R.

H. mac J. 1

enh

of the

Mor

Per

in l

Glo

& 1

Ke

(8); Mo

fore

Mo

val

nife

lari

Ho

puc

Enj

My

M.

velo

dev Vel dob

leis He Th

Da

log Go M.

Hil

aco

foraminiferal research in Libya, D. D. Hughes; Recent foraminiferal research in United States—East-Central Region, R. V. Kesling; Recent foraminiferal research in North Africa, J. Magné (3); Recent foraminiferal research in India, T. Nagappa (4); Foraminiferal research in Locchoslovakia, W. Pozaryski (1); Recent foraminiferal research in Israel, Z. Reiss (4); Recent foraminiferal research in Israel, Z. Reiss (4); Recent foraminiferal research in Venezuela, B. J. Szenk; Development of parasitology in U.S.S.R., D. N. Sassuchin (3); Centenary of the discovery of human Giardia by Lamb (1824–1895), N. N. Plotnikov & D. N. Sassuchin; Discovery of the Romanovsky stain, C. A. Hoare (4); Malaria in ancient Greece, G. A. Livadas.

Biography; Obituary.—G. Bastianelli, G. Raffaeli; Congratulatory address to Johannes Buder, B. Schussnig; M. Caullery, D. Keilin; Contribution of D. Drake to study of malaria in America, P. F. Russell; Joaquin Frenguelli (1883–1958), E. Boltovskoy (3); Eugène Lacroix, J. Jung; Biography and bibliography of E. Penard, G. Defiandre; John B. Reeside jr. (1889–1958), L. G. Henbest (1); E. Reichenow, P. C. C. Garnham (4); A. Hase; Z. Kozar (3); Julius Zweibaum, obit. and bibliogr., Anon.

Bibliography; Reviews.—Bibliography of Micropaleontology in Germany, H. Hiltermann (4); Bibliography of late Paleozoic nonfusulinid foraminifera, F. Toomey; Bibliography of Australasian microfossils, J. Crespin (2); Foraminifera—general, H. Hiltermann (2); Protozoologie, O. Jiromae et al.; Foraminifera from Ohio, A. La Roque & M. F. Marple; Bibliography of new genera, species and varieties of foraminifera in 1956, H. E. Thalmann (1); Neogene foraminifera from Germany, I. M. Van Der Vierk & Ph. H. Kuenen; Use of avian embryos and tissue culture in the study of Protozoa, A. C. Pipkin; Current research on parasitic protozoa in Britain, J. Mahon (1); (2); Protozoa from far-eastern seas of U.S.S.R. (pp. 22-44), P. V. Ushakov etc.; References to marine protozoa, J. A. C. Nicol (3); Review of the survival of protozoa at low temperatures, H. Mühlpfordt (2); General account of Pelomyra palustris, M. Leiner; Review of present knowledge of Tozoplasma, D. N. Sassuchin (2). The classification of the Globigerenaceae, F. T. Banner & W. H. Blow.

Taxonomy; Nomenclature.—Taxonomy of foraminifera, W. Bielecka & E. Witwicka (1); Relation of classification of foraminifera to their mineralogy, P. D. Blackman & R. Todd; New names for foraminiferal homonyms, H. E. Thalmann (2); Foraminiferal homonyms, H. E. Thalmann (2); Subgeneric nomenclature among the Lepidocyclinae, T. F. Grimsdale & I. M. Van der Vlerk; Revision of the foraminiferal family Victoriellidae, M. F. Glassmer & M. Wade (2); Classification of the Globigerinidae, J. Hofker (21). The classification of the Globigerinidae, F. T. Banner & W. H. Blow; Systematics of the Litucilidae, W. Mayne (4); Status of Neumulaites reliatus, F. E. Eames & W. J. Clarke & F. T. Banner; Systematics of Nummulites, A. Papp (3); Review of Nonioniona cretacea, J. Barrier & M. Neumann; Confusion between Gromia oviformis & Allogromia ovoidea, R. H. Hedlay; Saedeleeria, a new genus of the family Allogromidae, A. R. Loeblich & H. Tappan (2); Grimsdaleinella a new genus of the family Heterohelicidae, H. M. Bolli (1); Systematics of Agathammina pusilla Geinitz from the Permian of Poland, H. Wolanska; Systematics of Textularia carinata, A. G. Tauber;

Taxonomy of Globotruncana from the Upper Crotaceous of Poland, W. Pozaryski & E. Witwicks; Systematics of some Eocene foraminifers from Poland, F. Bieda (2); Calpionellids reviewed and recorded, J. Bolze, G. Colom & J. Sigal; On the status of Theocompe Haeckel, B. H. Burma (2); Recent review of fossil Dinoflagellata, A. Eisenack (6); Problems of classification in the Sporozoa, G. H. Ball.

Technique.—Techniques for isolating Thecamoe-bians, L. Bonnet & T. Thomas; Food colouring for Proparation of foraminifera, E. Witwicka et al.; Distribution of fossil foraminifera, G. H. Scott: Foraminifera techniques from Czechoslovakia, F. Pranti (2); Techniques applied to foraminifera, G. Göke (1); Techniques applied to recent radiolaria, G. Göke (3); Techniques as applied to radiolaria, G. Göke (4); Techniques applied to foraminifera, R. Morikawa (1); Concentrating small organisms for sectioning, Z. M. Arnold; Rapid sorting of foraminifera in plankton samples, A. W. H. Bé (1); Preparation techniques for acid insoluble microfossils, J. W. Funkhauser & W. R. Evitt; Maceration techniques with regard to foraminifera, Z. Kirchner & J. Bajer; Mounting microfossils for photography, S. S. Kornicker, Disintegration with regard to foraminifera, H. Kufferath; A simplified method of grinding foraminifera, A. McGugan; Foraminifera in thin-section, R. M. Nyirő (2); Fluoritization in micropaleontology, H. Osmolska; Photography in relation to foraminifera, G. Aprile; Stereophotomicrography of fossils, E. P. Lehmann; X-ray absorption techniques in statistical study of foraminifera, K. Hooper; Inoculation of screw-cap tubes, J. M. Burke & J. J. Marchisotto; New technique of reflex microscopy, A. Westphal; Temporary stain for intestinal protozoa, M. P. Barretto & H. Zago Filho; McIlvaines buffer solution for use with Romanovsky stains, G. Lubinsky; Staining protozoa in histological sec-tions, W. Schulemann & H. Warmbach; Techniques for storing blood films and staining malarial parasites in stored films, P. G. Shute & M. Maryon (2); Autoradiographic techniques applied to protozos, C. Chapman-Andresen (1); Isolation of organisms from soil, moss and water, L. Decloitre (8); Examination of amoebae by polarized light, R. D. Allen (1); Mass culture of Amoeba, T. L. Griffin (2). Assay of sea-water B₁₂ by Euglena gracilis, K. W; Daisley; Separating trypanosomes in blood, R. G. Yaeger; Use of fluorescence microscopy for the study of oocysts, L. R. Davis & W. N. Smith; Preparation of viable free plasmodia, I. W. Sherman & R. W. Hull (3); Preparation of cell-free Toxoplasma, Y. Tsunenatsu; Preparation of ciliates, J. P. Canto R.; Feeding radioactive bacteria to Spirostomum, H. E. Finley (1); Demonstration of food vacuoles in Colpidium, W. Schülter; Methods of extraction of Chitinezoa, L. R. Wilson.

STRUCTURE

MORPHOLOGY

General Works,-Fossil protozoans, V. Pokorny (5).

Rhizopoda.—Production of binucleate Amoeba proteus, R. C. Rustad (2); Amoeba proteus (popular account), H. Langer; Structure of Naegleria gruber; S. L. Chang (1); (2); Costa Ricen strain of Entamoeba moshkovskii, A. Ruis (2); Morphology of Dimorpha

30]

retaicka; and, rded, "heo-

w of

moa-

g for tusy; ton; al.; cott;

, F. , G. a, G.

, G. R. for

ninioara-. W.

ques ajer; eker; H. mini-

tion.

logy, ninissils,

atison of

New phal; P.

uffer

800-

ques

(2); roto-

gan-

(8); L. D. (2). W; L. G.

tudy ation

W. Y. B.;

s in

y (5).

noeba pular uberi, noeba floridanis n. sp., E. C. Bovee (10); Morphology of foraminifera, W. Bielecka & E. Witwicka (1); Coiling in Globigerina pachyderma, D. B. Ericson; Coiling in foraminifera, R. Dehm; Calcite and aragonite in foraminiferal tests, R. Todd & P. Blackman; Foraminiferal wall-structure, P. D. Blackman & R. Todd; Morphology of Patellina corrugata, K. G. Grell; Morphology of Allogromia laticollaris, T. L. Jahn & R. A. Benaldi; Yabeina from the Japanese Permian, H. Igo (3); The initial stages of Omphalocyclus macroporus, J. Hofker (8); Morphology of Orbignyna, J. Hofker (2); Morphology of Fabiana cassis (Oppenheim), S. Hanzaws (2); Structure and Morphology of the genus Sphaeroidinella, W. H. Blow; Morphology of Nonionina cretacea, J. Barrier & M. Neumann; Morphology of Lituola grandis, J. H. Ziegler; The shell wall of Agathammina pusilla Geinitz from the Permian of Poland, H. Wolanska; Abnormal growth in Bulimina echinata d'Orbigny, G. Tavani (2); Morphology of Texularia carinata, A. G. Tauber; The wall-structure of Cibicides, Planulina, Gyroidinoides & Globorotalites, Z. Reiss (3); The morphology of Iberina & Spirocyclina, W. Mayne (3); Morphology of the morphology of the Piscocyclinides, T. Keckeméti (2); Morphology of rotaliid foraminifera, J. Hofker (20); Morphology of rotaliid foraminifera, L. G. Henbest (2); Morphology of some Permian foraminifera from Japan, K. Asano (1); Morphology of Radiolaria, A. Bullande & M. Cachou-Enjumet (1); Structure of radiolarians, A. Hollande & M. Cachou-Enjumet (2); Cellular differentiation in Myectozoa, K. B. Raper.

Mastigophora.—Structure of Coccolithus pelagicus, M. Parke & I. Adams; Structure of Chrysochromulina, M. Parke, I. Manton & B. Clarke; Structure of Noctiluea, R. Drews; Structure of Kofoidinium velelloides, R. Fenaux; Colony formation in Gomium pectorale, L. B. Graves & W. J. Kostir; Structure and development of Chlamydomonas cingulata, W. H. Vek; Structure of Retortamonas boae sp. n. and R. dobeli, J. Kulda; Structure of Critindia flexonema sp. n. and Leptomonas collosoma sp. n. from insects, F. G. Wallace etc.; Morphology of Leishmania from leishmaniasis diffusa, J. Convit, etc.; Structure of Herpetomonas ludwigi comb. n., K. Vickerman (2); The study of trypanosomes by reflex microscopy, A. Westphal; Structure of Trypanosoma mukasai and Dactylosoma mariae, J. R. Baker (1); Structure of Trypanosoma helogalei sp. n., M. S. Grewal; Morphology of the Trypanosoma congolense complex, D. G. Godfrey; Structure of Trypanosoma birabeni sp. n. M. E. Jorg; Morphology of Trichomonas suis, T. rotunda sp. n. and T. buttreyi sp. n. from pigs, C. P. Hibler etc.; Trichomonas muris var. meriones from jird, S. M. Pak (1); Structure of Hypotrichomonas acosta gen. n., J. Lee; Morphology of Protoppalina caneri, K. M. Sukhanova (3); Morphology of fossil Dinoflagellate, A. Eisenack (6).

Sporozoa.—Structure of Gregarina stigmae sp. n. and Pileocephalus glyphotaelii sp. n., G. A. Stein (1); Morphology of Colepismatophila burti sp. n., C. buckleyi sp. n. and Lepismatophila orientalis sp. n. from Ceylonese silverfish, H. Crusz; Morphology of gregarines, Monocystella from planarians, P. de Puytorac & J. Grain; Description of Mecistophora legeri gen. n., sp. n. from centipede, P. N. Ganapati & C. C. Narasimhamurti (1); Structure of new gregarine from millepede, P. N. Ganapati & C. C. Narasimhamurti (3); Morphology of gregarines from terrestial arthropods, J. Théodoridés (1); Morphology of coccidia from cattle, deer and camels, H. Prasad (2); Coccidia from sousliks, S. K. Svanbaev (4); Description of new coccidia from a meadow mouse, Eimeria wenrichi sp. n. Isopora medowelli sp. n. and Caryospora microti sp. n., L. H. Saxe, N. D. Levine & V. Ivens; Structure of Eimeria myocastori sp. n. and E. nutriae sp. n., H. Prasad (4); Morphology of Eimeria rufusi sp. n. from kangaroo, H. Prasad (1); Morphology of Eimeria neosciuri sp. n., H. Prasad (3); J. M. Webster; Morphology of Eimeria delicata sp. n., E. roundabushi sp. n. and Tyzzeria peromysei sp. n. from deermice, N. D. Levine & V. Ivens; Description of Eimeria megaresidus and E. longaspora spp. n. from newts, J. H. Jr. Barrow & J. B. Hoy; Structure of Eimeria egypti sp. n., E. sylvatica sp. n., E. cricetomysi sp. n. and Isopora egypti sp. n., H. Prasad (5); Structure of Eimeria vison and Isospora laidlawi from mink, H. S. McTaggart; Structure of Isospora from cattle, N. D. Levine & R. N. Mohan; Structure of Grassfella microcosmi gen. n., sp. n., O. Tuzet & R. Ormières; Morphology of new species of Caryospora from snakes, R. S. Bray (2); Structure of Adelea hyalospora sp. n.; C. C. Narasimhamurti; Structure of Eucoccidium ophryotrochae sp. n., K. G. Grell (1); Morphology of haemogregarines in snakes, R. W. Hull & J. H. Camin; Morphology of Haemogregarina aurorae sp. n., D. L. Lehmann (1); Structure of Haemogregarina rubrimarensis sp. n., Dactylosoma lethrinorum sp. n. and Babesiosoma rubrimarensis sp. n., D. C. Saunders; Structure of Cytauxzoon taurotragi sp. n., H. Martin & D. W. Brocklesby; Structure of Babesia leporina sp. n., B. Baldelli; Structure of Piroplasma meles sp. n., A. M. Krivkova; Morphology of Haemoproteus canachites sp. n., A. M. Fallis & G. F. Bennett; New species of Haemamoeba from chameleons, G. Pringle; Description of Polychromophilus congolensis sp. n. H. E. Krampitz & F. Anciaux de Faveaux; Sexual development of Plasmodium berghei, M. Yoeli & H. Most; Morphology of excerythrocytic stages of Plasmodium gallinacium and P. fallax, C. G. Huff, etc.; New subspecies of Plasmodium cynomolgi based on differences in pre-crythrocytic schizogony, P. C. C. Garnham (2); Morphology of Plasmodium minasense and P. vastator sp. n. from Malayan lizards, M. Laird (3); Description of Plasmodium anomaluri sp. n. from flying squirrel, G. Pringle; Structure of Plasmodium matutinum, A. Corradetti, I. Neri & M. Scanga; Description of Ceratomyxa tenuispora sp. n., Z. Kabata (2); Structure of Hoferellus schulmani sp. n., M. N. Golikova (2); Structure of Plistophora sp., H. M. Thomson & W. Smirnoff; Description of Plistophora operophterae sp. n. and Nosema operophterae sp. n. from winter moth, E. U. Canning; Description of Nosema cerasivoranae sp. n. from caterpillar, H. M. Thomson; Structure of Nosema tritoni sp. n., J. Warna (3); Structure of Stempellia weiseri sp. n., V. Silharj; Structure of Nephridiophaga zenoboli sp. n., P. N. Zanapati & C. C. Narasimhamurti (2); Structure of Pirhemocuton eremiasi, G. Blanc & L. Ascione.

Ciliata.—Structure of Chlamydod onpedarius, M. Kaneda (1), (3); Structure of Bresslana and Colpodidae generally, J. D. Stout; Redescription of Balantidium simile, D. H. Wenrich; Structure and development of chonotrichs, Y. Guilcher; Structure of Homalozoon vermiculare, W. F. Dillen; Encystation in Suctorida, K. Kormos (1); Cave suctorium, Spelacophyra troglocaridis, J. Matjašič; Skeletal fibres of astomates (ultra-structure), P. de Puytorac (1); Structure of Radiophryinae, P. de Puytorac (2); Structure of Cyclidium glaucoma, J. Berger & J. C. Thompson; Structure of Frontonia leucas, E. B. Small & R. J. Profant (1); Structure of Tetrahymena chironomi sp. n., J. O. Corliss (1); Structure and morphogenesis of Tetrahymena patula, N. E. Williams (1); Structure of Tetrahymena patula, N. E. Williams (1); Structure of Tetrahymena timacis in culture, D. A. Windsor; Morphological anomalies in Paramecium, E. C. Bovee (1); Structure of Hysterocoimeta eiseniae and Ptychostomum campelomae, E. N. Kozloff; Structure of Condylostoma tardum, E. Fauré-Fremiet (3); Structure of Epistylis caldwelli n. sp., M. Laird (4); Functions of stalk in Vorticella, G. N. Gassovsky; Description of Condylostoma tenuis, E. Fauré-Fremiet (4); Structure of Folliculina bolloni, J. M. Hamilton; Spirostomum ambiguum, M. Deckart (2); Morphogenesis in Stentor, G. Uhlig; Structure of Tolplodinium wovrax, B. Latteur; Structure of Diplodinium wovrax, B. Latteur; Structure of Euplotes, M. Tuffrau.

Protista Incertae Sedis.—Structure of Anaplasma marginale, M. Ristic (1); Characters of Anaplasma in northern limit of its distribution (USSR), P. S. Ivanova; Structure of Eperythrozoon parvum, J. Seamer.

CYTOLOGY

General.—Problems in the study of cytology of protozoa, V. Y. Aleksandrov & G. I. Poljansky; Cytology of Acanthamocba, S. Mookerjee & B. Harra; Fine structure of Hartmannella, K. Deutsch & M. M. Swann; Structure of Hyalodiscus, K. E. Wohlfarth-Bottermann (3); Cytology of Patellina corrugata, K. G. Grell; Fine structure of Actinosphaerium, E. Anderson & H. W. Beams (1); Fine structure of Acanthocystis, J. B. Petersen & J. B. Hansen; Fine structure of Euglena, A. Frey-Wyssling, K. Mühlethaler & G. de Haller; Division of Hypotrichomonas acosta gen. n., J. J. Lee; Structure of Trichomonas vaginalis as seen in thin sections, S. Inoki, K. Nakanishi & T. Nakabayashi; Electron microscopy of Protopalina, K. M. Sukhanova; Cytochemistry of amphibian Balantidium, K. M. Sukhanova (2); Distribution of polysaccharides, phosphatase and nucleic acids in Balantidium coli, E. Ichinose; Fine structure of Stentor, J. T. Randall & S. F. Jackson; Cytology of various stages of gregarines from dragonfly larvae, G. A. Stein (2); Cytology of Eimeria magna, E. M. Cheissin; Electron microscope studies of sporozoites of Plasmodium gallinaceum, P. C. C. Garnham, R. G. Bird & J. R. Baker (1) (2); Electron microscopy of exocrythrocytic stages of Plasmodium gallinaceum in tissue culture, H. Meyer & M. de Oliveiro Musacchio; Study of developing occysts of Plasmodium cathemerium, D. Duncan, etc.; Electron microscopy of Babesia rodhaini, M. A. Rudzinska & W. Trager; Electron microscopy of Sarcocystis

miescheriana, J. Ludvik; The multicellular nature of Sphaeromyxa sabrazesi, P. P. Grassé; Structure of cell free Anaplasma, M. Ristic (2).

Nucleus, nuclear division.—Chromosomes and chromosome number in protozoa, G. I. Poljansky; Nuclear division in urethane treated amoebae, S. Mookerjee & M. G. Alamelu; E. M. study of mitosis in Amoeba, L. E. Roth, S. W. Obetz & E. W. Daniels; Electron microscopy of mitosis in Hartmannella, K. Deutsch; Structure of nuclear membrane of Entamoeba blattae, H. W. Beams, etc.; Nucleo-cytoplasmic ratio in Euglena, J. A. Gross; Chromosomes in Nassula ornata, I. B. Raikov (3); Macronucleus of Chlamydodron pedarius, M. Kaneda (2); Nuclear reorganization in Trachelocerca, I. B. Raikov (1); Fate of nuclear fragments in Tetrahymena, O. H. Scherbaum & A. L. Louderback; HS cultures of Tetrahymena pyriformis found to be micronucleate are designated HSM, C. Wells (2); Chromatin extrusion in Tetrahymena limacis, M. P. Dysart; Effect of colchicine and colcemide on meganucleus of Tetrahymena limaeis, M. P. Dysart & J. O. Corliss; Chromosomes in macronucleus of Paramecium, V. Schwartz; Macronucleus of Paramecium caudatum, H. Sato & M. Saito; Nucleolar cycle in Paramecium caudatum, E. Vivier (2); Nuclei of Frontonia, R. V. Devi; Nuclei of Blepharisma, P. B. Padmavathi (1); Nuclear division in Holosticha, R. Torch.

Cytoplasm, cytoplasmic division.—Consistency of amoeba cytoplasm, R. D. Allen (2); Electron micrographs of pinceytosis channels in Amoeba, C. Chapman-Andersen & J. R. Nilsson; Crystals of Amoeba, J. L. Griffin (1); Crystals of Amoeba and Chaos, J. L. Griffin (3); Mitochondria of Acanthomoeba, Wickers (1): Experimental Chaos, Chapman (2): Crystals of Acanthomoeba, Wickers (1): Crystals of Acanthomoeba, Wickers (1): Crystals of Acanthomoeba, Chapman (2): Crystals of Acanthomoeba, Chapman (3): Crystals of Amoeba, Chapman (3): Crystals of Chapman (3 K. Vickerman (1); Fine structure of an amoeba (Hyalo-discus), K. E. Wohlfarth-Bottermann (2); Virus-like particles seen in cytoplasm of Entamoeba histolytica, J. H. Miller & J. C. Swartzwelder (1), (2); Electron microscope study of Entamoeba invadens, V. Zaman & D. C. Barker; Occurrence of lipids in Sporozoa, B. Dasgupta (1); Polysaccharides in Sporozoa, B. Dasgupta (2); Occurrence of plasmotomy in the tissue phase of some mammalian species of Plasmodium, R. S. Bray (1); Cytoplasmic structure of excerythrocytic forms of Plasmodium gallinaceum, H. Meyer & M. de O. Musacchio; Phagotrophy in Plasmodium falciparum and P. gonderi, M. A. Rudzinska, R. S. Bray & W. Trager; Fine structure of Dileptus anser, J. N. Dumont; Division and morphogenesis of Chlamydodon pedarius, M. Kaneda (3); Electron microscopy of contractile vacuole in Astomatida, P. de Puytorac (4); Stomatogenesis and division in Frontonia leucas, E. B. Small & R. J. Profant (2); Morphogenesis and multiplication of kinetosomes in Glaucoma, J. Frankel (1); Contact area of conjugating Tetrahymena, A. M. Elliott & J. W. Tremor; Fine structure of nephridial system in Paramecium, L. Schneider (3); Fine structure of nephridioplasm in Paramecium, L. Schneider (1); Kappa-like particles in Paramecium, T. M. Sonneborn, J. A. Mueller & M. V. Schneller; Nature of kappa in Paramecium, R. V. Dippell (2); Nature of mate-killer particles in Paramecium, G. H. Beale & A. Jurand; Fine structure of kappa, L. D. Hamilton & M. E. Gettner; R. V. Dippell (1); Contractile elements of Ophrydium versatile, E. Fauré-Fremiet & C. Rouiller; Partition of paraglycogen at division of Stentor, V. Tartar (1).

Membranes.—Theca of Corythion, L. Decloitre (3); The undulating membrane of Trichomonas lacertae, [1980 L. Joy mecium

Organistics of the control of the co

Cysts, & B. I minuta, lepiduri nychia i Other in Tryp

Kinetop

Kinetop

culture,

L. H. E

Trypan Ray & helicis (lacertae, L. R. C trioles Clevelar gregarin

J. Gell Metazor M. A. V Trypandium, physiole Transfo Pulton (Metalof protesynchro

nous division tolerance requirer protozoo amoeba Andrese P. W. 1

Pinocyt

of

t-

0-

0-

of

C.

of

a,

on

ue

m, y-H.

us

of

on

in

2);

ng

ne

m,

les

å

m,

in

ire

V.

um

of

L. Jeyon; Cell membrane at conjugation in Paramecium, L. Schneider (2).

Organellae.—Organisation of organelles, C. F. Ehret; Fine structure of contractile vacuole in Amoeba, G. D. Pappas & P. W. Brandt; Plastids in Euglena, J. A. Gross & M. Villaire (1); Fine structure of Euglena chloroplasts, C. L. Greenblatt, R. A. Olson & E. K. Engel; Chloroplasts and culture age in Euglena, J. A. Gross & M. Villaire (2); Chloroplast and stigma of Euglena: microspectrophotometry, G. K. Strother & J. J. Wolken; Chloroplast development in Euglena, H. T. Epstein, E. B. de la Tour & J. A. Schiff; Formation of chloroplasts in Euglena, G. Brawerman & E. Chargaff (1-4); Studies of blepharoplast of Tritrichomonas with the electron microscope, E. Anderson & H. W. Beams (2); Fine structure of hypermastigote flagellum, I. R. Gibbons & A. V. Crimstone; Properties of isolated kinetosomes, G. R. Grimstone; Properties of isolated kinetosomes, G. R. Seaman; Fine structure of trichocysts, A. Yusa (2); Electron microscopy of Tetrahymena, M. Suhama & S. Yamataka (1, 2); Electron microscopy of Condylostoma, R. Yagiu & Y. Shigemaka (1-4); Infraciliature of Cycloposthium edentatum, D. Fernández-Galiano; Buccal organelles of Ophryoscolecidae, L. H. Bretschneider.

Cysts, spores.—Cyst of Acanthamoeba, S. Mookerjee & B. Harra; En- and excystation in Plagiopyxis minuta, L. Bonnet (2); Spore cytology of Nosema lepiduri, J. Yavra (1); Structure of encysted Stylonychia histrio, K. Hashimoto.

Other internal structures.—Kinetoplast structure in Trypanosomidae, T. B. Clark & F. G. Wallace; Kinetoplast of Leishmania tropica, C. K. Pyne (2); Kinetoplast structure in Trypanosoma cruzi in tissue culture, H. Meyer & L. T. Queiroga; Akinetoplastic culture, H. Meyer & L. T. Queiroga; Akinetoplastic prypanosoma cruzis produced by Prothidium, H. N. Ray & M. N. Malhotra; Basal apparatus of Cryptobia helicis C. K. Pyne (1); The axostyle of Trichonomas lacertae, L. Joyon; Centriole structure in Trichonympha L. R. Cleveland (2); Structure and function of centricles of Trichonympha from termites, L. R. Cleveland (1); Argentophile fibres in monocystid gregarines, P. de Puytorac (5).

PHYSIOLOGY AND BIOCHEMISTRY

General.—Influence of Protozoa on plant growth, J. Gellért; Biology of ciliates, comparison with Metazoa, M. F. Canella (1); (2); Asexual reproduction, M. A. Vorontsova & L. D. Liosner; Biochemistry of Trypanosoma, R. H. Knight; Physiology of Plasmodium, W. Trager; Structural development and physiological changes in Tetrahymena, G. G. Holz; Transformation of trypanosomes by DNA, J. D. Pulton (2).

Metabolism, growth, nutrition.—Respiratory rates of protozoa, J. N. R. Grainger; Metabolic control of synchronous division, O. H. Scherbaum (1); Synchronous division in protozoa, T. W. James; Synchronous division O. H. Scherbaum (2); Growth and salt tolerance of some protozoa, F. R. Evans; Thiamine requirement of some marine and supra-littoral protozoa, M. R. Droop; Pinceytosis studies on amoeba with autoracliographic technique, C. Chapman Andresen (1); Solute adsorption and pinceytosis, P. W. Brandt & G. D. Pappas; Protein uptake in pinceytosis, J. M. Marshall & V. T. Nachmias; Pinceytosis of ferritin, V. T. Nachmias & J. M.

Marshall; Pinocytosis; phagocytosis in amoebæ, A. B. Novikoff; Molecular orientation in amoebae at pinocytosis, R. C. Rustad (1); Pinocytosis in Amoeba proleus, C. Chapman-Andresen & H. Holter; Optimal conditions for pinocytosis in Amoeba, C. Chapman-Andresen (2); Incorporation of thymidine in Amoeba W. Plant & L. A. Sagan; Kinetin and growth of Amoeba, D. Kennell; Suppression of division in Amoeba, E. & S. Guttes (2); Food vacuoles in *Pelomyxa*, L. E. Roth; Pinocytosis in *Pelomyxa*, L. E. Roth; Nuclear dependance of RNA synthesis in Acanthamoeba, D. M. Prescott (2); K and Na flux in Acanthamoeba, R. L. Klein; Effect of starvation on Mayorella, E. C. Bovee (6); Metaplasia in Naegleria gruberi, E. N. Willmer; Disappearance of one specie or strain from an experimental mixed infection of trypanosomes due to differential multiplication rates, T. von Brand & E. J. Tobie; Uptake of Na and K by Chlamydomonas, R. R. Ronkin & K. M. Buretz: Synchronous division in Chlamydomonas, E. Bernstein; Growth of Chilomonas at different temperatures, B. F. Johnson & T. W. James (2); Synthesis of NA and proteins in synchronized Astasia, G. M. Padilla (1); Respiratory activity in synchronized Astasia, G. M. Padilla (2); Synchronization in Astasia, G. M. Padilla & T. W. James; apochlorotic Euglena gracilis with doubled DNA, G. Brawerman, C. A. Rebman & E. Chargaff.

Fate of acetate in Euglena, W. F. Danforth; acetate and ethanol oxidation by Euglena, B. W. Wilson & W. F. Danforth; ph and growth of Euglena, B. W. Wilson et al.; RNA and photosynthetic apparatus in Euglena, G. Brawerman & E. Chargaff, (1); (2); Nitrito reduction by Euglena H. Huzisige & K. Satoh. Synthesis of β-carotene in Euglena, W. J. Steele & S. Gurin; Protoplasmic movement of Allogromia laticallaris, T. L. Jahn & R. A. Rinaldi; Serum replaced by cream in cultivation of *Histomonas*, E. Lesser (1); Nutrition of Hypotrichomonas acosta, J. J. Lee & S. Pierce; Steroid requirements of Trichomonas, P. G. Lund & M. S. Shorb; Growth in vitro of Trichomonas from nasal cavity of swine, B. W. Buttrey; Growth in vitro of pig Trichomonas at various pH, D. Palmquist & B. W. Buttrey; The influence of hypophysectomy and administration of hormones on the infectivity of rats to Trichomonas vaginalis and Paracercobodo hominis, E. Aron etc.; Fixation of CO, by Trichomonas vaginalis, R. Wellerson, G. E. Doscher & A. B. Kupferberg; Review of carbohydrate metabolism of Trichomonas vaginalis, A. B. Kupferberg; Amino acid pool of Trichomonas gallinae, P. A. Swenson; Free amino acids in Trichomonas foetus, A. E. Johnson; Aerobic metabolism of Crithidia fasciculata, F. R. Hunter; Krebs cycle in haemoflagellates, R. Zeledón (3); Effect of carbohydrates and related substances on respiration of blood flagellates, R. Zeledón (2); Respiration of haemoflagellates R. Zeledón (1); Effect of inhibitors on respiration of trypanosomid flagellates, R. Zeledón (4); Anaerobic glucose metabolism by Leishmania donovani, A. N. Chatterjee & J. J. Ghosh; Uptake of radiosodium and radiophosphorus by Trypanosoma equiperdum, P. F. Mulvey Jr.; Distribution of DNA in Trypanosoma evansi, J. R. Baker (3); Inhibition of protein and nucleic acid synthesis in Trypanosoma lewisi by ablastin, W. H. Taliaferro & T. Pizzi; Variation of respiration of Trypanosoma cruzi with culture age and substrate concentration, L. G. Warren; Inhibition of DNA in Trypanosoma mega by urea, M. Steinert & G. Steinert; Constitution of pigment and proteins of

Plasmodium lophurae, I. W. Sherman & R. W. Hull (2); Effect of Plasmodium berghei on mouse-liver mitochondria, M. V. Riley & T. Deegan; Separation of Plasmodium berghei from its red cell for use in metabolism experiments, I. B. R. Bowman, P. T. Grant & W. O. Kermack; Growth requirements of Plasmodium hexamerium, L. Nydegger & R. D. Manwell; Respiration of Toxoplasma, J. D. Fulton & D. F. Spooner; Properties of isolated kinetosomes, G. R. Seaman; Effect of inorganic depletion on ciliates, H. Bick (2); Hydroxyapatite in Spirostomum, F. G. E. Pautard; Inhibition of division in Tetrahymena, L. Rasmussen & E. Zeuthen; Growth and respiration in Tetrahymena, A. Levile & E. Zeuthen; respiration in Tetrahymena, A. Levile & E. Zeuthen; Sulphydryls in Tetrahymena, O. H. Scherbaum & A. L. Louderback & A. Brown; A. K. Katoh; Growth factors for Tetrahymena, H. S. Ducoff & M. William; Serine synthesis in Tetrahymena, V. C. Dewey & C. W. William; G. W. Kidder (1); (2); Metabolism and culture age in Tetrahymena, R. W. Hull & J. E. Morrissey; RNA metabolism in Tetrahymena, M. Alfert & K. Nirmat; Synthesis of protein and NA in Tetrahymena, D. M. Prescott & K. Bors; DNA, RNA and protein synthesis Prescott & R. Bors; D.A. R.N.A and protein systems in Tetrahymena, D. M. Prescott (3); Growth rate of Tetrahymena, D. M. Prescott (1); Nutrition and pH in Tetrahymena pyriformis, M. S. Huddleston etc., Nutrition and cell volume in Tetrahymena pyriformis, and the completion and the systems of the completion and the c M. S. Huddleston etc.; Nutrition, population and longevity in Tetrahymena pyriformis, M. S. Huddleston etc.; DNA synthesis and chromatic extrusion in Tetrahymena pyriformis, M. P. Dysart; DNA synthesis in nuclei of Tetrahymena pyriformis, B. B. McDonald; Effect of kinetin on multiplication in Paramecium, M. A. McManus & K. Sullivan; A fatty acid requirement of Paramecium, C. A. Miller and W. H. Johnson; Respiratory metabolism of Paramecium, G. van Gremberger; Dry weight and UV absorption of macronuclei of Paramecium, R. F. Kimball, L. Vogt-Köhne & T. O. of Paramecium, R. F. Kimball, L. Vogt-Konne & T. O. Caspersson; Effect of lecithin on killer in Paramecium, H. M. Butzel, L. H. Brown & W. B. Martin (1); Metabolism of NA in Paramecium, A. Shigematsu; Kappa in a macronucleate Paramecium aurelia, R. Nobili (2); Effect of macronuclear regeneration in Paramecium aurelia, R. Nobili (1); Enucleation and P-uptake in Stentor, N. de Terra (1); Nuclear and cytoplasmic reactions at division in Stentor, N. de Terra (2); Incorporation of thymidine into macronucleus of Stentor, E. & S. Guttes (2); Digestion in Didinium, G. J. Iziumov; Failure of monobacteriallyfed Paramecium to support Didinium, W. D. Burbanck & J. D. Eisen; Carbohydrate metabolism of Entodium caudatum, A. R. Abou Akkada & B. H. Howard.

Enzymes.—No cholinesterase in Polytoma, Polytomella and Tetrahymena, J. Tibbs; Hyaluronidase in Entamoeba histolytica, R. Jarumilinta & B. G. Maegratith (1); (2); Proteolytic enzyme of Entamoeba histolytica, R. A. Neal; Enzyme systems of Astasia, L. C. Costello & H. W. Schoenborn; Lammarase in Euglena, J. Fellig; Ribonuclease of Euglena, J. Fellig & C. E. Wiley; Cytochemical demonstration of succinic dehydrogenase in Leishmania donovani, E. J. de Souza & S. N. Kothane; L.-a. glycerophosphate dehydrogenase of Trypanosoma rhodesiense, P. T. Grant & J. R. Sargent (2); Dehydrogenase and oxidase systems in Trypanosoma rhodesiense, P. T. Grant & J. R. Sargent (1); Degradation of mucopolysaccharide by enzyme of Trichomonas foctus, H. M. Tyler & W. M. Watkins; Enzymic activity of Trichomonas foctus, G. Mastrandrea, M. Mazzetti &

G. Mele; Dehydrogenase and isomerase in Trichomonas vaginalis, R. Wellerson, G. E. Doscher & A. B. Kupferberg; Histochemical evidence for phosphomonoesterase in Eimeria magna, T. V. Beier; Succinic dehydrogenase and cytochrome oxidase in Pirhemocyton, A. Dodin & E. R. Brygoo (1); Esterases in Tetrahymena, S. L. Allen (1); Succinoxidase in Tetrahymena, R. J. Eichel & L. Edwin & J. Green; Phosphorylation inhibitor in Tetrahymena, H. J. Eichel (1); Lactic oxidase in Tetrahymena, H. J. Eichel & L. T. Rem; Esterase activity in Tetrahymena corlissi, M. Müller, J. Tóth & I. Törö; Formation of an electron transport and phosphorylation inhibitor in Tetrahymena pyriformis, H. J. Eichel (4); Effects of an electron transport inhibitor from Tetrahymena pyriformis, Eichel H. T. (2); Pectic enzymena pyriformis, Eichel H. T. (2); Pectic enzymen in rumen protozoa, D. E. Wright; Maltase and amylase activity of Entodinium caudatum, A. R. Abou Akkada & B. H. Howard; Hydrolysis of starches and glycogen in Stylonychia, N. W. Hunter;

Chemical composition.—Nonulosaminic acid in Protozoa, S. Aaronson & T. Lessie; Composition of free and encysted Naegleria (1), B. Hajira & S. Mookerjee; Amino-acid composition of Entamocha histolytica protein, C. E. Becker & Q. M. Geiman; NA and nitrogen in Euglena gracilis and Astasia longa, R. H. Neff; Paramylon structure in Euglera, A. E. Clarke and B. A. Stone; Cytochromes from Euglena, J. A. Gross & J. J. Wolken; Ergosterol in Euglena, J. A. Gross & J. J. Wolken; Ergosterol in Euglena, G. M. P. Klein; P. compounds in Euglena, R. M. Smillie & G. Korotkov; Carotenoids of Polytoma, J. Links, A. Verloop & E. Havinga; Isolation of DNA from Chlamydomonas, I. Schwinck; Chemical composition of African trypanosomes, R. S. Desowitz & J. Williamson; Amino acid composition of Trichomonas spp., K. N. Mehra, N. D. Levine & E. F. Reber; Polysaccaride in termite flagellates, A. Larette; Chemical composition of wall of spores and gametocysts of gregarine, W. E. Ratnayake; Excystation of sporozoites from occysts of ovine coccidia, J. C. Lotze & R. G. Leek; NA in Loxodes, J. B. Raikov (2); Refracture index of Balantidium coli, B. Hajrs & H. N. Ray; polysaccharide reserves in Astomatida, J. Lom (2); Amino-acids in Paramecium, J. W. Lee and A. Rene; ATP in vorticellid myonemes, L. Levine.

Secretion, excretion, contractile vacuoles.—Contractile vacuoles, J. A. Kitching (1); Criticism of comoregulatory theory, L. N. Seravin (2); The occurrence of juvenile hormone in Protozoa, H. A. Schneidermann, L. I. Gilbert & M. J. Weinstein, Analogue of acetylcholine from Amphidinium, P. J. Wangersky and R. R. L. Guillard; Composition of flagella of Chlamydomonas, R. F. Jones and R. A. Lewin; Chlamydomonas mutant without contractile vacuoles, R. R. L. Guillard; Influence of Trypanosoma cruzi extracts on cell culture, J. Coudert, M. R. Battesti & C. Papageorgion; Frequency of contractile vacuole in Paramecium, N. Sawada; Acclimatization of Paramecium to increased salinity, P. Pasquini, E. Ghirardelli & C. Wilponer; Toxicity of Blepharisma pigment, B. A. Fong, & H. I. Hirschfield; Heavy water and water balance, Suctorida, J. A. Kitching & J. E. Padfield.

Effects of chemicals, drug resistance.—Action of anaesthetics on amoebae, R. J. Goldacre; poly-

Klinge; Effect of Guttes Oura; 8 growth concent of Actin 3-8 S. Aaro of amin S. Aaro Euglena amino-8 etc.; Bl and Oci of Tetr pyridin Dewey of purir monas, leptomo Precipit trypano sistance of try

[1960]

sacchari

Trypan Taylor; Mode o suramir F. Haw soma c Stabilit congoles diamine vitro, I develor grown Effects Opaline Potenti dimidir Smith, sulphor oocysts Chemic Marqua

Trypan

Fromen

virulen of p-ar pyrime D. E. I hymeno Kronsc hymeno amphe amino-Action Tetrah and ur in Tetr Effect Tetrah Proteo kinetin Adapte

Seravir Dryl (2 148

ho-

er; in ace ase in; J. J.

an

of

na

ra-

nd

R.

of

er;

of

eba

m:

sia

a.

om

P.

å ks,

om

on J.

ias

er; te;

C.

2);

la,

n.

of he

A. in;

m,

m-F.

nt

Gil

u:

994.

to &

A. ter

accharide inhibition of ingestion in amoebae, K. Klinge; Effects of alcohols on Amoeba, I. Biernacka; Effect of pyruvate on Amoeba fragments, E. & S Guttes (1); Effect of antibiotics on Naegleria, H. Oura; Streptomycin enhances Entamoeba histolytica growth at high concentrations but inhibits at low concentrations, R. E. Reeves & W. W. Foye; Responses of Actinophrys to proteins, J. A. Kitching (2); Effect of 3-amino-1, 2, 4-triazole on phytoflagellates, S. Aaronson (1); A. Aaronson & B. Binsky; Effects of aminotriazole and streptomycin on phytoflagellates, S. Aaronson & S. Scher; Effect of antibioties on Euglena, C. M. Goodwin; Effect of streptomycin on amino-acid composition of Euglena gracilis, P. Dessi etc.: Bleaching and inhibition of division in Euglena and Ochromonas, S. Aaronson; Inhibition of growth of Tetrahymena and Crithidia by diaminoalkoxy-pyridines and their reversal, D. G. Markees, V. C. Dewey & G. W. Kidder; Inhibition of incorporation. of purines into nucleic acids by Antrycide in Strigomonas, B. A. Newton; Inhibition of Leishmania Precipitation of trypanosome protein by basic trypanocidal drugs, R. S. Desowitz (1); Drug retance in Trypanosoma, J. Williamson; Effect of trypanocides on arsenic-resistant and normal Trypanosoma rhodesience in vitro and in vivo, H. Fromentin; Absorption and distribution within Trypanosoma rhodesiense of Prothidium, A. E. R. Taylor; Transference of drug-resistance in Trypano-soma gambiense by DNA, S. Inoki & A. Matsushiro; Mode of action of homidium, quinapyramine and suramin on Trypanosoma evansi and T. congolense, F. Hawking & A. B. Sen; Cross-resistance of Trypanosoma congolense and T. vivax, E. F. Whiteside; Stability of Berenil-resistance of Trypanosoma congolense, R. Fussgänger & F. Bauer; Hexamethylene diamine compounds on Trichomonas vaginalis in vitro, E. Jeney & T. Zsolnai; Effect of drugs and development of resistance by Trichomonas vaginalis grown on agar plates. R. Samuels & D. J. Stoudes; Effects of amino acids on electrical activity of Opalina, K. S. Koshtoyants and N. N. Kokina; Potentiation of the anticoccidial action of sulphadimidine by 2, 4-diaminopteridines, C. Horton-Smith, P. L. Long & H. O. J. Collier; Effect of sulphonamides on total numbers and sporulation of occysts of Eimeria necatrix, Z. M. Kogan (2); Chemical agents on Eimeria zurnii occysts. W. C. Marquardt, C. M. Senger & L. Seghetti; Increase of virulence of Plasmodium vinckei by administration of p-aminobenzoic acid, G. Fabiana, J. Orfila & G. Bonhoure: Reversal of the action of sulphadiazine and pyrimethamine on Toxoplasma by PAB and folic acid, D. E. Eyles & N. Coleman; KCN inhibition in Tetrahymena, B. W. McCashland, W. R. Marshe & J. M. Kronschnabel; Effect of biostimulators on Tetrahymena, V. Vršanský, P. Fedov & L. Novák; Chloramphenical and chlortetracycline inhibition of amino-acid incorporation in Tetrahymena, J. Mager; Action of iproniazid on Tetrahymena, J. Krezanoski; Tetrahymena used in assay of nicotinic acid in blood and urine, H. Baker etc.; Antimetabolites of acetate in Tetrahymena, V. C. Dewey & E. W. Kidder (3); Effect of colchicine and colcemide on division in Tetrahymena limacis, M. P. Dysart & J. O. Corliss; Proteolyis of Paramecium, H. Wang; Effect of kinetin on Paramecium, R. Guttman & A. Back; Adaptation of Paramecium to various salts, L. N. Seravin (1); Effect of alcohols on Paramecium, S. Dryl (2); Effect of CaCl, on Paramecium, M. Brutkowska; Detergents and killer sensitivity in Paramecium, H. M. Butzel, L. H. Brown, & W. B. Martin (1); Action of colchicine and trypaflavine on reproduction in Paramecium, J. Blanc, E. Vivier & P. de Puytorac;

Effect of physical factors.—thermostability of Protozoa, I. S. Irlina; Protozoa in electro-magnetic field, A. A. Teixera-Pinto et al.; Detergents and electromigration, H. M. Butzel, L. H. Brown & W. B. Martin (2); UV-irradiation of nucleated and enucleated fragments of Amoeba, Y. Skreb; UV-radiation and respiration of amoeba fragments, Y. Skreb & N. Skreb; Response to touch in amoebae, R. J. Goldacre; Nuclear-cystoplasmic relation in irradiated amoebae, S. Mookerjee; Effect of low temperature on virulence of Entamocha invadens, J. H. Barrow Jr. & J. J. Stockton; Effect of gamma radiation on Entamoeba histolytica, C. R. Schneider, R. J. Porter & C. R. Schneider; Effect of low temperature on Chilomonas paramecium, B. F. Johnson & T. W. James (1); Effects of light on Gonyaulax, B. M. Sweeney, F. T. Haxo & J. W. Hastings; Resistance of Euglena to osmotic shock, S. Scher & B. Scher; Effect of light on growth of Euglena, R. T. Huling; Light adapta-tion in Euglena, R. Thiele; Effect of temperature on growth of Leishmania enriettii in tissue culture, M. P. de Castro & S. C. Pinto; Change of viscosity and metachronal rhythm in Opalina, N. B. Potter: Physical factors on Eimeria zurnii oocysts, W. C. Marquardt, C. M. Senger & L. Seghetti; Development of occysts of *Plasmodium relictum* inhibited by storage of mosquitoes at 4°C, J. Chao & G. H. Ball; Refractive index of *Plasmodium berghei*, H. N. Ray & B. Hajra; Effect of temperature on viability of toxoplasms, V. A. Saljaev & A. K. Sustrov; Ciliary reversal by electric current, T. L. Jahn; Death of ciliates on X-irradiation, E. G. Zinov'eva (2); Temperature toleration in Colpoda, B. Maguire; Bio-chemical effects of X-irradiation in Tetrahymena, J. S. Roth, E. Henry & C. Wiercinski; temperature effects on nuclear differentiation in Tetrahymena, D. L. Nanney (2); UV radiation on Tetrahymena, S. J. Sullivan & J. T. Sparks & W. D. Sullivan; Temperature and radiation response in Paramecium, I. B. Smirnova, I. B. Litvinova (1), (2); Ultrasonic offect on Paramecium, H. Mugard & P. Renaud (1), (2); Effect of ionizing radiation on Paramecium, E. Graevsky & E. G. Zinov'eva (1), (2); Survival of Paramecium on X-irradiation, E. G. Zinov'eva (1); Electric shock and amino acid incorporation in Paramecium, A. Yusa (1); Effect of temperature and X-irradiation on fine structure of Paramecium, K. E. Wohlfarth-Bottermann (1); Amicronucleate Paramecium produced by x-irradiation, R. Wichterman; Heat resistance in Paramecium, Reactivation of Paramecium candatum after UV irradiation, L. K. Losina-Losinsky; Effect of irradiation on division and morphogenesis in Glaucoma, J. Frankel (2); Effect of centrifugation on macronuclei of heterotrichs, B. R. Seshachar.

Serology and serotypes [for parasitic protozoa see under Parasitism].—Gel-diffusion studies with Toxoplasma, P. G. Pande, R. R. Shukla & P. C. Sekariah; Antigenic relations among Tetrahymena spp, R. F. Shaw; Effect of properdin on Tetrahymena pyriformis, I. Pleško & L. Novák (1); Effect of sera on Tetrahymena, I. Pleško & L. Novák (2); Immobilization antigens of Tetrahymena spp., M. Pysart & A. K. Katoh; Antigenic variation in Tetrahymena pyriformis, J. J. Corbett; Suppression

of fission by antiserum in Paramecium, T. M. Sonneborn (2); Antigens of Paramecium, J. O. Bishop & G. H. Beale; Effect of sera on Paramecium, L. Novák & I. Pleško; Transformation of antigenic type in Paramecium, S. Koizumi.

Survival, degeneration.—Survival of protozoa at low temperature, H. Mühlpfordt (2); Survival of Amoeba lescherae in dried cultures, M. Taylor; Preservation of motility and virulence of Trypanosoma lewisi at-79°, V. Molinari (1); Survival of human intestinal protozoa and Trichomonas vaginalis in faeces, D. Sibalić; Viability of cysts of Opalina ranarum and Balantidium elongatum, K. M. Sukhanova (1); Survival of gregarines in vitro, J. Moore; Survival of occysts of chick coecidia, Z. M. Kogan (1); Preservation of Plasmodium berghei at 79°, V. Molinari (2); Survival of cysts of Toxoplasma, L. Jacobs, J. S. Remington & M. L. Melton (1); K. Fujits; Survival of Toxoplasma stored at 4°C, S. G. Vasina, Z. V. Dunaeva; H. de Roever-Bonnet; Viability of Eperythrozoon parvum in pigs blood, J. Seamer.

Regeneration.—General discussion on regeneration, M. A. Vorontsova & L. D. Liosner; Amputation and division in Amoeba and Blepharisma, H. T. Hirschfield, N. Tulchin & B. A. Fong; Fate of nuclear fragments in Tetrahymena, O. H. Scherbaum & A. L. Louderback; Cytoplasmic damage in Paramecium, E. D. Hanson (1); Regeneration of Stylonychia mytilus, R. Janisch; Morphogenesis in Stentor, G. Uhlig; Division of amputated Stentor, V. Tartar (2); Effects of altered nucleoplasmic ratio in Stentor, V. Tartar (4).

Encystation, excystation.—Viability of encysted Naegleria, B. Hajira & S. Mookerjee (2); Cyst formation by Entamoeba histolytica, L. Lamy (1); Effect of culture medium on encystation of Entamoeba histolytica, H. Neda (1); Chilomastix mesnili encystment in vitro, R. M. McQuay Jr.; Endocrina control of encystation of Opalina, M. El Mofty & J. D. Smyth; Failure to induce encystation in vitro of Eimeria nieschulzi occysts, E. J. Landers Jr. Coccidian occyst sporulation, M. H. Haiba & M. K. Selim; Filament extrusion in spores of Nosema A. F. West Jr.; Excystation of Ichthyophorius hoferi, A. Dorier & C. Degrange (2); Bacteria and encystation in Tetrahymena rostrata, W. E. Wilhelm; Factors influencing encystation and excystation in Vorticella microstoma, H. F. Finley & A. C. Lewis; Induction of excystation in Bursaria, A. Miyake (4).

Sexuality, mating types.—Sexuality in Patellina corrugata, K. G. Grell (2); Sexuality in Mallomonas fastigata, F. Wawrik, (2); No interspecies transfer between Trypanosoma cruzi ind. T. lewisi in rodents or triatomid host, Y. U. Amrein & C. D. Wiens; Changes in sexual cycles of Cryptocercus protozoa by host transfer, L. R. Cleveland & A. W. Burke Jr.; Modifications of sexual cycle of protozoa of Cryptocercus by ecdysone, L. R. Cleveland, A. W. Burke Jr. & P. Karlson; Sexuality in ciliates, discussion, M. F. Canella (1), (2); Factors affecting mating types in ciliates, D. L. Nanney (1); Experiments on conjugation in Cyclophrya, J. Kormos & K. Kormos (2), (3); Sexuality and taxonomy of Paramecium, T. M. Sonneborn (1); Intrafertile colony of Paramecium, R. W. Siegel (1); Cell membrane at conjugation in Paramecium, L. Schneider (2); RNA and psoudoselfing in Paramecium, S. Hayashi; Locality of mating reactivity in Para-

mecium, K. Hiwatashi (2); Experimental induction of selfing in Paramecium, A. Miyake (3); Chemical induction of conjugation in Paramecium, spp., A. Miyake (5); Breeding system of Paramecium, S. R. Taub; Conjugation in Paramecium caudatum, E. Vivier (1); Mating types in Paramecium caudatum, E. A. Makata; Induction of conjugation by Mn in Paramecium caudatum, K. Hiwatashi & K. Tokuhiko; Aberrant selfing strain of Paramecium caudatum, K. Hiwatashi (1); Macronucleus in Tetrahymena, S. L. Allen & D. L. Nanney; Variotics of Tetrahymena pyriformis in Europe, A. M. Elliott, M. A. Addison & S. E. Carey; Mating types in Tetrahymena pryiformis, D. L. Nanney (3); Effect of autogamy on clonal decline in Tetrahymena rostrata, J. O. Corliss & M. P. Dysart; Bacteria and autogamy in Tetrahymena rostrata, W. E. Wilhelm; The nucleus at conjugation in Euplotes, R. Katashima (2); Conjugation in Blepharisma undulans, A. V. Bhandary.

Behaviour.—Responses and feeding of Actinophrys, J. A. Kitching (2); Modification of chemotaxis in Paramecium, S. Dryl (1); Reactions of Paramecium, B. Párducz; Pseudo-mating reaction at fission in Spirostomum ambiguum, H. E. Finley (3); Cannibal giants of Blepharisma, N. Tulchin & H. P. Hirschfield.

Locomotion.—Theory of amoeboid movement, E. C. Bovee (2); R. D. Allen 1, 2; R. D. Allen & J. D. Roslansky; J. L. Griffin & R. D. Allen; Cytoplasmic consistency and amoeboid movement, R. D. Allen (2); Visco-elasticity of ectoplasm in Amoeba, K. Yagi; ATP activity in flagella of Chlamydomonas, C. J. Brokaw; Mechanism of change of ciliary beat in Opalina, Y. Naitoh; Ciliary beat in Stentor and Opalina, M. A. Sleigh; Ciliary waves of Paramecium, B. Párducz; Stalk 'musele' of Carchesium, H. Sugi.

Cultivation.—A simple method for isolating protozoa in vitro, A. Phelps & B. Fernández; Use of avian embryos and tissue culture in the study of Protozoa. A. C. Pipkin; Use of media devised for a particular purpose, diagnosis, isolation, etc., L. Lamy (3); Culture of Naegleria gruberi, S. L. Chang (1); Growth of Entamoeba histolytica with Bacteriodes treated with 60Co, R. E. Reeves, D. I. Schweinfurth & W. W. Frye; Amino acid base for cultivation of Entamoeba histolytica, R. E. Reeves, N. G. Latour & W. W. Frye; Establishment of clones of Entamceba histolytica in S-F medium, C. W. Rees, I. D. Key & J. G. Shaffer; Cultivation of Entamoeba histolytica from amoebae containing stools stored at room temperature, N. N. Gleason, M. Goldman & R. K. Carver; Unusual amoebic growth in cultures of Entamoeba histolytica, H. Kunert; Axenic cultivation of Entamoeba terrapinae and E. invadens, L. S. Diamond; Ingestion of penicillin altered streptobacilli by Entanoeba histolytica, J. G. Shaffer & I. Key; Cultivation of small race of Entamoeba histolytica, J. G. Shaffer etc.; Monoxenic growth of Entamoeba histolytica with haemoflagellates, C. T. Pan; Cultivation of Dientamoeba fragilis, L. Lamy (2); Monoxenic culture of Arcella, A. Cicak & J. B. Wittenberg; Culture of Foraminifera, J. J. Lee etc.; Mass cultivation of phytoflagellates, J. J. A. McLaughlin et al.; Axenic culture of Katodinium dorsalisulcum sp., n. E. M. Hulburt, J. J. A. Mc-Laughlin & P. A. Zahl; Cultivation of Ochromonas danica, O. Frank et al.; Culture of Euglena gracilis, M. K. Bach; Cultivation of Blastocrithidia leptocoridis from box elder bug, F. G. Wallace, & M. I. Dyer; Growth of Leishmania braziliensis in tissue culture,

A. C. P. enriettii Pinto; C in new ! cultivati donovan equiperd Cultivat rhodesie Trypani tissue c and T. trypano Call des Switzer; R. Sam trichom & R. C. P. 1 acosta, monas 1 in the Galuszk A. E. K cultured (2), (3) W. C. Plasmo McConn of Plass Growth

[1960]

Rice & G. S. C in the Growth Lino (1)

Misce G. H. 1

Nicol (1)

Acantholin cyto Cooledg

duck tis

for cul

Арраво

Parame

vitro, I H. E. 1

Vorticel

Harriso

body
Gerisch
G. L.
sanguin
nucleau
genesis
in Param
macror
of Pa
Muelle
P. B.
genesis

Rhiz A. G. Rauzer in

2;

an

(); th

th N.

W.

r;

80

N.

al a,

ni-

of

nie

L.

&

A.

im le-

dis

er;

A. C. Pipkin & W. C. Coles; Growth of Leishmania enrictii in tissue culture, M. P. de Castro & S. C. Pinto; Cultivation of trypanosomes and Leishmania in new medium, J. Jadin & G. Pierreux; Long term cultivation of Trypanosoma cruzi and Leishmania donovani, W. P. Horen; Cultivation of Trypanosoma equiperdum, J. C. Ortega & A. R. Torres; Cultivation of Trypanosoma gambiense and T. rhodesiense, D. Weinman (2); Multiplication of Trypanosoma rhodesiense and T. gambiense in tissue culture, J. Demarchi & J. Nicoli (1), (2); Culture differences between Trypanosoma rhodesiense and T. brucei, D. L. Lehmann (3); Cultivation of trypanosomes on chick embryos, V. F. Novinskaja; Cell destruction in culture by trichomonads, W. P. Switzer; Growth of trichomonads on agar plates, R. Samuels & D. J. Stouder; Defined medium for trichomonads from poikilotherms, J. J. Lee, S. Pierce & R. Samuels; Cultivation of pig trichomonads, C. P. Hibler etc.; Cultivation of Hypotrichomonas acosta, J. J. Lee & S. Pierce; Cultivation of Trichomonas vaginalis, H. Holečková-Červová; Cholesterol in the cultivation of Trichomonas foctus, J. Galuszka (2); Cultivation of Giardia intestinalis, A. E. Karapetjan (1), (2), (3); Histomonas meleagridis cultured in modified tissue culture medium, E. Lesser (2), (3); Cultivation of opalinids in liquid medium, W. C. T. Yang; Development of gametocytes of Plasmodium gallinaceum in vitro, A. Bishop & E. W. McConnachie: Development of the mosquito stages of Plasmodium relictum in vitro, G. H. Ball & J. Chao; Growth of Plasmodium elongatum in cultures of duck tissues, M. L. Weiss & R. D. Manwell; Medium for cultivation of Balantidium from pigs, R. N. Appasov (3); Axenic culture of killer strains of Paramecium, A. T. Soldo; Growth of Tetrahymena in vitro, D. M. Prescott (1); Culture of Opisthonecta, H. E. Finley (2); Non-axenic and axenic growth of Vorticella, H. E. Finley, D. McLaughlin & D. M. Harrison; Culture of Stylonychia pustulata, M. M. Rice & D. M. Lilley; Cultivation of rumen protozoa, G. S. Coleman (1); Growth of rumen ciliates in vitro in the presence of penicillin, G. S. Coleman (2); Growth of Encephalitozoon in chick embryos, H. Iino (1).

Miscellaneous.—Genetic control of cell surface, G. H. Beale (2); Luminescence in Protozoa, J. A. C. Nicol (1), (2); Osmotic properties of mitochondria in Acanthamoeba, R. L. Klein & R. J. Neff; Streaming in cytoplasm from Chaos chaos, R. D. Allen, J. W. Cooledge & P. J. Hall; Enflagellation in Naegleria gruberi, S. L. Chang (2); Agglutination and fruiting-body induction in Dictyostelium (Mycetozoa), G. Gerisch; Intensity of luminescence of dinoflagellates, G. L. Clark & L. R. Breslau; Bloom of Euglena sanguinea (Holland), C. Bakker; Induction of macronuclear division by osmosis, A. Miyake (2); Morphogenesis of Chlamydodon, M. Kaneda (1); Differentiation in Paramecium, G. H. Beale (3); Plasmolysis in Paramecium, T. Wada; Experimental break down of macronucleus in Paramecium, A. Miyake (1); Action of Paramecium killer on other organisms, J. A. Mueller & T. M. Sonneborn; Hemixis in Blepharisma, P. B. Padmarathi (2); Nuclear control of morphogenesis in Euplotes, R. Katashima (1).

DEVELOPMENT

Rhizopoda.—Ontogeny of Textularia carinata, A. G. Tauber; Ontogeny of the Fusulinids, D. M. Rauzer-Tchernoussova; The growth and form of

Pseudoschwagerina miharanoensis, S. Akagi; Development of nucleoles in Radiolaria, A. Hollande & M. J. Cachou-Enjumet (2).

Mastigophora.—Life-history of Coccolithius pelagicus, M. Parke & J. Adams; Life-history of Oodinium pillularis on fish, A. Geus (2), (3); Life histories of Haematococcus spp., M. A. Poccok; Development of haemoflagellates, C. A. Hoare (2); Development of Herpetomonas ludwigi, K. Vickerman (2); Stages in the life cycle of Leishmania donovani, R. J. V. Pulvertaft & G. F. Hoyle; Cyst stage in the life cycle of Trypanosoma cruzi, I. I. Silva (2), (3), (4); Evidence against development of trypanosomes from crithidia in Trypanosoma cruzi, G. Elkeles; Division of Trichomonas foctus, S. M. Pak (2); Modifications of sexual cycle of Cryptocercus protozoa by ecdysone, L. R. Cleveland, A. W. Burke Jr. & P. Karlson; Changes in sexual cycle of Cryptocercus protozoa by host transfer, L. R. Cleveland & A. W. Burke Jr.; Life cycle of Protoopalina canevi, K. M. Sukhanova (3).

Sporozoa.—Problems of development amongst the Sporozoa, G. H. Ball; Development of sporocysts of Monocystis, D. A. Conroy (1); Development of Monocytis sp. in Hoplia larvae, J. Weiser & H. Wille; Life history of Mecistophora legeri gen. n., sp. n., P. N. Ganapati & C. C. Narasimhamurti (1); Life cycle of Monocystella, P. de Puytorac & J. Grain; Life history of Adelea hyalospora sp. n. from centipede, C. C. Narasimhamurti; Development of Eimeria mesosciuri sp. n. in small intestine of squirrels, J. M. Webster & H. Prasad; Development of Eimeria magna, E. M. Cheissin; Exo-crythrocytic forms of human malarial parasites in chimpanasees liver, R. S. Bray (4); Exo-crythrocytic schizogony of a malaria parasite of a flying squirrel, H. N. Ray; Development of exocrythrocytic stages of Plasmodium gallinaceum and P. fallax, C. G. Huff etc.; Development of exocrythrocytic forms of Plasmodium gallinaceum in the mosquito, A. B. Weathersby: Development of Plasmodium berghes in Anopheles quadrimaculatus and A. aztecus, M. Yoeli & H. Most; Pre-crythrocytic development of Plasmodium malariae in chimpanzees, R. S. Bray (3); Exocrythrocytic cycle of Plasmodium cynomolgi, D. E. Eyles (2); Development of Nosema sp. in the fat body of the flour beetle, A. F. West Jr.; Life history of Nosema lepiduri sp. n., J. Vavra (3); Amoeboid stage of Ichthyophorius, A. Dorier & C. Degrange (1); Life cycle of Haploeporidium in snails, J. H. Barrow Jr.; Life history of Nophridiophaga xenoboli sp. n., P. N. Ganapati & C. C. Narasimhamurti (2).

Ciliata.—Morphogenesis in ciliates, P. B. Weisz (1); Life eycle of Homalozoon vermiculare, W. F. Diller; Development of meganucleus in Loxodes, I. B. Raikov (2); Morphogenesis in Bresslana and other Colpodidae, J. D. Stout; Life cycle of amphibian Balantidium, K. M. Sukhanova (1), (2); Structure and development of suctorians, Y. Guilcher; Encystation in Suctoridan life histories, K. Kormos (1); development of suctorida, J. & K. Kormos (1); Conjugation in Urnula, K. Kormos (2); Populopment of larva of Parapodophrya, K. Kormos (2); Conjugants of Discophrya, K. Kormos (3); Life-cycles of Hyalospira caridinae and Terebrospira lenticularia, P. Debsisienx; Life-cycle of Tetrahymena rostrata, E. W. McArdle (1); Effect of autogamy on decline in Tetrahymena rostrata, J. O. Corliss & M. P. Dysart; Life history of Tetrahymena patula, N. E. Williams (1); Morpho-

genesis of buccal organellae in Paramecium, E. D. Porter; Suppression of fission by antiserum in Paramecium, T. M. Sonneborn (2); Stentor-morphogenetics (popular account), P. B. Weisz (2); Evolution of Ophryoscolecidae, C. Noirot-Timothée (2); Lifehistory and morphogenetics of Euplotes, M. Tuffrau;

EVOLUTION, GENETICS AND VARIATION

Evolution, phylogeny.—Phylogeny of protozoa, J. O. Corliss (2); G. H. Kerkut; Evolution of protozoa, O. H. Schindewolf; Evolution of the Metazoa, J. R. Nursall; Origin of Metazoa, E. Fauré-Fremiet (2); Phylogeny of flagellates and other classes of Protista, A. P. Skabitschevskii; Evolution of Entamoeba, I. de Carneri (2); Phylogeny in Testacea, L. Decloitre (4); Orthogenesis in Foraminifera, J. Hofker (23); Evolution of Foraminifera, S. von Bubnoff; Phylogeny and Evolution in foraminifera, F. Bettenstaedt; Phylogeny of Epistomina, Y. H. Smitter; Orthogenesis of Gavelinopsis involuta (Reuss) from the Cretaceous of Germany, J. Hofker (14); Ontogeny of the Tournayellidae, O. A. Lipina (1); Evolution of Globigerina pseudobuloides from the German Cretaceous, J. Hofker (15); Evolution in Bolivinoides from the Cretaceous of Germany, J. Hofker (11); Phylogenetic development of certain representatives of the Peneroplidae, Y. Y. Didkovsky (1); Evolution of Mississippina binkhorsti Reuss from the German Cretaceous, J. Hofker (9); Evolution in the American Lepidocyclinidae, T. F. Grimsdale (1), (2); Evolution in Globigerina bulloides, W. H. Blow; Evolution of Globigerina bulloides, W. H. Blow; Evolution of Chromulina, I. Manton & M. Parke; Evolution and phylogeny of haemoflagellates, C. A. Hoare (2); Phylogeny of Colpodidae, J. D. Stout; Phylogeny of Suctorida, J. Kormos (1); Suctorian larva and phylogeny, J. Kormos & K. Kormos (4); Adaptations in Paramecium, G. H. Beale (1).

Heredity.—Developmental genetics in Protozoa and Metazoa, D. L. Nanney (4); Genetic control of cell surface, G. H. Beale (2); Mathematical model of sub-nuclear segregation, J. V. Schensted; Cellular inheritance in amoebae, J. F. Danielli; Genetics of Chlamydomonas, R. Sager, R. P. Levine, R. P. Levine & W. T. Ebersoid (1), (2); Loss of chlorophyll synthesis in Euglenids, M. de Deken-Grenson; Capacity to photosynthesize in Euglena, M. de Deken-Grenson & A. Godts; Hereditary symbiosis of Paramecium and zoochlorellae, R. W. Siegel (2); Transmission of single and double Paramecium, T. M. Sonneborn & R. V. Dippell; Antigens of Paramecium, J. O. Bishop & G. H. Beale; Genetic control in Paramecium, G. H. Beale (3); Genetics of kappa in Paramecium, E. Balbinder; Mutation induction and nuclear synthesis in Paramecium, R. F. Kimball & S. W. Perdue; Inheritance of cytoplasmic damage in Paramecium, E. D. Hanson (1); Genetics of kappa in Paramecium, E. D. Hanson (2); Gene and cytoplasmic determinants of monster formation in Paramecium, R. Maly (2); Inherited defects in Paramecium, R. Maly (2); Inherited defects in Paramecium, R. Maly (3); Genetics of esterase variation in Tetrahymena, S. L. Allen & D. L. Nanney; Genetics of mating types in Tetrahymena pyriformis, D. L. Nanney (3); Genetics of Tetrahymena

hymena pyriformis, E. Orias; Abnormal segregation in Tetrahymena pyriformis, S. L. Allen.

Variation.—Dimorphism and polymorphism in Foraminifera, R. M. Nyirö (2); Morphological variation in Foraminifera, F. G. Mazza; Variation in index Foraminifera, O. Pazdro (2); Variation in Bolivinoides from the Cretaceous of Germany, J. Hofker (11); Variation in Agathanmina pusilla Geinitz from the Permian of Poland, H. Wolanska; Variation in Bolivina dentellata Tavani, G. Tavani (2); Variation in Bolivina dentellata Tavani, G. Tavani (2); Variation in Operculina, K. Hooper; Variation in American Larger Foraminifera, W. S. Cole (5); Variation of Jurassic miliolids, O. Pazdrawa (2); Polymorphism in Mesozoic and Kainozoic Foraminifera, O. K. Kaptarenko-Chernousova (1); Species variation among arenaceous Silurian foraminifera from Illinois, H. Schwabb & C. Collinson; Transformation of amoebae, A. A. Schaeffer; Variation in shape and size of spores of Perezia pyraustae, J. P. Kramer; "Small "strains of Tetrahymena rostrata, E. W. McArdle (2); Comparison of strains of Tetrahymena rostrata, E. W. McArdle (1); Characters of epizoic Peritrichida, J. Stiller (1); Reproducible abnormality in Stentor, V. Tartar (3); Strain differences in Stylonychia, B. L. Reed & D. M. Lilley.

Biometry.—Size of Entamoeba gingivalis, A. F. Toomka; Variations of size of haemogregarine and the parasitized red cell, R. W. Hull & J. H. Camin; Biometries in Agathammina pusilla Geinitz from the Permian of Poland, H. Wolanska.

ECOLOGY

General.—Encrusting mode of growth in foraminifera, S. Hanzawa (1); Succession of Protozoa in bamboo containers, Y. Kurihari; Study of Protozoa (popular article), M. Mayer; Application of Bergmann's and Allen's rules to some Protozoa, C. Ray; Amoebae (popular article), F.-M. Engel; Ecology of flagellates (Belgium), L. van Meel; Peritrich and suctorian ciliates in association, D. Matthes; Ciliates from Cicada-froth, J. Buchar (1); Explosive bloom of Strobilidium in "mizukawari", T. Ho & T. Iwai (1).

Behaviour,—Food relations of Protozoa, E. J. Perkins; Feeding behaviour of some amoebae, E. C. Bovee (7); Feeding in verrucosid amoebae, E. C. Bovee (5); Feeding aggregates in Heliozoa, M. Deckart (1); Feeding habits of Noctiluca, R. R. Prasad; Daily changes in ciliate populations, S. S. Bamforth; Conditioning in Paramecium, A. F. Mirsky & M. S. Katz; Feeding in Platyophrya, F. Biezők; Functions of stalk in Vorticella, G. N. Gassovsky: Feeding in Urnula spp., K. Kormos (4).

HABITAT, AQUATIC

Marine.—Characters of phytoplanktonic groups of Protozoa, E. de Sousa & Silva (3); Seasonal changes off N.Z. coast, V. Cassie; Some protozoa of the Gt. Barrier Reef, K. Gillett & F. McNeill; Protozoa from Mediterranean Sea (off Taranto), C. M. de Angelis & R. D. Valle; Planktonic Protozoa of the Gulf of Caglieri (Med. Sea), C. Anichini; Notes on littoral Protozoa, E. Fauré-Fremiet (1); Plankton of N.W. Pacific, B. G. Bogarov; Plankton of Brasilian coast, R. Barth; Adriatic plankton, B. Battaglia, C. Mozzi & A. M. Varaquolo; Phytoplankton and marine fortility, F. Bernard (1); Phytoplankton from equatorial Pacific, quantitative study, G. R. Hasle; Seasonal

eyele E. de plankt M. Ba Black presen Foram of Pro Ecolog Ecolog of the foram Dutch (2); E Fierro Italy, from 1 fora f

[196

Medite from (a B. from Foram North Ecolog W. Po from Ecolog Thom Arctic foram (1); J E. Be

Philip tempe Ecolo

Recen

Ecolo

G. Ba

Brade water from Leope K. A Japan foran foran

of Circumstant California Record Ecolul. de Van

gerin Erics Fora & H Ante ion

lex

des

1);

the

in

can

of

K.

ong

H.

ae, res

w. J.

tor,

F.

in;

the

ini-

boo

ılar

and

bae

tes

om

of

(1).

J. C. C. M.

R. S.

sky ók;

ky:

s of

Ğt.

rom

of oral

.W.

ast,

ozzi

rine

ua-

onal

eyele of planktonie Protozoa (Portuguese Guinea), E. de Sousa e Silva & J. dos Santos Pintos; Phyto-plankton N.W. Black Sea, V. J. Petrova; Phytoanktonic pigments and colour of sea-water, C. S. Yentsch; Zoo- and phytoplankton of Black Sea, M. Bačescu & N. Serpoianu et al.; Zooplankton of Black Sea, C. Margineanu & A. Petran; Ecology of present day Protozoa from Florida; Ecology of Foraminifera, P. D. Blackman & R. Todd; Ecology of Protozoa from the Danube, E. Kol & L. Varga; Ecology of the Discocyclinidae, T. Kecskeméti (2); Ecology of the Asterigerinids, J. Hofker (20); Ecology of the Lituolidae, W. Mayne (4); Ecology of Eccene foraminifera from France, A. Rouvillois; Ecology of Dutch Holocene foraminifera, J. H. Van Voorthuysen (2); Ecology of recent foraminifera from Italy, G. Fierro: Ecology of Pleistocene foraminifera from Italy, H. Lazzari; Ecology of Recent foraminifera from Italy, A. G. Soika; Ecology of Recent foraminifera from the Ligurian Sea, M. Giunta; Ecology of Recent foraminifera from Roumania, C. Margineanu; Ecology of Mediterranean foraminifera from Capri, G. Batteron; Ecology of Recent foraminifera from the Mediterranean, J. Bourcart; Ecology of foraminifera from the Black Sea, N. Macarovici & C. Märgineanu & B. Cehan-Jonesi; Ecology of Recent foraminifera from the Red Sea, M. Avnimelech (2); Ecology of Foraminifera from Israel, Z. Reiss (1); Ecology of North Asiatic coastal foraminifera, W. Polski; Ecology of Asian shelf foraminifera, H. O. Waller & W. Polski; Ecology of Recent planktonic foraminifera from the western North Atlantic, A. W. H. Bé (2); Ecology of Radiolaria from the Antarctic, C. Thomas: Ecology of Recent foraminifers from the Arctic Ocean, J. Jarke (2); Ecology of Recent foraminifers from the South Atlantic, E. Boltovsky (1); Ecology of foraminifera from ocean currents, E. Boltovsky (4); Ecology of foraminifera from the Philippines, J. J. Graham & P. J. Militante; Paleotemperature of Pacific bottom waters, O. L. Bandy (1); Ecology of Pacific planktonic foraminifera, J. S. Bradshaw; Paleotemperatures of Pacific bottom waters, C. Emiliani (1); Ecology of Recent foraminifera waters, C. Emiliani (1); Ecology of Recent foraminiera from the Pacific, E. D. McKee & J. Chronic & E. B. Leopold; Ecology of Recent foraminifera from Japan, K. Asano (4); Ecology of recent foraminifera from Japan, M. Ichihara & K. Nakaseko; Ecology of Recent foraminifera from Japan, T. Matsuda; Ecology of foraminifera from Japan, K. Sawai; Foraminifera environments on coast of Gulf of Mexico, N. N. Greenman & R. J. Le Blanc; Ecology of foraminifera from the Gulf of Mexico, D. R. Moore: Ecology of from the Gulf of Mexico, D. R. Moore; Ecology of foraminifera from the Texas Coast, H. S. Ladd; Ecology of foraminiferal populations along the Texas coast, F. B. Phleger (2); Ecology of Recent foraminifera from Texas, E. H. Shenton; Ecology of Californian coastal foraminifera, E. R. Zalesny; Foraminiferal ecology along Florida coasts, R. M. Ginsberg; Ecology of foraminiferal biofacies off California, R. H. McGlasson; Ecology of intertidal foraminifera from California, M. Reiter; Ecology of Recent foraminifera from Brazil, I. de M. Tinoco (2); Ecology of coastal lagoon foraminifera from Brazil, I. de N. Tinoco (3); Ecology of Lepidocyclina, I. M. Van der Vlerk; Relationship between foraminifera and bathymetry, O. L. Bandy (2); Coiling of Globigerina pachyderma as a climatic indicator, D. B. Ericson; Foraminifera below 6000 m (lists), T. Wolff; Foraminifera in Black Sea sand, M. Bacescu & H. Dumitresco et al.; Ecology of Radiolaria in Antarctic, W. R. Riedel (1); Dinoflagellates at Villefranche-sur-Mer, Y. Halim (1); Ecology of Tintinnids from Israel, B. Komarovsky.

Brackish.—Ecology of Recent foraminifera from Japan, Y. Ishiwada; Foraminifera from the Mississippi Delta, R. R. Lankford; Ecology of marsh foraminifera in Poponesset Bay, Massachusetts, F. L. Parker & W. D. Athean; Recent foraminifera from Louisiana, A. D. Warren; Unusual Cochliopodium sp. from salt spring, E. C. Bovee (3); Salt tolerance of brackish and fresh water ciliates, P. & R. Ax.

Freshwater,—Limnology of a lake with special reference to a power-station, V. Sládeček, L. Fiala & A. Sládečková; Microbenthos of fish-ponds, A. Czapik; Protozoa from mountain waters, A. Abraham, Czapir; Protozoa from mountain waters, A. Adranam, F. Biczók & J. Megyeri; Protozoa and ecology of L. Ochrid, S. Stanković; Protozoa from ponds (France), J. Wurtz-Arlet; Protozoa from swamps (Hungary), J. Stiller (2); Biology of Hungarian water basin (incl. protozoa), V. Rehácková; Protozoa from Rumanian lake, J. Lepşi (4); Some protozoa from L. Graeca (Rumania), A. Nicolan, P. Popovici & A. Christian, Ecology of protozoa from N. American & A. Christian; Ecology of protozoa from N. American lake, A. N. Bragg; Limnology of ponds (Czechos-lovakia), O. Pravda, J. Bican & F. Bron; Limnology of reservoir (Jugoslavia), M. Stepanek & J. Chalupa; Protozoa of Nigerian river, M. J. Holden & J. Green; Ecology of planktonic protozoa in stagnant waters, G. Farrugia-Fougerouse; Vertical migration of plankton (incl. named Protozoa) H. Järnefelt; Plytoplankton of ponds (Poland), H. Bucka; Distribution of zooplankton in a reservoir (Czechoslovakia), M. Stěpánek & E. Červenkova; Planktonie protozoa of Rumanian lakes, V. Enaceanu; Planktonie protozoa from Danube delta, C. Moruzi, C. A. Vasiliu & M. S. Janeu; Ecology of plankton in open waters (L. Balaton), O. Sebestyén (2); Plankton of artificial lake (Jugoslavia), D. Milovanović & A. Zivković; Plankton in Skadar Lake (Jugoslavia), R. Nedeljković; Winter plankton from Ohio quarry, B. C. Cowell; Zoo-plankton of pools in Tokio, H. Kurasawa; Pelomyxa as polysaprobe, D. H. Stern; Ecology of moss Rhizopoda from Hungary, V. Lajes; Ecology of colourless Euglenids from Swiss lake, H. B. Christen; Ecological niche of Ceratium hirundinella, O. Sebestyén (1); Ciliates from tree borne mosses, J. C. Thompson; Ciliates from L. Balaton (Hungary), J. Gellért & G. Tamás (1); Ciliates from detritus-drifts (L. Balaton) G. Tamás & J. Gellért (2); Ciliates in L. Balaton, G. Tamás & J. Gellért (1); Ciliates from detritus-drifts, L. Balaton, J. Gellért & G. Tamás (1, 2); Ciliates from Ukrainian reservoir, V. V. Gurvich; Ciliates from foul water, H. Bick (1); Peritrichida on Cladocera and Copepoda, A. Geus (1); Paramecium spp. in Czechoslovakia, V. Danielova.

Sewage.—Treatment of sewage, V. Slådeček; Protozoa in sludge, K. Scherb; Ciliates of sewage contaminated fjord (Schleswig-Holstein), K. J. Bock; Effect of dilution on ciliates from sewage, H. Bick (3).

Soil

Protozoa from dry "pool", L. Varga & T. Takáts; Protozoa from wood litter (Hungary), L. Varga; Protozoa from oak wood (Rumania), J. Lepsi (1); Testacea from a prehistoric station (France) D. Chardez (4).

Migration in fossil populations, H. Termier & G. Termier; Protozoologie, O. Jiromac et al.; Palaeoecology of foraminifera, F. B. Phleger (1); Palaeoecology of foraminifera, California, E. R. Zalesny; Palaeoecology of Upper Palaeozoic foraminifera from America, A. H. Coogan; Palaeoecology of Carboniferous foraminifera from central India, S. B. Bhatia & S. K. Singh; Palaeoecology of Carboniferous foraminifera from Russia, E. A. Ivanova; Palaeoeeology of Carboniferous foraminifera from Japan, Y. Okimura; Ecology of the Hystrichosphaeridae from the German Tertiary, D. Maier (2); Palaeoecology of Permian foraminifera from Australia, I. Crespin (1); Paleoecology of Lower Cretaceous foraminifera from Texas, W. H. Matthews III; Tertiary palaeoecology of Atlantic, C. Emiliani (2); Palaeoecology of Tertiary foraminifera from Czecho-slovakia, I. S. Suleimanov; Palaeoecology of Eocene foraminifera from France, A. Rouvillois; Palaeoecology of Miocene foraminifera from Poland, R. Gradzinski: Palaeoecology of Miocene foraminifera from Western India, S. R. Bhatia & K. Mohan; Palaeoecology of Miocene foraminifera from South Africa, P. Biesiot; Paleoecology of Miocene foraminifera from Florida, H. Puri & R. O. Vernon; Palaeoecology of Miocene foraminifera in California, L. E. Garrison; Palaeoecology of Miocene foraminifera from California, R. L. Pierce; Palaeoecology of recent foraminifera from the North Sea, J. H. Van **Voorthuysen**; Palaeoecology of Recent planktonic foraminifera from the western North Atlantie, A. W. H. Bé (2); Palaeoecology of North Asiatic coastal foraminifera, W. Polski; Palaeoecology of Asian shelf foraminifera, H. O. Waller & W. Polski; Palaeoecology of Recent foraminifera from the Arctic Ocean, J. Jarke (2); Palaeoecology of Recent foraminifera from Trinidad, C. W. Drooger & J. P. H. Kaasschieter; Palaeoecology of Recent foraminifera from Japan, M. Ichihara & K. Nakaseko; Palaeo-ecology of Recent foraminifera from Brazil, I. de M. Tinoco (2); Palaeoecology of intertidal foraminifera from California, M. Reiter; Palaececology of foramini-feral populations along the Texas coast, F. B. Phleger (2); Palaececology of a foraminifera biofacies off California, R. H. McClasson; Palaececology of a reef building foraminifera from Jamaica, V. A. Zano; Palaecology of Goupillaudina, P. Marie; Palaecocology of miliolids, J. Conkin & B. Conkin; Palaeoecology of pelagic foraminifera from equatorial Atlantic and Caribbean, D. B. Ericson & G. Wollin; Foraminifera in glacial chronology, H. E. Suess.

Symbiosis

Suctorida on Adriatic Mysidacea, J. Hoenigman; Symbiosis of Paramecium bursaria and Chlorella, R. W. Siegel & S. J. Karakashian; Paramecium bursaria and its zoochlorellae; inheritance and transmission, R. W. Siegel (2); Algae of Condylostoma tenuis E. Fauré-Fremiet (4);

PARASITISM

GENERAL

Host-parasite relationship.—Research on host influence on parasite physiology, J. D. Fulton (1); Fish and their parasites as an ecological study, E. R. Noble; Reticulo-endothelial system in experimental malaria and trypanosomiasis, F. C. Goble & I. Singer; Review of host-parasite relations in amoebiasis, C. A. Hoare (3); Permanent artificial caecal fistula as an aid to the study of amoebiasis, R. N. Chaudhuri,

T. K. Saha & N. Roy; Absence of relationship between proteolytic enzymes and virulence of Entamoeba histolytica, R. A. Neal; Cholesterol did not increase the virulence of E. histolytica to rats. R. A. Neal & A. Stewart; Duration of invasiveness of Entamoeba histolytica in vitro, P. Vincent & R. A. Neal; Study of redox potential and pH of caecal contents of rabbits infected with Entamoeba histolytica, I. E. Shakhnazarova; Inhibition of invasiveness of Entamoeba invaders by low temperature, J. H. Barrow Jr, & J. J. Stockton; Natural and experimental infections of Entamoeba muris, J. Pruss (1); Pathogenicity of Hydramoeba hydroxens to Hydra, N. E. Rice; Godinium pillialaris on fishes A. Geus (2); Reduced glycogen synthesis and lipid infiltration in trypanosome infected animals, T. I. Mercado & T. von Brand; Infection of larvae of Galleria mellonella with various trypanosomid flagellates, J. Linder; Visceral infection of Rhombomys with Leishmania tropica, G. D. Druikin, E. N. Kabakov, & D. N. Maksheev; Leishmania brasiliensis represents a series of species, varieties or races of widely different biological properties, F. Pifano; Hamster infections of Leishmania brasiliensis pifanoi, R. Medina & J. Romero; Phagocytosis of trypanosomes, L. E. Stephen; Changes in mixed experimental trypanosome infections due to differences of multiplication rates, T. von Brand & E. J. Tobie; Length of prepatent period of *Trypanosoma* spp. according to number of trypanosomes inoculated, J. R. Baker (2); Effect of *Trypanosoma brucei* on enzymes, ions, lipids and proteins of guinea-pigs, A. Benedetto etc.; Mice protected from Trypanosoma gambiense by simultaneous infection of Borrelia, M. Larivière, P. Hocquet, P. Camerlynck; Decrease of serum cholesterol of rats during Trypanosoma gambiense infection, H. Fromentin, S. Korach & G. Sander; Red celi sedimentation rate in human Trypanosoma gambiense infections, L. T. A. Franco & F. S. Cruz Ferreira; Multiplication of Trypanosoma evansi, S. Inoki etc.; Pathogenicity of Trypanosoma evansi for various mammals in Kazakhstan, I. G. Galuzo, & V. F. Novinskajo; Experimental equine infections with Trypanosoma vivax, L. E. Stephen & C. P. Mackenzie: Reticulo-endothelial blockade using colloidal thorium dioxide increases virulence of Trypanosoma cruzi, F. C. Goble & J. L. Boyd; Variation of strain characteristics of Trypanosoma cruzi according to number of trypanosomes inoculated, N. R. Phillips (1); Digestive tract changes in mice infected with Trypanosoma cruzi, M. Okumura; Stress factors on lesion formation in Trypanosoma cruzi infections, N. Botafogo Gonçalves; Increase of virulence of Trypanosoma cruzi in thiamine deficient rats, R. G. Yaeger & O. N. Miller; Course of Trypanosoma cruzi infection in triatomid bugs, N. R. Phillips (2); Loss of virulence by Trypanosoma lewisi, J. Jadin etc.; Accelerated growth of rats infected with Trypanosoma lewisi, D. R. Lincicome, R. N. Rossan & W. C. Jones; Efficiency of sera from various animals to support growth of Trypanosoma lewisi in mice, D. R. Lincicome & E. H. Francis; Course of Trypanosoma Lincicome & E. H. Francis; Course of Trypanosoma levisi infections in mice, D. R. Lincicome; Experimental infections of T. lewisi in gerbils, B. Juminer & J. A. Goudineau (1); Germ-free guineapigs more susceptible to Trichomonas vaginalis W. L. Newton, L. V. Reardon & A. M. deleva; Virulence transformation of Trichomonas gallinge by NA P. M. Monitors & C. B. Break, Dethomonisty DNA. B. M. Honigberg & C. P. Read; Pathogenicity of Trichomonas gallinae to cultures of tissue cells, B. M. Honigberg & M. T. McLure; Breakdown of (1960

H. Sel

duoden

Cullimate Experiin turi Relatic secretia Connact G. H. infectic Sterilit R. St

G. Winfectiby had Davies with parasit meleag M. J. Coocyst Durati Blood A. Zucchamk and m with

Sherm does no by the Laten relicts of late E. Se virule Interf by do Blood

A. Zu

tion (

auto-ovitamin miron berghe Effection miron by an diabe

diabe berghe Plass P. Ny berghe Leuce ducks

Leuce ducks parva on la D. J. did

of A. cal cba of rana ies oid I. cia cs, th

J. E. oon eto

8, .; ye, m se c; ia 12 i, si 0, ns 0. l-

collulose in the gut of termites by parasitic flagellates H. Schmidt: Association of Giardia lamblia with diarrhoea in man, F. J. Payne etc.; Penetration of duodenal wall by Giardia, N. A. Dekkhan-Khodzhaeva; Cullimastix infections in Cyclops, J. Vavra (2); Experimental infections with Hexamita meleagridis n turkeys, W. C. McGuire & N. F. Morehouse; Relationship between encystation of Opalina and secretion of sex hormones by the host, E. W. Mc-Connachie; Problems of parasitism in the Sporozoa, G. H. Ball; Reaction of the host (Haploembia) to infection with the gregarine Diplocystis, R. Stefani; Sterility in insects caused by infection with gregarine, R. Stefani; Correlation of increase of adrenal ascorbic acid by coccidiosis with haemorrhage, J. R. Challey; Pathogenicity of ovine *Eimeria*, W. N. Smith, L. R. Davis & G. W. Bowman; Occyst production by bovine species of Eimeria, W. C. Marguardt; Time of arrival of merozoites of Eimeria bovis in the caecum after inoculation of oocysts, D. M. Hammond, M. G. Miner & F. L. Andersen; Concurrent infections with coccidia and nematodes in calves, L. R. Davis, H. Herlich & G. W. Bowman (1), (2); Detection of sublethal infections of Eimeria tenella and Eimeria necatrix by haematological methods, L. P. Joyner & S. F. M. Davies; Host-parasite relationship of chicks infected with Eimeria acervulina, S. M. Krassner; Hostparasite relationship of Eimeria adenoeides, E. meleagrimitis and E. meleagridis of the turkey, M. J. Clarkson (2); Rhythm of appearance of Isospora occysts in the faeces of the sparrow, G. Schwalbach: Duration of Plasmodium infections in man, G. Covell: Blood loss and replacement in simian malaria, A. Zuckerman (2); Growth of avian malaria in porous chambers inserted into the peritoneal cavity of birds and mice, C. G. Huff etc.; Blood loss in chicks infected with Plasmodium gallinaceum and P. lophurae, A. Zuckerman (3); Anto-immune response to inoculation of embryo blood infected with Plasmodium lophurae, R. B. McChee (1); Alterations in serum proteins in Plasmodium lophurae infections, I. W. Sherman & R. W. Hull (1); Plasmodium lophurae does not degrade haemoglobin or prevent its synthesis by the chick, I. W. Sherman & R. W. Hull (4); Latent infections and premunition in Plasmodium relictum infections in canaries, E. Sergent (1); Duration of latent infections of Plasmodium relictum in canaries, E. Sergent (2); Plasmodium juxtanucleare more virulent in splenectomised chicks, M. A. Al-Dabagh, Interference of virulence of Plasmodium elongatum by duck tissues, M. L. Weiss & R. D. Manwell; Blood-loss in Plasmodium berghei infections due to auto-antibody, A. Zuckerman (1); Influence of vitamins A and D on Plasmodium berghei infections in mice, H. Payan etc.; Alteration of splenic iron content of rats infected with Plasmodium berghei, D. Allen, G. M. Edington & H. Schnieden; Effect of reduced and increased atmospheric pressure on mice infected with Plasmodium berghei, J. Aldighieri etc.; Increase of virulence of Plasmodium berghei by anti-mouse red cell serum, T. M. Schwink; Alloxan diabetes inhibits the development of Plasmodium berghei infections in rats, M. G. Tolbert & R. B. McGhee; Plasmodium berghei infections in the golden hamster, P. Nye; Renal function of rats infected with Plasmodium berghei, R. Keeler etc.; Effect of naturally transmitted Leucocytozoon simondi on White Pekin and Muscovy ducks, N. T. Briggs; Tissue reactions in *Theileria* parva infections, S. F. Barnett; Effect of *Nosema* sp. on larval trematodes, W. W. Cort, K. L. Hussey & D. J. Ameel (1); Pathogenicity of Plistophora opero-

phterae sp. n. and Nosema operoptherae, E. U. Canning; Biology of Toxoplasma, D. N. Sassuchin (2); Infection of the reproductive system by Toxoplasma in mice and golden hamster, H. Werner & P. Seidlitz (1), (2); Invasion of male reproductive organs of mice and hamsters by *Toxoplasma*, H. Werner (2); Mode of entry of Toxoplasma into foetal blood vessels of mice, H. Werner (1); Toxoplasma in chick red cells from embryo, G. Piekarski; Blood passages of toxoplasms, V. A. Saliaev & A. K. Sustroy; Differences in course of infection in hamsters of five strains of Toxoplasma, T. Simitch etc.; Effect of size of inoculum of Toxoplasma, T. Simitch etc.; Congenital transmission of Toxoplasma in mice, D. van der Waaij (2); Inhibition of Toxoplasma by feeding mice with lysine-deficient diet, D. van der Waaij (1); Multiplication of and penetration of cells by *Toxoplasma* in tissue culture, E. Lund, E. Lycke & P. Sourander; Virulence of Toxoplasma isolated from pigs, sheep and cattle, L. Jacobs, J. S. Remington & M. L. Melton (2); Infection of rats with Toxoplasma by inoculation into the eye, J. Kramař & F. Vrabec; Isolation of Toxo-plasma from guinea-pigs, T. Koike (1); Course of infection of Toxoplasma when inoculated by different routes, M. D. Carmona; Course of infection in mice and rabbits after inoculation with Toxoplasma pseudocysts, H. Neda (2); Survival of Toxoplasma in rats due to presence of cysts, I. Nakayama & T. Hoshiai; Cysts of Toxoplasma gondii seen in rats, S. G. Vasina; Formation of Toxoplasma pseudocysts in mice, K. Fujita; Host-parasite relationship of bovine infections of Besnoitia besnoiti, J. W. Pols; Penetration of Balantidium into tissue, A. Zygas; Review of facultative parasitism in Tetrahymena, J. O. Corliss (1); Experimental infection of chick embryos with Tetrahymena pyriformis, J. C. Thompson Jr., L. Santy & V. Clark (2); Changes of flocculation of red cell stroma by Anaplasma, G. T. Dimopoullos & D. M. Bedell; Latent infections of Anaplasma marginale, J. F. Christensen etc.; Course of infection of Encephalitozoon in mice, Y. Kyo; Course of infection of Eperythrozoon parum in pigs, J. Seamer; Parasitology of Pneumocystis, O. Jirovec.

Transmission, infectivity.—Transmission of avian haematozoa in Canada, G. F. Bennett & A. M. Fallis; Increase of blood parasites of grouse during the spring facilitates transmission, R. S. **Dorney** & A. C. Todd: Bloodsucking habits of arthropod vectors, B. Weitz (1); Experimental infections with Paracecobodo hominis, R. Hovasse etc.; Transmission of Leishmania brasiliensis pifanoi to laboratory animals, R. Medina & J. Romero: Hamster infections with leishmaniasis diffusa, J. Convit etc.: Transmission of Leishmania donovani to dormice (Glis glis), P. Tartaglia; Transmission of leishmaniasis by Phlebotomus in the Neotropical Region, O. P. Forattini (2); Experimental infection of dogs with urban and rural types of cutaneous leishmaniasis, M. P. Vavilova; Suppression of trypanosome strains without kinetoplasts in infections with other trypanosomes, H. Mühlpfordt (1); Infection of teetee flies with trypanosomes, D. J. B. Wijers & K. C. Willett; Carbohydrate metabolism of *Trypanosoma*, T. von Brand; Susceptibility of antelopes to Trypanosoma spp. infection, R. S. Desowitz (2); Infectivity of Trypanosoma helogalei, M. S. Grewal; Chicks treated with hydrocortisone infected with Trypanosoma equiperdum, C. L. Patton & D. T. Clark; Resistance of rodent foctus to infection with Trypanosoma equiperdum; R. Pautrizel, C. Ripert & J. Duret; Hedgehogs infected

[196

J. L. Siim

pleme

dogs,

Niedn

staine

G. Pi

for I

of ra

antib

specif

prope by fl

Ge

New

the e

Greg G. A

G.

List

stan.

H.

of T

H

obse

G. 1

(Ma

Tim

atio

Vei

Poo

0

0

rec

Iso

To:

But

A

with Trypanosoma gambiense, J. Lapierre, J. J. Rousset & H. Picot; Relationship of trehalose to infectivity in *Trypanosoma gambiense* and *T. rhodesiense*, D. **Weinman** (1); Differences of morphology, virulence, antigens and chemotherapy between a syringe and Glossina transmitted strains of Trypanosoma rhodesiense, M. T. Ashcroft; Transmission of Trypanosoma lewisi to gerbils, B. Juminer mission of Trypanosoma lewisi to gerbils, D. Juminer & J. A. Goudineau (1); Infectivity of Trypanosoma cruzi to mice, I. G. Kagan & L. Norman; Placental transmission of Trypanosoma cruzi, A. C. Lisbôa; Laboratory transmission of Trypanosoma cruzi, N. R. Phillips (2); Triatoma protracta from Los Angeles infected with Trypanosoma cruzi, S. F. Wood, E. D. Mitchell & M. J. Brenton; Triatoma sanguisuga found in Louisiana naturally infected with Trypanosoma cruzi, R. G. Yaseer & A. A. with Trypanosoma cruzi, R. G. Yaeger & A. A. Bacigalupo; Lankesterella transmitted by mites, R. Lainson; Measurement of malaria transmission, G. Pringle, C. C. Draper & D. F. Clyde; Anopheles albimanus as a vector for Plasmodium, D. E. Eyles (1); Infectivity of malaria to mosquitoes, G. M. Jeffery (2); Transmission of malaria, G. Covell, Anopheles gambiae more susceptible to Plasmodium faltiparum than A. melas, R. W. Burgess; Transmission of Plasmodium malariae to chimpanzees, R. S. Bray (3); Comparison of Anopheles freeborni and A. quadrim-aculatus as vectors of Plasmodium cynomolgi and P. inui, D. E. Eyles (3); Transmission of Plasmodium cynomolgi bastinellii from macaques to man, D. E. Eyles, G. R. Coatney & M. E. Getz; Development of Plasmodium gallinaceum excerythrocytic forms in the mosquito, A. B. Weathersby; Sporogony of Plasmodium relictum in DDT-resistant Culex fatigans identical to normal strain of mosquito, B. N. Mohan; Dispersal of Plasmodium relictum, M. Laird (2); Transmission of Plasmodium berghei by Anopheles quadrimaculatus and A. aztecus, M. Yoeli & H. Most; Survival of Plasmodium berghei in a bat, A. Corradetti, F. Verolini & M. Rostirolla; Transmission of Haemo-proteus canachites sp. n. by Culicoides sphagnumensis, A. M. Fallis & G. F. Bennett; Transmission of Nosema parasite of larval trematodes by feeding to snails, W. W. Cort, K. L. Hussey & D. J. Ameel (2); Effect of ferret strain of *Toxoplasma* on mice, A. V. Levit (1), (2); Experimental infection of ticks with Toxoplasma, S. Szymański; Transmission of Pirhemocyton chamaeleonis, A. Dodin & E.R. Brygoo (1); Transmission of Besnoitia besnoiti, J. W. Pols; Infection of chick embryos with Tetrahymena, J. C. Thompson, L. Santy & V. Clark (1); Latent infection of Pneumo-cystis carinii in rabbits, A. D. Mata; Mode of infection of new red cells by Anaplasma, M. Ristic (2); Encephalitozoon transmitted in the urine of infected mice, H. Iino (2); Transmission of parasite seen in leucocytes of Chamaeleo lateralis, A. Dodin & E. R. Brygoo (2).

Carriers, reservoirs.—Reservoir hosts of protozoal diseases, F. J. O'Rourke; Reservoir hosts of Leishmania tropica in Turkmenistan, M. B. Shekhanov & L. G. Suvorova; Rattus rattus alexandrinus as reservoir host for cutaneous leishmaniasis, J. E. Alencar, E. P. Pessoa & Z. F. Fontenele; Wild rodents as reservoir hosts of leishmaniasis in Brazil, O. P. Forattini (1); Search for reservoir hosts of Trypanosoma evansi in Kazakhstan, I. G. Galuzo & V. F. Novinskaja; Chickens as reservoir of infection of Toxoplasma, A. C. Kimball etc.; Reservoir hosts of toxoplasmosis, D. N. Sassuchin (1).

Immunity, serology [see also under Physiology].—

Haemagglutination test for Entamoeba histolytica, J. F. Kessel, W. P. Lewis & S. Ma; Comparison of antigens prepared in different ways from Entamoeba histolytica for complement fixation test, F. Fukuhara (1); Antigen preparation from Entamoeba histolytica, L. Magaudda-Borzi & L. Pennisi; Antigenic differences between Entamoeba, V. Zaman; Comparison of complement fixation, precipitation and immobilization tests for Entamoeba histolytica, F. Fukuhara (2); Techniques employed with microfluorimetry of amoeba stained with fluorescent antibody, M. Goldman: Bacterial antigens had no influence on specificity of entamoeba antigens, L. Magaudda-Borzi, L. Pennisi & B. Bertucci; Immune reaction of animals experimentally inoculated with Entamoeba histolytica, F. Fukuhara (3); Antigenic relationships of Herpetomonas and Leptomonas, Y. Becker; Strigomonas oncopelti antigen not suitable for diagnosis of Chagas disease by the complement fixation test. A. Berrios & R. Zeledón; Herpetomonas muscarum as a parasite of wild pig, J. A. Travassos Santos Dias (1); Electrophoretic patterns of laboratory animals infected with Leishmania donovani, R. N. Rossan; Immunity to Trypanosoma, R. S. Desowitz (4); Sabin-Feldman dye-test applied to trypanosome infections, S. Fujioka (1); Immune response of antelopes to trypanosome infection, R. S. **Desowitz** (2); Gel diffusion studies of trypanosomiasis, A. R. Gray; Antigenic mutations in Trypanosoma equiperdum, W. Cantrell; Reduction of immune response of mice to Trypanosoma rhodesiense by splenectomy and sodium salicylate, P. Healey, W. E. Ormerod & A. Roweroft; Immuno-conglutinial level in animals infected with Trypanoscoma bruces, D. G. Ingrams & M. A. Soltys; Soluble trypanoscoma antigen in T. bruces infected rats, B. Weitz (2); Soluble protective antigen of Trypanoscoma bruces, B. G. F. Weitz: Antigenic relationships between trypanosomes of bruces group, R. S. Desowitz (3); Antibodies in serum of guinea-pigs infected with Trypanosoma gambiense, M. Vaucel & H. Fromentin; Effect of o, m and p isomers of hydrobenzoic acid on immune response of rats to Trypanosoma lewisi, E. R. Becker; Protein and carbohydrate fractions of Trypanosoma cruzi in complement fixing, E. A. Fife Jr. & J. F. Kent; Formation of antibodies by hamsters and rats infected with Trypanosoma cruzi, M. Rubio & F. Knierim; Protection of mice against virulent Trypanosoma cruzi by previous infection with non-virulent T. cruzi, L. Norman & I. G. Kagan (2); Animal strains of Trypanosoma cruzi protect against virulent T. cruzi, L. Norman & I. G. Kagan (1); Antigenic relationships between Trichomonas parasitic in man, H. Kott & S. Adler; Trichomonad antigens, H. Chun-Hoon & R. Samuels; Serum protein changes of poults infected with *Histomonas*, M. J. Clarkson (1); Development of immunity to coccidiosis in chickens, E. E. Stuart; Delay of coccidial immunity by coccidiostats, W. M. Reid; Stimulation of immunity to Eimeria nieschulzi after injection of oocysts, E. J. Landers Jr.; Immunity in Plasmodium infections A. Corradetti (1); Acquired immunity in Plasmodium berghei, A. Corradetti & F. Verolini; Immunity developed in mice by Plasmodium berghei, S. Prakash (2); Duration of immunity to Plasmodium berghei in rats, S. Prakash (1); Premunition in Plasmodium relictum, E. Sergent (2); Auto-immune reaction to Plasmodium lophurae in ducklings, R. B. McGhee (2); Toxoplasma antigen prepared with ultrasonic waves, H. J. Körting; Preparation of toxoplasmic antigen for complement fixation test, A. V. Levit (1), (2); Agglutination test for *Toxoplasma*, J. D. Fulton & ca,

of

eba

ca,

of

za-2); ba

ın;

of

nisi

eri-

ca,

to-

ras

Zas

ite

ro-

ith

to

ka

me

of

ons

ien

ai.

ei.

nal

2);

œi,

en

3);

ith in:

on

isi,

ife

m-

ızi,

nst

ion

an

ect

an

nas

ad ein

J.

osis

ity ity

sts, ons

um

ity

ash

hei

um to 2);

108,

gen

J. L. Turk; Floculation test for Toxoplasma, J. C. Siim & K. Lind; Comparison of dye-test and complement fixation test for Toxoplasma using infected dogs, T. Koike (2); Comparison of haemagglutination and dye tests for toxoplasmosis, F. Knierim, G. Niedmann & E. Thiermann; Toxoplasma in tissue stained by fluorescent antibody, F. Dallenbach & G. Piekarski; The use of various dyes in the dye-test for Toxoplasma, C. Kulasiri (1); y-Globulin fraction of rabbit serum contains the highest Toxoplasma antibody titre, C. Kulasiri (2); Studies of species specificity in the genus Balantidium using gel diffusion techniques, S. Krascheninnikow & E. Jeska; Deleterious effect of serum on Balantidium coli due to properdin, S. Fujioka (2); Detection of Anaplasma yfluorescent antibody, M. Ristie & F. H. White.

Hosts

General.—Protozoa of animals from Netherlands New Guinea, D. Zwart (3); Influence of parasites on the ecological position of the host, C. N. Shuster Jr.; Gregarines of aquatic arthropods of Karelian lakes, G. A. Stein (1).

Mammalia; Protozoa causing disease in monkeys, G. L. Graham; Blood parasites of wild rats in Tunis, B. Juminer & J. A. Goudineau (2). List of coccidia parasites of silver-black fox in Zazakhstan, S. K. Svanbaev (2).

Coccidia from Bovidae, Cervidae & Camelidae, H. Prasad (2).

Malarial parasites and trypanosomes of mammals of Thailand, G. R. Coatney, R. E. Elbel & P. Kocharatana.

Haemosporidia including Polychromophilus congolensis sp. n. from Congolese bats, H. E. Krampitz & F. Anciaux de Faveaux.

Mammals, blood (San Salvador), haemoparasites observed, H. E. Krampitz.

Anomalurus fraseri orientalis, blood (Tanganyika), Plasmodium anomaluri sp. n. (Haemosporidia), G. Pringle.

Antelopes blood (Mozambique), Trypanosoma spp. (Mastigophora), J. A. Santos Dias Travassos (2).

Antelopes, rumen protozoa observed, C. Noirot-Timothée (1).

Apodemus sylvaticus, gut (England), Eimeria sylvatica sp. n. (Coccidia), H. Prasad (5).

Arvicola terrestris, gut, New and known species of coccidia from Azer baidjan, M. A. Musaev & A. M. Veisov.

Chinchilla, gut (captive, Scotland), Giardia, D. B. R.

Citellus fulvus, blood (Kazakhstan), incidence of Trypanosoma spermophili, V. F. Novinskaja & P. M. Butovskij.

Citellus fulvus, intestine (Kazakhstan); new host record for Eimeria citelli, E. callo-spermophili, Isospora uralica (Coccidia), S. K. Svanbaev (4).

Clethrionomys rufocanus, C. rutilus, brain (USSR), Toxoplasma (Sporozoa), D. N. Sassuchin, E. A. Shevkunova & B. E. Karulin, Coendon mexicanum laenatum, blood (Costa Rica); Trypanosoma cruzi (Mastigophora), R. Zeledón, C. L. Perez & A. Berrios.

Cricetomys gambianus, gut (Nigeria), Eimeria cricetomysi sp. n. (Coccidia), H. Prasad (5).

Cuniculus paca (Brasil); Leishmania (Mastigophora), O. P. Forattini (1).

Dasyprocta azurae (Brasil); Leishmania (Mastigophora), O. P. Forattini (1).

Dog, lung (Netherlands); Pneumocystis carinii (Sporozoa), S. van den Akker & E. Goedbloed.

Dogs, blood and brain (USA); incidence of Toxoplasma, C. L. Gibson & J. R. Jumper.

Elephas indicus, caecum; Thoracodinium vorax, B. Latteur.

Felis onca, gut (captive USA); coccidia, B. J. Jaskoski & W. Krzeminski.

Fennecus zerda (captive, France); Toxoplasma gondii (Sporozoa), A. Vallée & P. Destombes.

Helogale undulata rufula, blood (Kenya); Trypanosoma helogalei sp. n. (Mastigophora), M. S. Grewal.

Hesperomys, blood (San Salvador); Trypanosoma birabeni sp. n. (Mastigophora) M. E. Jong,

Hippopotamus, blood (Uganda), Trypanosoma sp. (Mastigophora), P. C. C. Garnham (1).

Hylarnus batesi rumen (Cameroon); Diplodinium moucheti sp. n. C. Noirot-Timothée (2).

Kannabateomys amblyonyx (Brasil); Leishmania (Mastigophora), O. P. Forattini (1).

Lagothrix lagotricha, blood (Colombia); Plasmodium brasilianum (Haemosporidia), P. C. C. Garnham (3).

Lepus europeus, blood (Italy), Babesia leporina sp. n. (Haemosporidia), B. Baldelli.

Macropus refusi, gut (captive, England); Eimeria rufusi sp. n., E. macropodis (Coccidia), H. Prasad (1).

Meles meles, blood (Kazakhstan); Piroplasma meles sp. n. (Haemosporidia) A. M. Krivkova.

Meriones erythrourus, intestine (Kazakhstan); Trichomonas muris var. n. meriones (Mastigophora), S. M. Pak (1).

Meriones shawi shawi, gut (Egypt); Eimeria egypti sp. n. Isospora egypti sp. n. (Coccidia), H. Prasad (5).

Microtus pennsylvanicus, caecum (USA); Eimeria wenrichi sp. n. Isospora medowelli sp. n. and Canyospora microti sp. n., L. H. Saxe, N. D. Levine & V. Ivens.

Microtus torques, lung (Perú), Besnoitia (Sporozoa?), W. L. Jellison, L. Glesne & R. S. Peterson.

Mustela vison, gut (Britain); Eimeria vison and Isospora aidlawi, H. S. McTaggart. Myocastor coypus, gut .(England); Eimeria myocastori, E. nutriae spp. n. (Coccidia), H. Prasad (4).

Panthero leo, blood (Uganda); Trypanosoma congolense (Protomadina), J. R. Baker (4).

Panthera pardus, blood (Uganda); Trypanosoma congolense (Protomonadina), J. R. Baker (4).

Peromyscus leucopus, gut (USA); Eimeria arizonensis, E. roundabushi sp. n. Tyzzeria peromysci sp. n. N. D. Levine & V. Ivens.

Peromyscus maniculatus, gut (USA); Eimeria delicata sp. n. E. arizonensis, Tyzzeria peromysci sp. n. N. D. Levine & V. Ivens.

Rabbits (Mexico); latent infections of Pneumocystis carinii, A. D. Mata,

Rattus rattus alexandrinus, blood (Brazil); Leishmania (Mastigophora), J. E. Alencar, E. P. Pessoa & Z. F. Fontenele.

Sciurus (Neosciurus) carolinensis, gut (England); Eimeria neosciuri (Coccid.), H. Prasad (3); J. M. Webster.

Tatera, blood (Congo); Trypanosoma cruzi (Mastigophora), J. Jadin etc.

Taurotragus oryx oryx, blood (Kenya); Cytauxzoon taurotragi sp. n., H. Martin & D. W. Brocklesby.

Aves:

Birds in Canada infected with haematozoa, G. F. Bennett & A. M. Fallis.

Haemoproteus and Leucocytozoon from birds of Thailand, G. R. Coatney, R. E. Elbel & P. Kocharatana.

Blood protozoa of Polish birds, A. Ramisz.

Birds, blood (USA); infections of *Plasmodium Haemoproteus*, *Leucocytozoon*, (Haemosporidia) and *Trypanosoma* (Mastigophora), J. N. Farmer.

Bonasa umbellus, blood (USA); incidence of Haemoproteus, Leucocytozoon Plasmodium (Haemosporidia) and Trypanosoma (Mastigophora), R. S. Dorney & A. C. Todd.

Canachites canadensis, blood (Canada); Haemoproteus canachites sp. n. (Haemosporidia), A. M. Fallis & G. F. Bennett.

Chalcites lucidus lucidus, blood (Solomon Islands); Plasmodium relictum (Haemosporidia), M. Laird (2).

Corvus cornix, blood (Italy); Plasmodium elongatum (Haemosporidia), A. Corradetti & A. Ilardi.

Myiagra ferrocyanea ferrocyanea, blood (Solomon Islands); Plasmodium relictum (Haemosporidia), M. Laird (2).

Pica nuttalli, blood (USA); incidence of blood parasites, G. W. Clark.

Pica pica hudsonia, blood (USA); incidence of blood parasites, R. A. Heckman & G. W. Clark.

Turdus iliacus, blood (Italy); Plasmodium matutinum (Haemosporidia), A. Corradetti, I. Neri & M. Scarga.

Waxbill (captive, Netherlands); Trichomonas gallinae (Mastigophora), P. Zwart.

Zebra finches (captive Netherlands); Trichomonas gallinae (Mastigophora), P. Zwart.

Reptilia:

Chamaleo fischeri tavetanus, blood (Tanganyika), Haemamocba acuminata (Haemosporidia), G. Pringle,

Coluber ravergieri nummifer, gut (Israel); Caryospora zuckermanae sp. n. (Coccidia), R. S. Bray (2).

Constrictor constrictor, cloaca (captive); Retortomonas boue sp. n. (Mastigophora), J. Kulda.

Draco volans, blood (Malaya); Plasmodium vastator sp. n. (Haemosporidia), M. Laird (3).

Eremias guttulatus olivieri, blood (Morocco); Pirhemocyton eremiosi sp. n., G. Blanc & L. Ascione,

Gonyocephalus borneensis, blood (Malaya); Plasmodium minasense (Haemosporidia) M. Laird (3),

Psammophis sibilans phillipsi, gut (Liberia); Caryospora spp. n. (Coccidia), R. S. Bray (2).

Amphibia:

Parasitic protozoa of Anura from Kaliningrad, M. N. Golikova (1).

Protozoa observed in amphibia from California, D. L. Lehmann (2).

Protozoa observed in amphibia of Utah, U.S.A. J. C. Frandsen & A. W. Grundmann.

Bufo luetkeni, intestine (Costa Rica); Trichomonas batrachorum (Mastigophora), A. Ruiz (1).

Bufo marinus, intestine (Costa Rica); Trichomonas batrachorum (Mastigophora), A. Ruiz (1).

Notophalmus viridescens, intestine (USA); Eimeria megaresidua, E. longaspora (Coccidia), J. H. Barrow Jr. & J. B. Hoy.

Rana aurora aurora, blood (USA); Haemogregarina aurorae sp. n. (Coccidia), D. L. Lehmann (1).

Triturus vulgaris, skin (Czechoslovakia); Nosema tritoni sp. n. (Microsporidia), J. Weiser.

Pisces

Skin infections in fishes (popular account), A. Bartsch.

African freshwater fish (Uganda); records of trypanosomes and "piroplasms", J. R. Baker (5).

African freshwater fish: Trypanosoma mukasai (Mastigophora) and Dactylosoma mariae (Haemosporid), J. R. Baker (1).

Parasites of freshwater fish from USSR, O. N.

Protozoa from fish caught in Kaliningrad, USSR, M. N. Golikova (2).

Fishes of Kazakhstan rivers: incidence of protozoal infections, A. I. Agapova, A. P. Maksimova, E. G. Sidorov & O. V. Dobrokhotova.

Mar parasi Cze

[196

f. latin Cyprin Lenca, tinca, Esox Rutila brama Lencis Gobio taenia

Ap.
tomyz
Cyj

Gai Gluge Ph

chilus intern Wł (Myx

Ze clupe In

sp. n

Ak
(Greg

Plist W. S A; mast

Asp. 1

sp (

B

otell L (Gre

sp.

sp.

al-

as

le.

ma

tor

0);

ne.

as-

yo-

ad,

ua,

A.

nas

nas

ria OW

ina

ma

A.

of

(5).

1801

108

N.

SR,

zoal

G.

Marine fish (Red Sea); incidence of protozoan parasites, D. C. Saunders.

Czechoslovakian fishes: Trichodina aomerguei, f. latispina (Ciliata) on skin of Gasterosteus aculeatus, Cyprinus carpio, Percafluviatilis, Lucioperca lucioperca, Leucaspis delineatus; T. domerguei f. magna on Tinca tinca, Nemachilus barbatulus; T domerguei f. esocis on Esox lucius; T. ingra 5p. n. on Cyprinus carpio, Rutilus rutilus, Scardinus erythrophthalmus, Abramis brama, Perca fluviatilis, Tinca tinca, Alburnus alburnus Leuciscus cephalus; T. ingra f. gobi f. n. on skin of Gobio gobio; T. nigora f. cobitis f. n. on gills of Cobilis taenia; T. nigara f. nemachili f. n. on gills of Nemachilus barbatulus, J. Lom (3).

Aphanopus carbo, gall bladder (Scotland); Ceratomyza tenuispora sp. n. (Myxosporidia) Z. Kabata (2).

Cyprinus carpio, intestine; Eimeria subepithelialis (Coccidia), M. Marinček.

Gasterosteus aculeatus, skin (laboratory bred); Glugea (Microsporidia), H. Swarup.

Phoxinus phoxinus (Czechoslavakia) and Nemachilus barbatulus, skin: Trichodina janovice and T. intermedia spp. n. (Ciliata), J. Lom (4).

Whitefish, muscle (Norway); Henneguya zschokkei (Myxosporidia), R. Vik.

Zeugopterus punctatus, muscle (Scotland); Kudoa clupeidae (Myxosporidia), Z. Kabata (2).

Insecta:

Apterygota; host list for cephaline gregarines including Colepismatophila burti sp. n., C. buckleyi sp. n. and Lepismatophila orientalis sp. n., H. Crusz.

Akis acuminata (Spain); Sphaerorhynchus ophioides (Gregarinida), J. Théodonidès (2).

Aletia oxygala linteopallens, midgut (Canada); Plistophora sp. (Microsporidia), H. M. Thomson & W. Smirnoff.

Apis mellifica intestine (Italy); Lophomonas (Hypermastigida), A. Vecchi.

Archips cerasivorana (Canada); Nosema cerasivoranae sp. n. (Microsporidia), H. M. Thomson.

Blaps lusitanica (France); Stylocephalus sp. (Gregarinida), J. Théodoridès (1).

Blaps sulcata brachyura (Spain); Stylocephalus sp (Gregarinida), J. Théodoridès (2).

Chironomus plumosus larvae; Tetrahymena parasitica, D. Barthelmes.

Compsolacon crenicollis (France); Ancyrophora stelliformis (Gregarinida), J. Théodoridès (1).

Dendarus tristis (France); Gregarina cavalierina (Gregarinida), J. Théodoridès (1).

Gerris dissortis, gut (USA); Leptomonas collosoma sp. n. (Mastigophora), F. G. Wallace etc.

Gerris remigis gut (USA); Crithidia flexonema sp. n. (Mastigophora), F. G. Wallace etc.

Morica hybrida (Spain); Sphaerorhynchus ophioides (Gregarinida), Adelina akidium (Coccidia), J. Théorides (2).

Musca domestica, gut (Brasil), incidence of flice carrying human intestinal protozoa, J. O. Continho, A. de E. Taunay & L. P. de Carvalho Lima.

Operophtera brumata, silk glands (England); Plistophora operophterae sp. n. and Nosema operophterae sp. n. (Microsporidia) E. U. Canning.

Otiorrhynchus merdionalis (France); Gregarina munieri (Gregarinida), J. Théodoridès (1).

Timarcha nicaeensis (Franco); Gregarina munieri (Gregarinida), J. Théodoridès (1).

Triatoma protracta, intestine (USA); Trypanosoma cruzi (Mastigophora), S. F. Wood, E. D. Mitchell & M. J. Brenton,

Myriapoda:

Millipedes (India); infected with cephaline gregarines, S. S. Rodgi & G. H. Ball.

Mecistocephalus punctifrons, gut (India): Mecistophora legeri gen. n. sp. n. (Gregarinida), P. N. Ganapati & C. C. Narasimhamurti (1).

Rhysida longipes, gut (India); Adelea hyalospora sp. n. (Coccidia), C. C. Narasimhamurti.

Schizophyllum sabulosum (France); Stenophora iuli (Gregarinida), L. Théodoridès (1).

Stigmagaster gracilis provincialis (France); Rhopalonia geophili (Gregarinida), J. Théodorides (1).

Thyroglutus sp., intestine (India); Stenophora thyrogluti sp. n. (Gregarinida), P. N. Ganapati & C. C. Narasimhamurti (3).

Xenobolus carnifex, gut (India); Nephridiophaga xenoboli sp. n. (Haplosporidin), P. N. Ganapati & C. C. Narasimhamurti (2).

Arachnida:

Crithidia hyalommae in Acarina of Tadzhikistan, Russia, E. A. Muratov & E. M. Chessin.

Opilio parietinus, haemolymph (Czechoslovakia); Stempellia weiseri sp. n., V. Silhary,

Crustacea:

Gregarines found in Crustacea from the Barents Sea. A. V. Ouspenskaia.

Peritrichida on Cladocera and Copepoda, A. Geus (1).

Euphansia krohni, carapace (Mediterranean) Amallocystis (Ellobiosidae), Y. Dion & H. Nouvel.

Lepidurus apus, connective tissue (Czechoslovakia), Nosema lepiduri sp. n., J. **Vavra** (3).

Apostamatida on Palaemon varians, P. Debaisieux.

Echinodermata.

Strongylocentrotus echinoides, gut (USA); entocommensal holotrich ciliates, J. Berger (3).

Strongylocentrotus spp. gut (Northeast Pacific); ciliates observed, J. Berger (1).

Mollusca:

Ciliates from freshwater lamellibranchs, J. Dobrzańska.

Land snails (Czechoslovakia); protozoa observed, Z. Zdárská.

Campeloma geniculum, gut; Ptychostomum campelomae sp. n., E. N. Kozloff.

Pisidium casnertanum (Poland); Hypocomatidium sphaerii, Chilodonella uncinata, Tetrahymana pyriformis, Desmophrya contorta, Tetrahymena limacis. P. obtusale (Poland); H. sphaerii, C. uncinata, T. pyriformis, Cinetochilum margaritaceum, Conchophthirius discophorus, T. hinacis, Desmophrya contorta, J. Dobezańska.

Semitrichodina (gen. n.) sphaeronuclea (Peritrichida) in Schistophallus orientalis (Pulmonata), S. L. Kazubski (1).

Snails, digestive gland (USA); Haplosporidium (Sporozoa), J. H. Barrow Jr.

Sphaerium lacustrae (Poland); Hypocomatidium sphaerii, Chilodonella uncinata, Tetrahymena limacis, Conchophthirus discophorus, S. corneum (Poland); H. sphaerii, C. discophorus; T. pyriformis, J. Dobrzańska.

Thigmocoma acuminata gen. n., sp. n., in kidney of Schistophallus orientalis (Pulmonata), S. L. Kazubski

Annelida:

Criodrilus lacuum and C. ochridensis; Cortissiella gen. n. criodrili n. comp. (Astomatida), P. de Puytorac (3).

Ilyodrilus ochridanus gut: Intoshillina ochridanus sp. n. (Astomateda), P. de Puytorac (3).

Mesnilella bohemica sp. n. from gut of Nais sp., J. Lom (1).

Ophryotrocha puerilis (Italy); Eucoccidium ophryotracha sp. n. (Coccidia), K. G. Grell (1).

Pheretima rodericensis gut; Manpasella vacuolata sp. n., J. Lom (1).

Tubifex tubifex; Triactinomyxa ignotum (Actinomyxida), T. G. N. Dresscher & A. J. J. Gispen van der Weg.

Platyhelminthes:

Fonticola ochridana, gut (France); Monocystella arndti (Gregarinida), P. de Puytorac & J. Grain.

Neodendrocoelium sancti-naumi, gut (France); Monocystella neodendrocoeli, P. de Puytorac & J. Grain.

Sporozoan (Haplosporidia?), parasite of Schistosoma bovis, A. Buttner & T. M. Salinesi.

Coelenterata:

Craspedacusta sowerbii, surface of medusa (USA), Hydramoeba hydroxena, N. E. Rice,

Protozoa:

Organisms infecting Amoeba proteus, L. E. Roth & E. W. Daniels.

Miscellaneous:

Microcosmos sulcatus, liver epithelium; Grasséella microcosmi gen. n. sp. n., O. Tuzet & R. Ormières.

ECONOMICS

General:

Articles on various Protozoa, H. Frey; Discoloured water off Florida, R. F. Hutton; New dinoflagellate producing red water, Y. Halim (2); Dinoflagellate bloom and fish death in Japan, T. Ito & T. Iwai (2); Toxin from Gonyaulax catenella, J. M. Burke et al.; Toxin from Prymnesium parvum, M. Shilo & R. F. Rosenberger; Paramecium bloom and fish deaths, Japan, T. Ito & T. Iwai (3).

Sewage protozoa.—Influence of protozoa in natural purification of sewage, S. C. Pillai etc.

Protozoa in relation to disease.—(see also under Parasitism),

General.—Effect of pH on recovery of protozoan cysts in the ether sedimentation technique, L. S. Ritchie etc.; House flies not important vectors of human intestinal protozoa, J. O. Continho, A. de E. Taunay & L. P. de Carvalho Lima; Human diseases caused by protozoa, M. Yoeli; Survival of human intestinal protozoa and *Trichomohas vaginalis* in diluted faeces, D. Sibalić; Incidence of intestinal protozoa in schoolchildren of Rofrano, Italy, M. Ricci; Human parasitic protozoa in Italy, E. Lipparoni, D. Mura & M. Altieri; Incidence of intestinal protozoa of Albanian infants, B. Erhardová etc.; Diseases caused by protozoa in Bulgaria, P. Pawlow; Incidence of intestinal protozoa in schoolchildren in Yugoslavia, C. Simić etc; Distribution of human protozoan parasites in Near and Middle East, E. P. Mumford; Current research on protozoal diseases in China, O. Jirovec & O. Havlik; Incidence of intestinal protozoa in East Pakistan, R. E. Kuntz; Review of protozoan diseases in Guinea, A. S. Khromov & S. P. Fedorova; Incidence of parasitic protozoa in Nigerians, S. G. Cowper & S. F. Woodward; Incidence of intestinal protozoa in mental hospital patients in South Carolina, U.S.A., G. M. Jefferey (1); Incidence of intestinal protozoa in California, U.S.A., R. L. Brown & M. J. Garber; Incidence of intestinal protozoa in Mexico, J. T. Zabala & F. Navarrete; Incidence of intestinal protozoa in Panama, G. E. Cosgrove; Parasitic protozoa in Venezuela, T. B. Maaz; Incidence of intestinal parasites in Colombia with comparison of techniques, D. Botero & M. Restrepo; Zoonoses, F. J. O'Rourke; Zoonoses in Turkey caused by protozoa, S. Yasarol; Discussion on anthropozoonoses, S. Tarczyński & Z. Kozar; Protozoa causing disease in monkeys, G. L. Graham; Pathogenic effects of parasitic protozoa on mosquito larvae, M. Laird (1); Haemosporidian parasites of domestic animals in Azerbaidjan, N. S. Abusalimov; Incidence of intestinal proto-zoa in man and pigs of Kazakhstan, R. N. Appasov (1); Protozoa of domestic animals in Netherlands New-Guinea, D. Zwart (3); Protozoan diseases of domestic buffalo in Congo, G. Lambelin etc.

Rec Elsdo

[19

Am

Bio I. de Me lettuc

Ga histol Ter Barre

Re Enta: Silva

> PV of an

Re for E Im N. N

Prod Dr in vi

In

fragi

In histor In Hon

Pi histo & G

scho

V. Z

Co of I

Hid:

men

ŋ

1 &

res.

red

ate

(2);

al.

ths.

ıral

ıder

oan S.

of

E.

nan

in inal

M.

nar-

tc.;

ow;

ı in

nan P.

s in inal

of P.

ans,

tes-

uth o of

own

in of

ove;

ence

n of

z08,

S.

e in

sitie

mo-

aidoto-

(1);

ew-

estio

Amoebiasis:

Review of recent research in amoebiasis, R. Elsdon-Dew.

Review of host-parasite relations in amoebiasis, C. A. Hoare (3).

Biological basis of prophylaxis of E. histolytica, I. de Carneri (2).

Method for killing Entamoeba histolytica cysts on lettuce, P. H. van Thiel, etc.

Gallego's stain used for identification of Entamoeba histolytica in tissue sections, T. Pizzi.

Temporary stains for intestinal protozoa, M. P. Barretto and H. Zago Filho.

Relative value of methods used to discover Entamoeba histolytica infections, T. Pizzi & R. Silva.

Comparison of techniques for detection of intestinal protozoa in faeces, I. Oellerman, E. Hennessy & R. Elsdon-Dew.

PVA-fixation technique for laboratory diagnosis of amoebiasis, M. M. Brooke.

Reliability of techniques used to examine faeces for Entamoeba histolytica, M. P. Barretto.

Improved culture medium for Entamoeba histolytica, N. N. Gleason, M. Goldman & R. K. Carver.

Relationship of Entamoeba histolytica to host for producing disease, J. G. Shaffer & W. A. Shlaes.

Duration of invasiveness of Entamoeba histolytica in vitro, P. Vincent & R. A. Neal.

Incidence of Entamoeba histolytica and Dientamoeba fragilis in Israel, B. Stein & B. Talis.

Incidence of large and small race of Entamocha histolytica in U.S.A., J. G. Shaffer, etc.

Incidence of Entamoeba histolytica in prisoners in Honduras, M. M. Shapiro.

Presence of large and small race of Entamocha histolytica in Brasil. M. P. Barretto, H. Zago Filho & G. Alvelina Silva.

Incidence of Entamoeba histolytica in Japanese school children, M. Nagahana & K. Ishigami.

Antigenic variation of Entamoeba histolytica strains,

Haemagglutination test for Entamoeba histolytica, J. F. Kessel, W. P. Lewis & S. Ma.

Consideration of pathogenicity and transmission of Dientamoeba fragilis, L. Lamy (2).

Leishmaniasis:

Intradermal test for leishmaniasis using Strigomonas as antigen, R. Zeledón, W. Hidalgo & H. X. de Hidalgo.

Natural foci of cutaneous leishmaniasis in Turkmenistan, M. B. Shekhanov & L. G. Suvorova.

Leishmaniasis in Italy, A. Corradetti (2).

Cutaneous leishmaniasis in Italy, L. Martinotti.

Canine and human infections with Leishmania in Italy, E. Tasselli & G. Colella.

Incidence of kala-azar in Portugal and diagnostic technique, J. Fraga de Azevedo.

Survey of leishmaniasis in Lebanon by intradermal test, K. A. Daoud and C. W. Schwabe.

Kala-azar in China, F. Hertwig & F. Oberdoester.

Transmission of leishmaniasis by *Phlebotomus* in the Neotropical Region, O. P. Forattini (2).

Leishmania brasiliensis represents a series of species, varieties or races of widely different biological properties, F. Pifano.

Dog infected with Leishmania, filaria and cestodes. B. Juminer & M. Durand.

Trypanosomiasis:

Evolution of human trypanosomiasis, C. A. Hoare (1).

Control of trypanosomiasis in Rhodesia and Nyasaland, K. W. Aspinall, etc.

Control of trypanosomiasis in S. Rhodesia, G. F. Cockbill.

Epidemiology of trypanosomiasis in East Africa, K. R. S. Morris (4).

Sleeping sickness in Kenya, K. R. S. Morris (2).

Eradication of trypanosomiasis in West Africa. K. R. S. Morris (1).

Recent outbreaks of human trypanosomiasis in Ghana, D. Scott,

Relationship between cell inclusions and recent spread of sleeping sickness caused by *Trypanosoma rhodesiense*, W. E. **Ormerod.**

Relationship of trehalose to infectivity in Trypanosoma gambiense and T. rhodesiense, D. Weinman (1).

Prolonged incubation period with Trypanosoma gambiense, L. Lapeyssonnie.

Transmission and spread of *T. gambiense* infections in Uganda, K. R. S. **Morris** (3).

Detection of trypanosomes by cultivation from suspected cases of sleeping sickness, D. Weinman (2).

Immunity in trypanosomiasis, R. S. Desowitz (4).

Use of complement fixation technique in the study of sleeping sickness, R. Pautrizel, P. Mattern & J. Duret.

Gel diffusion studies of trypanosomiasis, A. R. Grav.

Use of Sabin-Feldman dye-test adapted to Trypanosoma cruzi infections, J. V. Scorza, etc.

Complement fixation test for Trypanosoma cruzi, G. A. Maekelt (2).

The technique of xenodiagnosis for Trypanosoma cruzi, I. I. Silva (1).

Study of protein and carbohydrate fractions of Trypanosoma cruzi in complement fixing, E. H. Fife, Jr., & J. F. Kent,

Trans-placental transmission of Trypanosoma cruzi, A. C. Lisbôa.

Review of Chagas disease in Costa Rica, R. Zeledón (5).

Triatoma infected with Trypanosoma cruzi on Aruba, G. Gaikhorst,

Incidence of Trypanosoma cruzi infection in Argentina, R. A. Torrico.

Distribution of Chagas disease in Venezuela, G. A. Mackelt (1).

Incidence of Trypanosoma cruzi in Chile, W. Apt, O. Diaz & C. Ramos.

Triatoma sanguisuga found in Louisiana naturally infected with Trypanosoma cruzi, R. G. Yaeger & A. A. Bacigalupo.

Pathogenicity of *Trypanosoma evansi* for various mammals in Kazakhstan, I. G. Galuzo & V. F. Novinskaja.

Effect of trypanosomiasis on man and domestic animals in Uganda, W. Deshler.

Incidence of trypanosomiasis in wild and domestic animals in Mocambique, R. C. S. Machado.

Trichomoniasis:

Review of the economic importance of intestinal trichomoniasis, J. G. Basnuevo & A. Kouri (2),

Epidemiology of Trichomonas vaginalis, G. Chappaz.

Male trichomoniasis due to repeated re-infections, K. Ohmura.

Incidence of Trichomonos vaginalis in Japanese men, K. Ohmura.

Incidence of *Trichomonas vaginalis* in Poland, W. Kucharczyk, J. Przesmycki & J. Zawadzki (1).

W. Kucharczyk, J. Przesmycki & J. Zawadzki (1).

Incidence of Trichomonas vaginalis in Detroit,

U.S.A., S. Herbst, B. Olszewski & P. E. Thompson. Incidence of *Trichomonas vaginalis* in Lithuania,

J. Macevičiene.

Fluorescent antibody technique and cultivation the best methods for detecting *Trichomonas vaginalis*, B. S. **Hayes &** E. **Kotcher**.

Trichomonas gallinae in chickens in Australia, R. Rae & I. Hreczko.

Differentiation of trichomoniasis from pox in doves, L. N. Locke, C. M. Herman & E. S. King, Jr.

Incidence of pig trichomonads, C. P. Hibler, etc.

Research on the problem of bovine trichomoniasis, Trichomonas foetus, in Poland, J. Gatuska (1).

Reappearance of Trichomonas foctus in dairy cattle in England, R. B. Wood, D. W. Deas & J. D. Peele.

Other Mastigophora:

Quantities of flagellates in Dutch oyster beds, A. C. Drinkwaard.

Serum protein changes during *Histomonas* infections in turkey poults, M. J. **Clarkson** (1).

Review of the economic importance of Chilomastiz mesnili, J. G. Basnuevo and A. Kouri (1).

Death of chinchillas due to Giardia, D. B. R. Poole.

Incidence of Giardia intestinalis in Poland, J. Sajewicz.

Incidence of Giardia intestinalis in school children in Albania, B. Rosický.

Penetration of duodenal wall by Giardia, N. A. Dekkhan-Khodzhaeva.

Association of Giardia lamblia with diarrhoea in man, F. J. Payne, etc.

Giardia in a Christmas pudding. D. A. Conroy (2).

Coccidiosis:

Relationship of life-cycle of coccidia with control of disease, C. Horton-Smith.

Coccidiosis in carp, V. E. Sayka & E. M. Cheissin.

Incidence of coccidiosis in sheep and cattle of Kazakhstan, S. K. Syanbaey (1).

Incidence of coccidiosis in Egyptian sheep, H. Zaki.

Incidence and spread of coccidiosis in chickens in Lithuania, B. Balčiūnas.

Incidence of coccidiosis in chicken in Germany, G. Schoop & J. Lamina,

Pig coccidiosis in Austria, E. Kutzer.

Incidence of coccidia in Turkish dogs, M. Mimioğlu, N. Güralp & F. Sayin,

Survival of coccidial cocysts under natural conditions, Z. M. Kogan (1).

Development of immunity to coccidiosis in chickens, E. E. Stuart.

Inhibition of development of coccidial immunity by coccidiostats, W. M. Reid.

Human infection with Isospora belli, L. A. Robin & Fondimare.

Incidence and host-parasite relationship of *Isospora belli* in Chile, A. **Jarpa**, etc.

Isospora belli in Brazil, A. M. Ribeiro & F. S. Barbosa.

Isospora oocysts observed in cattle faces actually a sparrow parasite and not a separate species, N. D. Levine & R. N. Mohan.

Occyst production by bovine species of Eimeria, W. C. Marguardt.

Description of known Eimeria and Isospora and incidence in foxes bred in farms of Kazakhstan, S. K. Syanbaev (2).

Chic U.S.A.

[196

Patl L. R.

P. W. Metl J. L. (

J. L.

Inoi M. Co M. Co

Deta and A L. P. Effe tion a Z. M.

Male Pers sprayin

Rela Inci J. P. 6

Epis Inci & H.

Trantions :

Metnel

Propagains Tran

Trai malari & M.

C. C. I

Peters
Ano
falcipa

Vol

C.

ma

tix

J.

A.

2).

rol

of

H.

y,

lu,

18,

ty

in

ra

S.

a,

nd

n,

Chicken Eimeria spp. found on farms in Maine, U.S.A., H. L. Chute, etc.

Pathogenicity of ovine Eimeria, W. N. Smith, L. R. Davis & G. W. Bowman,

Vitamin K decreases mortality and morbidity of chicks infected with *Eimeria tenella*, R. H. Harms, P. W. Waldroup & D. D. Cox.

Method for producing Eimeria tenella oocysts, J. L. Gardiner & D. K. McLoughlin.

Technique of obtaining Eimeria tenella oocysts, J. L. Gardiner & D. K. McLoughlin.

Description of lesions produced by Eimeria adenocides, E. meleagrimitis and E. meleagridis in turkeys, M. J. Clarkson (2).

Incidence of Eimeria zūrnii in cattle in Spain, M. Cordero del Campillo, J. Fernández González M. Cordero del Campillo.

Detection of sublethal infections of Eimeria tenella and Eimeria necatrix by haematological methods, L. P. Joyner & S. F. M. Davies.

Effect of sulphonamides on total numbers, sporulation and morphology of cocysts of *Eimeria necatrix*, Z. M. Kogan (2).

Malaria:

Persistence of malaria transmission with insecticide spraying, C. C. Draper & A. Smith.

Spread of malaria in New Guinea, W. Peters & S. H. Christian.

Relapses of malaria, A. Corradetti.

Incidence of *Plasmodium* and sickling in Nigeria, J. P. Garlick.

Epidemiology of malaria in Thüringen, H. W. Baer.

Incidence of Plasmodium sp. in Chad, H. Galliard & H. T. Sang.

Incidence of Plasmodium in New Guinea, D. Metselaar; W. Peters & S. H. Christian; W. Peters.

Transmission and duration of Plasmodium infections in man, G. Covell.

Plasmodium falciparum in a Nigerian boxer, P. G. Shute & M. Maryon (1).

Protection of infants by maternal antibodies against malaria, K. Holemans.

Transmission of vivax-type malaria from macaques to man, D. E. Eyles, G. R. Coatney & M. E. Getz.

to man, D. E. Eyles, G. R. Coatney & M. E. Getz.

Transmission of *Plasmodium falciparum* and *P. malariae* following a blood transfusion, P. G. Shute

& M. Maryon (1).

Measurement of malaria transmission, G. Pringle,

C. C. Draper & D. F. Clyde.

Transmission of malaria in New Guinea, W.

Anopheles gambiae more susceptible to Plasmodium falciparum than A. melas, R. W. Burgess.

Vol. 97

Peters & H. A. Standfast.

Piroplasmosis:

Control of piroplasmosis by tick eradication in Dutch New Guinea, D. Zwart (2).

Babesia and Anaplasma observed in Dutch New Guinea, D. Zwart (1).

Distribution of Babesia and its vectors in Horyń district, Belorussia, M. I. Dilko.

Brain infection of Venezuelan cattle by Babesia argentina, G. Dumith Arteaga.

Babesia ovis in sheep and goats in Venezuela, F. Vergani.

Tissue reactions in Theileria parva infections, S. F. Barnett.

Theileria lawrencei in Kenya, S. F. Barnett & D. W. Brocklesby.

Other Sporozoa:

Economic effects of sporozoal infections in fish, Z. Kabata (1).

Effect of naturally transmitted Leucocytozoon simondi on White Pekin and Muscovy ducks, N. T. Briggs.

Incidence of Henneguya zschokkei in whitefish caught in Norway, R. Vik.

Pneumocystis as a human parasite, O. Jirovec & J. Vanek.

Pneumocystis in a dog, S. van der Akker & E. Goedbloed.

Globidium infections in Sudan, K. N. Soliman.

Economic importance of Besnoitia besnoiti, J. W. Pols.

Sarcosporidia in horses in Poland, E. Dziliński.

Sarcosporidiasis in Congo, E. Thils, J. Deom & P. Fagard.

Ciliates:

Correlation of incidence of balantidiosis in man and pigs of Kazakstan, R. N. Appasov (1).

Balantidium coli in pigs and man in France, M. Larivière, etc.

Tissue penetration by Balantidium, A. Zygas.

Ichthyophthiriasis of eel in Belorussia, S. V. Kakhnenka, E. A. Baravik & S. L. Garavaya.

Toxoplasmosis:

Biology of Toxoplasma, D. N. Sassuchin (2).

Comparison of dye-test and complement fixation test for detection of *Toxoplasma* antibodies in man, L. Schmidtke & H. Möbest.

Toxoplasmosis in the USSR., D. N. Sassuchin,

Epidemiology of toxoplasmosis, D. N. Sassuchin
(1).

Review of parasitology, epidemiology and diagnosis of toxoplasmosis, M. Dominguez Carmona.

Toxoplasmosis in obstetrics, Z. Kozar (2).

Correlation between *Toxoplasma* and abnormal foetuses, L. Pytel, Z. Dymowski & D. Kzlowska.

Survival of *Toxoplasma* stored at 4°C, S. G. Vasina & Z. V. Dunaeva,

Survival of Toxoplasma cysts, L. Jacobs, J. S. Remington M. L. Melton (1).

Evidence for chickens as source of infection of Toxoplasma, A. C. Kimball, etc.

Tozoplasma in erythrocytes of chick embryo, G. Piekarski.

Toxoplasma isolated from a dog in the Netherlands, S. van der Akker, P. H. Bool & W. C. Spitseshuis.

Acute toxoplasmosis in marmoset, K. Benirschke & R. Richart.

Isolation of Toxoplasma from Sahara fox, A. Vallée & P. Destombes.

Strain of Toxoplasma isolated from ferret in Kazakhstan, A. V. Levit (1), (2).

Isolation of Toxoplasma from pigs, cattle and sheep, L. Jacobs, J. S. Remington & M. L. Melton (2).

Current Polish research on toxoplasmosis, J. Galuzzka, M. Skorzynski & J. Szaflarski,

Statistical analysis of data on incidence of toxoplasmosis in Poland, A. Bartoszewski, etc.

Incidence of canine toxoplasmosis in Cracow, Poland, J. Galuszka, etc.

Toxoplasmosis in domestic animals in Denmark, T. Meller.

Canine toxoplasmosis in France, P. L. Quittet.

Survey of toxoplasmosis in Lebanon by skin test. K. A. Daoud & C. W. Schwabe,

Incidence of toxoplasmosis in Colombia, G. Muñoz-

Incidence of toxoplasmosis in dog of U.S.A., C. L. Gibson & J. R. Jumper.

Incidence of toxoplasmosis in Mexico, G. Varela, E. Roch & A. Curbelo.

Relative value of serological and skin tests for toxoplasmosis, H. J. Kabelitz,

Value of serological tests in the diagnosis of human toxoplasmosis, P. Bergamoschi.

Comparison of haemagglutination and dye tests for toxoplasmosis, F. Knierim, G. Niedmann & E. Thiermann.

Flocculation test for Tozoplasma, J. C. Siim & K. Lind.

The haemagglutination test for toxoplasmosis, B. Angelillo & A. Mandras.

Agglutination test for Toxoplasma, J. D. Fulton & J. L. Turk.

Comparison of toxoplasmin reaction and dye-test for toxoplasmosis, T. Koike, H. Ueda & J. Yamato,

Toxoplasmin test in the diagnosis of toxoplasmosis, O. Jirovec & J. Jira.

Occurrence and persistence of complement fixing antibodies of *Toxoplasma* in man, J. **Jira** & V. **Bozděch.**

Use of complement fixation for toxoplasmosis in Costa Rica, A. Berrios.

Toxoplasma antigen prepared by ultrasonic waves, H. J. Körting.

Properties of toxin from *Toxoplasma*, H. C. Woodworth & D. Weinman II.

Protista Incertae Sedis:

Premunition of cattle by Anaplasma centrals in Venezuela, C. E. León Rivas.

Detection of Anaplasma by fluorescent antibody, M. Ristic & F. H. White.

Anaplasma marginale in Belorussia, USSR, P. S. Ivanova.

Latent infections of Anaplasma marginale, J. F. Christensen, etc.

Pneumocystis pneumonia in U.S.A., J. E. McNeal & R. G. Yaeger.

Parasitology of Pneumocystis, O. Jirovec.

Eperythrozoon felis not found in London cats, L. R. Thomsett.

Chemotherapy:

Extract of Bacillus brevis-like organism active on protozoa, F. Bergmann, R. Reitler & M. Chaimovitz.

Effect of surface-active ethers on protozoa, F. C. Goble, J. L. Boyd & J. D. Fulton.

Correlation of *in vitro* and *in vivo* techniques for testing anti-amoebic compounds, I. de Carneri & L. Almirante.

Action of newer amoebicides upon Entamoeba histolytica and E. invadens in vitro, B. S. Kaushiva.

Chemotherapy of experimental infections of Entamoeba histolytica and E. muris in rats, J. Pruss (2).

Amoebicidal activity of new compounds in the experimentally infected rats, U. Saxena & B. N. Singh.

Streptimidone effective against Entamoeba histolytica, D. L. Kohberger, etc.

Effect of oxyquinolines on Entamorba histolytica, A. Hirabayashi, Am

[196

Proj Carnet

Carnet Effe

Effe

Det teetse Cha

Effe norma vitro,

Elin by Pr Che evansi Cros

T. viv

Pro on To

Effe soma Ferna Tric

Effe Tricke

Tricke Tre acetyl mycki

Acti of Tr B. J. Acti monas

Effe in viti & M.

Tre

iim

B.

ton

sto.

sis,

V.

in in

V86,

od-

in

ody,

. 8.

. F.

Neal

cats,

e on

ovitz.

F. C.

ques

rneri

noeba

hivs.

Pruss

1 the

3. N.

istoly-

lytica,

Amoebicidal activity of unsaturated amides related to chlorophenoxamide, L. Almirante, etc.

Prophylaxis of amoebiasis with Mobinol, I. de Carneri & G. Coppi (1).

Chlorophenoxamide on Entamoeba histolytica in vitro and in vivo, I. de Carneri; G. Coppi (2); I. de Carneri, etc.

Effect of surface-active agents on Leishmania donovani, J. D. Fulton (2).

Effect of drugs on Leishmania enriettii, Z. Brener.

Drug resistance in Trypanosoma, J. Williamson.

Detection of drug-resistant trypansomes from testee flies, J. Williamson & L. E. Stephen.

Changes in immuno-conglutinin levels of Trypanosoma brucei infections after chemotherapy, D. G. Ingram & M. A. Soltys.

Effect of trypanocides on arsenic-resistant and normal Trypanosoma rhodesiense, in vivo and in vitro, H. Fromentin.

Elimination of kinetoplast in Trypanosoma evansi by Prothidium, H. N. Ray & M. N. Malhotra.

Chemotherapy of an Indian strain of Trypanosoma evansi, A. B. Sen, S. K. Sharma & F. Hawking.

Cross-resistance of Trypanosoma congolense and T. vivax, E. F. Whiteside.

Stability of Berenil-resistance of Trypanosoma congolense, R. Fussganger & F. Bauer.

Effect of nucleocidin on Trypanosoma vivax in cattle, L. E. Stephen & A. R. Gray (2).

Prophylatic activity of antryoide-suramin complex on Trypanosoma simiae, L. E. Stephen & A. R. Gray (1)

Effect of primaquin and stylomycin on Trypanosoma cruzi, G. E. S. Moraes, J. Lopes Faria & J. F. Fernandes.

Trichomonicidal action of substances produced by bacteria and fungi, R. Lambotte.

Effect of furazolidone and aminothiazole against Trichomonas spp., M. P. Natt, etc.

Effect of radioactive magnesium chloride on Trichomonas vaginalis, R. Cuvelier, etc.

Treatment of Trichomonas vaginalis with 2-acetylamino-5-nitrothiazole, W. Kucharczyk, J. Przesmycki & J. Zawodzki (2).

Action of various drugs on subcutaneous infections of *Trichomonas vaginalis* in mice, F. S. Barr & B. J. Brent,

Action of Aristolochia clematitis extract on Trichomonas vaginalis, M. Ansel & M. Thibaut.

Effect of nitroimidazole on Trichomonas foetus in vitro and given to bulls, G. Gasparini, A. Tardani & M. Vaghi.

Treatment of experimental Hexamita infections in turkeys. W. C. McGuire & N. F. Morehouse.

Effect of chloroquine on Giardia, S. Iwata & T. Araki.

Mebinol not effective on Giardia, P. Dore.

Potentiation of the anticoccidial action of sulphadimidine by 2,4-diaminopteridines, C. Horton-Smith, P. L. Long & H. O. J. Collier.

Trials with phenothiazine for protection of turkeys against coccidiosis, S. K. Svanbaev (3).

Efficacy of pyrimethamine and sulphonamides against Eimeria tenella, L. P. Joyner.

Comparison of nitrofurazone and sulphamezathine for control of *Eimeria bovis*, D. M. Hammond, D. L. Ferguson & M. L. Miner.

Infectivity of gametocytes to mosquitoes after chemotherapy, G. M. Jeffery (2)

Development of Plasmodium falciparum resistant to pyrimethamine in Nigeria, H. M. Archibald.

Inhibition of sporogony of *Plasmodium vivax* and *P. falciparum* by pyrimethamine, M. Ciuca.

Effect of guanidines on Plasmodium gallinaceum, Y. C. Chin, etc.

Effect of Berenil on Piroplasma caballi, C. Battelli.

A carbanilide effective against Babesia rodhaini and B. divergans, J. N. Ashley, S. S. Berg & J. M.

Review of the effect of drugs on Toxoplasma D. E. Eyles (4).

Review of the treatment of experimental toxoplasmosis with sulphonamides, Daraprim and antibiotics, H. Rieger.

Effect of Daraprim and Primaquine alone and in, combination with sulphonamides on *Toxoplasma*, E. Thiermann, G. Niedmann, E. Thiermann, H. Reyes & G. Niedmann.

Reversal of the action of sulphadiazine and pyrimethamine on *Tozoplasma* by PAB and folic acid, D. E. Eyles & N. Coleman.

Effect of stylomycin aminonucleoside on Toxoplasma gondii in vitro, L. H. Pereira da Silva.

Effect of spiramycin on Toxoplasma J. P. Garin, D. E. Eyles & A. Bonaduce.

Chemotherapy of Eperythrozoon parvum, J. Seamer.

GEOGRAPHICAL DISTRIBUTION

GENERAL

Proportions of Protozoa characteristic of marine regions, F. Bernard (2).

LAND AND FRESHWATER

Europe.—Astomate ciliates of L. Ochrid, P. de Puytorac, (3); Moss rhizopoda from Hungary, V. Lajos; Protozoa from the Danube, E. Kol & L. Varga; Testacea from Hungary, I. Lepsi (2); Mycetozoa from France, D. Jarry & D. Vidal; Mallomonas spp. in Hungary, E. Uherkovich; Protozoa from Hungarian swamps, J. Skiller (2); Flagellates from Switzerland, H. R. Christen (1); Flagellates from Swiss waters, H. R. Christen (2); Testacea from Germany, T. Grospietsch; Spores of Actinomyxidia in the Don, L. Hanuika, Donan-Wassers entlang de Strecke von Bratislava; Recent foraminifera from Roumania, C. Märgineanu; Protozoa from Lancashire canal, England, A. L. Galliford; Ciliates from detritus drifts, L. Balaton, G. Tamás & J. Gellért (2); Ciliates from detritus drifts, L. Balaton, J. Gellért & G. Tamás (1), (2); Protozoa of a Rumanian lake, J. Leppi (2); Ciliates from sand (France), J. Dragesco; Testacea from Silesia, V. Opravilová-Spálovská.

North Africa.—Various protozoa from Egypt, F. Wawrik (1).

Sino-Soviet Region.—Flagellates from Manchuria, B. W. Skvortzow.

Japan.-Euglena about Tokyo, M. Saito.

Indo-Malaysian Region.—Metopus spiralis in India, K. N. Nair.

Equatorial African Region.—Rhizopoda from the Belgian Congo, P. Von Oye; Check list of W. African algae (incl. Phytomonadina), N. Woodhead & R. D. Tweed (1); Distribution of Testacea in French W. Africa, L. Decloitre (4), (5); Testacea of Fernch W. Africa, L. Decloitre (5); Testacea of Belgian Congo, P. van Oye; Haematococcus in S. Africa, M. A. Pocock.

North America.—Some protozoa from Walla Walla Co., Washington, E. O. Bigelow & L. M. Ashley; Amoebida in Florida, E. C. Bovee (4); Protozoa from Mountain Lake region, Virginia, U.S.A., E. C. Bovee (8); Present day foraminifera from Texas; Marsh foraminifera from Massachusetts, F. L. Parkes & W. D. Athearn; Present day protozoa from Florida, D. A. Rossman.

Central America.—Costa Rican strain of Entamoeba moshkovskii, A. Ruiz (2),

Antarctica.—Antarctic Testacea, L. Decloitre (7).

MARINE

Arctic.—Foraminifera of North Asiatic coasts, W. Polski; Recent foraminifera from the Arctic Ocean, J. Jarke (2).

North Atlantic.—Silicoflagellates off Cape Cod, R. Margalef; Recent planktonic foraminifers from the western North Atlantic, A. W. H. Bé (2); Foraminiferal distribution in North Atlantic, J. Jarke (1),

Mediterranean.—Protozoa from Mediterranean Sea, C. M. de Angelis & R. D. Valle; Mediterranean Phalodaria, M. Enjumet; Present day foraminifera from Israel, Z. Reiss (1); Foraminifera from the Black Sea, N. Macarovici, C. Márgineau & B. Cehan; Ionesi; Recent foraminifera from Italy, A. G. Soika; Recent foraminifera from the Mediterranean, Promities of the Mediterranean of Capri; C. Batteron; Gymnesina glomerosa n. gen., n. sp., Mediterranean, G. Colom (2); Recent foraminifera from Italy, G. Fierro; Recent foraminifera from Italy, G. Fierro; Recent foraminifera from Italy, G. Fierro; Recent foraminifera from the Ligurian Sea, M. Giunta; Plankton of Gulf of Caglieri (Med. Sea), C. Anichini; Tintinnida of Mediterranean, & L. Balech; Zooplankton of Black Sea, C. Margineanu & A. Petran; Plankton of Black Sea, C. Margineanu & A. Petran; Plankton of Black Sea, M. Bačescu &

N. Serpoianu et al.; Tintinnids from Israel, B. Komarovsky.

North Pacific.—Plankton of N. W. Pacific, B. E. Bogaroy; Recent foraminifera from the Pacific, E. D. McKee J. Chronic & E. B. Leopold; Foraminifera from California, R. H. McGlasson; Intertidal foraminifera from California, M. Reiter; Ecology of foraminifera from California, E. R. Zalesny; Planktonic foraminifera of the Pacific, J. S. Bradshaw.

Tropical Atlantic.—Foraminifera from ocean curents, E. Boltovsky (4); Recent foraminifera from Louisiana, A. D. Warren; Foraminifera from the Mississippi Delta, R. R. Lankford; Foraminifera from Brazil, I. de M. Tinoco (3); Recent foraminifera from Brazil, I. de M. Tinoco (3); Recent foraminifera from Brazil, I. de M. Tinoco (2); Recent foraminifera from the South Atlantic, E. Boltovsky (1); Pelagic foraminifera from the equatorial Atlantic and the Carribbean, D. B. Ericson & G. Wollin; Foraminifera of south Florida coasts, R. M. Ginsburg; Recent foraminifera from Texas, E. H. Shenton; Foraminiferal populations along the Texas coast, F. B. Phleger (2); Littoral dinoflagellates of Portuguese Guinea, E. de Sousa e Silva (2); Foraminifera off Portuguese Guinea, J. dos Santos Pinto; Phytoplankton of Guine of Mexico, H. Curri, Microplankton of Benguela Current (S.W. African coast), T. J. Hart & R. I. Currie; Plankton off Freetown (W. Africa), V. Bainbridge.

Indo-Pacific areas.—Planktonic protozoa from Indian Ocean, F. Bernard & J. Lecal; Recent foraminifera from the Phillipines, J. J. Graham & P. J. Militante; Planktonic foraminifera of the Asiatie Shelf, H. O. Waller & W. Polski; Recent foraminifera from Japan, K. Asano (1), (3), (4); J. Matsuda; M. Ichihara & K. Nakaseko; K. Sawai.

Antarctic.—Antarctic benthonic foraminifera, T. Uchio (1), (2); Radiolaria from the Antarctic, W. R. Riedel; Radiolaria from the Antarctic, C. W. Thomas.

GEOLOGICAL DISTRIBUTION

General.—Evolution of protozoa, Schindewolf; Migration in fossil populations, H. Termier & G. Termier; Introduction to microfossils, D. J. Jones; A new method of foraminiferal correlation, W. E. Hendrix; Evolution of foraminifera, S. von Bubnoff; Diagenesis of Late Palaeozoic foraminifera, L. G. Henbest (2); Reworked foraminifera in Israel, M. Avnimelech (1); Index foraminifera, O. Pazdro (2); Relationship between foraminifera and bathymmetry, O. L. Bandy (2); Presence of pyrite in the tests of some foraminifera, P. Muraour; Calcite and aragonite in foraminifera, R. Todd & P. Blackman; Coiling in foraminiferal tests, R. Dehm; Foraminifera in Australia and New Guinea, I. Crespin (2); Foraminifera from Ohio, A. La Roque & M. F. Marple; Protozoans from the Pre-Cambrian of North America, K. M. Madison.

Palaeozoic.—Palaeozoic foraminifera from Czechoslovakia, M. Vašiček (2); Palaeozoic foraminifera from Japan, I. Hayasaka & M. Minato; Palaeozoic foraminifera from China, J. C. Sheng (3); Lower Palaeozoic foraminifera from Germany, A. Eisenack (5); Silurian foraminifera from Kansas, H. W. Miller Jr.; Silurian foraminifera from Illinois, H. Schwalb & C. Collinson; Devonian foraminifera from Poland, S. Duszynska (1), (3); Devonian foraminifera from Western Australia, B. F. Glenister; Upper palaeovilla;
L. Majugosli forami palaeov Upper Morika fera fr fusuliz.
C. Lim. E. B., Britain fera fr

forami

(2); C

Paproi E. A. 0. A. Boghu from Carbo Konis S. K Mongo in the fera in forami ferous Carbo Fabre Russie foram

> from Penns Coal Marns in Illi Riggs H. R Peru, Upper Kanm from Lokke G. J.

> Zab'yı

Japan Ameri

Perme Miklu from Permi Devid fera Permi & M. A. S. M. I

N. K. Igo, 'M. K. Perm K. Isl S. Im. & Y. Sakag Ishii, from

S. Ka

[0]

B.

. E.

cifie,

tidal y of ank-

w.

enta, ana, sippi azil, azil,

the

ifera

ean,

ifera the

tions

toral

58 8

inea,

Gulf

uela

. I.

V.

from nini-. J.

iatic

ifera ; M.

T.

mas.

H.

relafera,

nini-

a in

, 0.

and e in

lcite

nan:

fera

ami-

ple;

rica.

cho-

fera

zoic

wer

ack

W. H.

ifera pper

ues

palaeozoie foraminifera from Italy, R. Pozzi & F. Villa; Upper palaeozoie foraminifera from Hungary, L. Majzan; Upper palaeozoie foraminifera from Jugoslavia, V. Kochansky-Devidé (2); Late palaeozoie foraminifera of America, L. G. Henbest; (2) Upper palaeozoic foraminifera from America, A. H. Coogan; Upper palaeozoic foraminifera from Japan, R. Morikawa & H. Igo (1); Upper palaeozoic foramini-fera from China, J. C. Sheng & L. H. Chang; Para-funding rothi from the Upper Palaeozoic of Mongolia, C. Lin-Hsin; Carboniferous foraminifera in England, E. B. Wolfenden; Carboniferous foraminifera from Britain, R. G. C. Bathurst; Carboniferous foramini-fera from Ireland, W. G. E. Caldwell; Carboniferous foraminifera from Poland, S. Liszka (2) & S. Duszyńska (2); Carboniferous foraminifera from Germany, E. Paproth; Carboniferous foraminifera in the USSR, E. A. Ivanova; E. A. Reitlinger; N. P. Malakhova; O. A. Lipina (1); D. M. Rauser-Chernoussova; O. J. Boghush & O. V. Yuferev; Carboniferous foraminifera from Central India, S. B. Bhatia & S. K. Singh; Carboniferous (?) foraminifera from Japan, K. Konishi; Carboniferous foraminifera from Japan, S. Kawada (1); Carboniferous foraminifera from Mongolia, J. C. Sheng (2); Carboniferous foraminifera in the U.S.A., H. A. Ireland; Carboniferous foramini-fera in New Mexico, M. Gordon jr.; Carboniferous foraminifera from Ecuador, H. J. Tschopp; Carboni-ferous foraminifera in North Africa, Y. Milliard; Carboniferous foraminifera from the Sahara, J. Fabre & C. Greber; Tournaisian foraminifera from Russia, O. A. Lipina (2); Lower Carboniferous foraminifera from Russia, E. V. Fornina & E. A. Zab'yalova; Lower carboniferous foraminifera from Japan, Y. Okimura; Mississippian foraminifera from America, R. Gutschick; Mississippian foraminifera from Indiana, R. C. Gutschick & J. F. Treckman; Pennsylvanian foraminifera from Japan, R. Toriyama; Coal measure foraminifera in the U.S.A., S. H. Marnay & E. L. Yochelson; Pennsylvanian fusulinids in Illinois, M. L. Thompson, R. H. Shaver & E. A. Riggs; Pennsylvanian foraminifera in Vermont, H. R. Wanlees; Pennsylvanian foraminifera from Peru, N. D. Newell, J. Chronic & T. G. Roberts; Upper carboniferous fusulinids from Japan, K. Kanmera (2); Upper carboniferous foraminifera from U.S.A., M. L. Thompson, G. J. Verville & D. H. Lokke; Upper carboniferous fusulinids from Nevada, G. J. Verville, M. L. Thompson & D. H. Lokke; Permo-Carboniferous foraminifera from Russia, A. A. Miklukho-Maklai; Permo-Carboniferous foraminifera from Japan, S. Kawada (2), H. Igo & K. Ogawa; Permian foraminifera from Poland, H. Wolanska; Permian foraminifera from Jugoslavia, V. Kochansky-Devidé (1), (3), (4), & A. Ramovo; Permian foramini-fera from Turkey, Z. Ternek & N. Blumenthal; Permian foraminifera from Crète, J. Papastamatiou & M. Reichel; Permian foraminifera from Russia, A. S. Kashirtzev; Permian foraminifera from Japan, M. Kawano; Permian foraminifera from Japan, N. Kanuma, S. Sakagami, H. Kano, S. Kamei, H. Igo, T. Sato, K. Kanmera (1), S. Kawada (1), (3), M. Kawano, Y. Nagami, R. Morikawa (1), (3), (4); Permian foraminifera from Japan, M. Kobayashi, K. Ishii & K. Suyari, S. Akagi, S. Honjo; K. Matsuda & 8. Imamura, Y. Onuki & H. Kudo, Y. Onuki, K. Asama & Y. Moriai; Permian foraminifera from Japan, S. Sakaguchi, W. Hashimoto et al., N. Yamagiwa & K. Ishii, R. Endo & W. Hashimato; Permian fusulinids from Japan, R. Morikawa, H. Fujita, M. Murata, S. Kawada, M. Okubo, A. Matsuzaki, H. Igo, M. Sato,

M. Kobayashi, K. Yaguchi & R. Morikawa (2); New Genus from the Permian of Japan, R. Morikawa & H. Isomi; Parafusulina from the Permian of Japan, H. Fujimoto; Yabeina from the Permian of Japan, H. Fullmoto; I access from the Permian of Japan, H. Igo (3); Reworked permian foraminifera from Japan, Y. Nagami; Permian foraminifera from China, J. C. Sheng (1), (4); Boultonia cheri from the Permian of China, Y. Ho (2); Permian foraminifera from America, T. V. Jennings; Permian foraminifera from Oklahoma, M. K. Elias; Permian foraminifera in Texas and New Mexico, N. D. Newell, J. K. Rigby, A. G. Nigabar, A. J. Whiteman, J. E. Hickox & J. S. A. G. Fischer, A. J. Whiteman, J. E. Hickox & J. S. Bradley; Permian foraminifera from Kansas, N. G. Lane; Permian fusulinids in Nevada, U.S.A., R. L. Knight; Permian fusulinids in Texas, C. A. Ross; Fusulinids in U.S.A., W. A. Waldschmidt, P. E. Fitzgerald & C. L. Lunsford; Fusulinids of the Cordileran region, U.S.A., H. J. Bissell; Fusulinids from Idaho, U.S.A., T. M. Cheney, V. E. McKelvey & W. C. Cere; Permian foraminifera from Peru, N. D. Newell J. Chronie & T. G. Roberts; Permian foraminifera from Australia, I. Crespin (1); Lower permian forami-nifera from Japan, H. Igo (2), R. Morikawa & N. Kobayashi; Lower Permian fusulinida from Japan, K. Karmera (3); Silurian Radiolaria from Bohemia, F. Pranti (1); Devonian Radiolaria from America, H. P. Foreman; Carboniferous Radiolaria from France, G. Deflandre & M. Deflandre-Rigaud (1); Palaeozoic Hystrichosphaeridia from Germany, A. Eisenack (1); Lower palaeozoic chitinozoans from Oklahoma, L. R. Wilson; Ordivicean Chrysomonadida from the Baltic, Wison; Ordivician Chrysomonadida from Hab Batics, A. Eisenack (4); Ordivician chrysomonadida from Gotland, A. Eisenack (4); Ordivician Chrysomonadida from Ohio, A. Eisenack (4); Silurian Chrysomonadida from Gotland, A. Eisenack (4); Silurian Chrysomonadida from Gotland, A. Eisenack (4); Silurian Hystrichosphaeridae from England, C. Downie; Silurian Hystrichosphaeridae f chosphaeridae from Germany, A. Eisenack (3); Devonian chitinozoans from America, D. L. Dunn,

Mesozoic.—Range of foraminifera in mesozoic, O. K. Kaptarenko-Chernoussova (1); Mesozoic foraminifera from Germany, W. Mayne (2), M. Geiger & M. Kirchmayer; Mesozoic foraminifera from Spain, M. Casteras et al.; Mesozoic foraminifera from France, R. Chessex; Mesozoic foraminifera from the Alps. S. Prey; Mesozoic foraminifera from Italy, G. Rafti, A. Forti, S. Zanmatti, A. Alberti & B. Conforto; Mesozoic foraminifera from Hungary, L. Majzon; Mesozoic foraminifera from Hungary, L. Majzon; Mesozoic foraminifera of the Carpathians, M. Ksiazkiewicz (2); Mesozoic foraminifera from Poland, K. Lydka & S. Geroch (2); Mesozoic foraminifera from the Ukraine, O. K. Kaptarenko Chernoussova (2); Mesozoic foraminifera in Alaska, F. M. Robinson, F. P. Rucker, H. R. Bergquist, R. Detterman (1) & C. L. Whittington; Mesozoic foraminifera from North Africa, J. Chaumeau; Triassic foraminifera from Czechoslovakia, J. Petranek; Triassic foraminifera from Czechoslovakia, J. Petranek; Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Poland, O. Styk & W. Bielicka (2); Triassic foraminifera from Germany, W. Knanff & E. Drexler; Jurassic foraminifera from Germany, W. Knanff & E. Drexler; Jurassic foraminifera from Germany, W. Knanff & E. Drexler; Jurassic foraminifera in Central Europe, J. Wolburg (2); Foraminifera in Central Europe, J. Wolburg (2); Foraminifera in

English Jurassic, T. Bernard (1), (2), R. Cifelli & A. J. Lloyd; Jurassic foraminifera from Italy, S. Carboni & L. Lombardi; Jurassic foraminifera from Switzerland, A. Carozzi (1); Jurassic foraminifera from Yugoslavia, V. Kochansky-Devidé (5); Orbitopsella praecursor from the Jurassic of Yugoslavia, V. Rochansky-Devidé (5); Jurassic foraminifera from Poland, J. Kopik & O. Pazdrowa (1), (2); Flabellam-minopsis from the Jurassic of Poland, J. Malecki (1); Opthalmidium from the Polish Jurassic, O. Pazdrowa (1); Jurassic foraminifera from Venezuela, R. J. Smith; Jurassic foraminifera from Egypt, R. Said & Smith; Jurassie foraminifera from Egypt, R. Said & M. G. Barakat; Upper Jurassie foraminifera from France, M. Rollet; Upper Jurassie foraminifera from Poland, W. Bielicka (1); Cretaceous Foraminifera, H. M. Bolli (1); Valvulineria lenticula (Reuss) in the Cretaceous, R. W. Harris & C. L. McNulty jr.; Cretaceous foraminifera in France, A. Carogai (2), Ph. Dufaure, J. Blanc, N. Roubichon & J. Klaus; Goupillaudina in the French Cretaceous, P. Marie; Martiquesia cyclamminiformis, a new genus of lituolid from the French Cretaceous, W. Maync (5); New species of Pseudocyclammina from the French Cretaceous, W. Maync (7); Reworked Cretaceous foraminifera in France, H. Teissier de Cros; Cretaceous foraminifera in Spain, P. Fallot, J. Magné & J. Sigal, P. Rat (1), M. D. Delga, J. Magné & Y. Peyre; Cretaceous foraminifera from Denmark, M. Reichel; Cretaceous foraminifera from the Netherlands XIV the genus Orbignyna, J. Hofker (2); Cretaceous foraminifera in the Alps, P. R. Lange & J. D. Klass; Cretaceous foraminifera from Switzerland, D. Rigassi (2); Cretaceous foraminifera in Bavaria, H. C. G. Knipscheer, & W. Zeil; Cretaceous foraminifera from Italy, T. Lipparini, G. Reggiori, W. Notchi, A. Fran-chino, M. B. Cita, D. Rossi & E. Montanaro Gallitelli (1); Cretaceous foraminifera from Czechoslovakia, V. Kantorova (3), S. Abramaviciute, J. Hercogova (1), (2), V. Pokorny (2), T. Cicha (8) & E. Hanzliková (1), (2), (3); Cretaceous foraminifera from Czechoslovakia, (2), (3); Cretaceous foraminiera from Czecnoslovakia, E. Mencik & V. Pesl, E. Hanzliková & A. Matéjka, A. Matejcka & Z. Roth; Cretaceous foraminifera from Belgium, J. Hofker (5), (6), (7), (8), (9), (10), (11), (13), (14), (15), (16), (17), (18), (19); Omphalocyclus, macroporus (Lamarck) from the Belgian cretaceous, J. Hofker (8); Dyocibicides kunradensis from the Cretaceous of Belgium, J. Hofker (18); Daviesina cretaceous of Belgium, J. Hofker (8) voigti from the Cretaceous of Belgium, J. Hofker; (3) Cretaceous foraminifera in Germany, O. Ganss & H. C. G. Knipscheer (1), H. C. G. Knipscheer & O. Ganss (2); Cretaceous foraminifera from Germany, R. Huckriede, W. Leischner, A. Papp (1), M. Kaever, J. Wolburg (1), C. A. Wicker, B. Plückinger & R. Oberhauser; Cretaceous foraminifera from Poland, J. Blaicher, F. Bieda (1), M. Ksiazkiewicz (1), J. Kruczek, J. Liskova, H. Kozikowski, A. Jednerowzka, S. Bukowy & S. Geroch; Cretaceous foraminifera from Poland, A. Tokarski, E. Scheibuer, V. Scheibner, K. Pozaryska, W. Pozaryski, E. Witwicka, O. Pazdro
 S. Alexandrowicz (2), (5), W. Pozoryski & A. Urbanek; Globotruncana from the Polish cretaceous, S. Alexandrowicz (1); Uvigerinammina jankoi from the Cretaceous of Poland, S. Geroch (1); Globotruncana Relvetica from the Cretaceous of Poland, V. Scheibner; Cretaceous foraminifera from Sicily, F. Rigo de Righi; Cretaceous foraminifera from Greece, Renz & M. K. Mitzopoulos; Cretaceous foraminifera from Roumania, T. Neagu (1), (2); Cretaceous foraminifera from Israel, Z. Reiss (2) & M. Avnimelech (1); Cretaceous foraminifera from Turkey, Z. Ternek & M. Blumenthal; Cretaceous foraminifera from Central Asia, A. Desio; Cretaceous foraminifera from India, Burma and Pakistan, Y. Nagappa (3); Cretaceous foraminifera from India, R. S. Sharma, K. Jacob & L. Ramo Rao; Cretaceous foraminifera from Pakistan and Afghanistan, M. S. Cita & M. A. Ruscelli; Cretaceous foraminifera from America, P. Bronnimann & E. J. Bolin (1); Planktonic foraminifera from the Cretaceous of America, A. R. Loeblich & H. Tappan (1); Cretaceous foraminifera from Canada, C. R. Stelk, J. H. Wall & R. E. Wetter; Cretaceous foraminifera in Alaska, H. R. Bergquist (1); & R. Detterman (2); Cretaceous foraminifera in California, L. G. Hertlein; Cretaceous foraminifera from Minnesota, E. J. Bolin (2); Cretaceous foraminifera in South Carolina, G. E. Siple, P. M. Brown & H. E. Le Grand; Cretaceous foraminifera from Texas, L. R. Beddoes Jr.; Cretaceous foraminifera from Florida. J. E. Banks; Cretaceous foraminifera from Cuba, G. A. Seiglie; Cretaceous foraminifera from Trinidad, H. G. Kugler & H. M. Bolli (2); Cretaceous foraminifera in Haita, J. Butterlin; Cretaceous foraminifera in Antigua, West Indies, P. H. A. Martin-Kaye; Cretaceous foraminifera from Brazil, I. de M. Tinoco (1); Cretaceous foraminifera from Ecuador, H. J. Tschopp; Occurrence of Globotruncana ventricosa in northwestern Peruvian cretaceous, E. T. Ashworth; Cretaceous foraminifera in Africa, A. Caire, J. Magné, M. D. Delga & A. Lambert; Cretaceous foraminifera in North Africa, J. Polvèche, J. Emberger & J. Magné, L. David, H. Radier, R. Rivoirard, J. Sigal (1), J. Magné (1), J. Sigal & R. Rivoirard; Rosalinids in North African Cretaceous, J. Sigal (3); *Ticinella* in North African Cretaceous, J. Sigal (2); Cretaceous foraminifera from Egypt, S. E. Ansary & B. Y. Fakhr: Foraminifera from the Cenomanian of Egypt, S. Omara; Cretaceous foraminifera from Tunisia, C. Glintzboeckel & J. Magné; Cretaceous foraminifera from the Pacific, E. L. Hamilton; Lower cretaceous foraminifera from France, J.-P. Thienloy; Lower Cretaceous foraminifera from Poland, J. Sztejn (1), (2); Lower Cretaceous foraminifera from Poland, J. Sztejn (2); Lower cretaceous foraminifera from Texas, W. H. Matthews Nummuloculina in Texan lower cretaceous, J. Conkin & B. Conkin; Upper oretaceous foraminifera from Germany, A. Papp (2); Upper Cretaceous foraminifera from Germany, A. Papp (2); Upper Cretaceous foraminifera from Poland, E. Witwicka & S. Alexandrowicz (1); Upper Creta-ceous foraminifera from Roumania, M. G. Filipescu & I. Para; Upper Cretaceous foraminifera from Turkey, V. Öztemur; Upper Cretaceous foraminifera from South Africa, Y. H. Smitter; Upper Cretaceous foraminifera from Egypt, L. W. Le Roy; Mesozoic radiolaria from Italy, G. Riffl & A. Forti; Cretaceous radiolaria from Germany, W. Leischner; Cretaceous radiolaria from Minnesota, E. J. Bolin (2); Mesozoic radiolaria from the Middle East, G. F. Elliot Mesozoic Coccoliths from North Africa, D. Noel (2); Mesozoic Dinoflagellata from New Guinea, I. C. Cookson & A. Eisenack; Jurassic dinoflagellata from Yorkshire, W. A. S. Sarjeant; Coccoliths from the Jurassic of North Africa, D. Noel (1); Cretaceous Dinoflagellata from France, A. Delcourt & G. Sprumont; Cretaceous Dinoflagellata from Germany, A. Eisenack (2); Cretaceous Calpionellids from Germany, Leischner; Deflandrea (Dinoflag) from the German Cretaceous, G. Alberti (2); Cretaceous Coccoliths from France, G. Deflandre; Cretaceous Calpionellids from North Africa, M. Durand Delga (3); Colomicla from Tunisian Cretaceous, J. Bolze, G. Colom & J. Sigal; Calpionellids from the Cretaceous of North Africa
the Al
M. Ble
Cretac
North
chospl
A. E
Yorks
sphae
Nanne
& M.
sphae

Kai

[196

H. G Pacifi Saipa from from I. M. foram in the Amer Cole (S. Co & I. milled Franc Chess H. '' Nube (2); (7), (6)

foran R. V D. S H. I B. F Enge Strat Reick A. F fera A. F M. Z Tert Tert J. S

fera V. Š I. S. slov: (4), V. fora Teri M. I. Z Blai

Lang

P. N

Carr

Blai Kru (2), Kor Poli Tur fera fore T. n C.

s,

18

n

s

t,

18 or), J. s, n

l, u

n

io

10

18

t;

n

82

Africa, J. Magné (2); Cretaceous calpionellids from the Alps, S. Prey; Cretaceous Coccoliths from England, M. Black & B. Barnes; Dinoflagellata from the Baltic Cretaceous, O. Wetzel; Mesozoic fibrospheres from North Africa, M. Durand Delga (2); Mesozoic Hystrichosphaeridae from New Guinea, I. C. Cookson & A. Eisenack; Jurassic Hystrichosphaeridae from Yorkshire, W. A. S. Sarjeant; Cretaceous Hystrichosphaeridae from France, A. Delcourt & G. Sprumont; Nannoconids in the French Cretaceous, G. Deflandre & M. Deflandre-Rigaud (2); Cretaceous Hystrichosphaeridae from Germany, A. Eisenack (2).

Kainozoic.—Kainozoic foraminifera from Trinidad, H. G. Kugler; Kainozoic foraminifera from the Pacific, E. L. Hamilton; Kainozoic foraminifera from Paoine, E. L. Hamilton; Kainozoic foraminifera from Saipan Islands, W. S. Cole (1); Kainozoic foraminifera from Taiwan, T. Huang; Kainozoic foraminifera from America, T. F. Grimsdalc; Tertiary foraminifera, I. M. Van der Vlerk; Stratigraphical usage of Tertiary foraminifera, W. J. Rothwell; Range of foraminifera in the Tertiary, O. K. Kaptarenko-Chernoussova (1); American larger foraminifera, Discocyclinids, W. S. Cole (6); American larger foraminifera: Camerinids, W. S. Cole (4); Tertiary Lepidocyclinidie, T. F. Grimsdale & I. M. van der Vierke; Occurrence of Nummulites millecaput, S. Lefelove; Tertiary foraminifera in France, A. Carozzi (2), H. Parent, S. Durand & R. Chessex, Reworked Tertiary foraminifera in France, H. Teissier de Cros; Some pseudo-ooliths with Nubecularia from the Tertiary of Bourgogne, P. Rat (2); Tertiary foraminifera from Belgium, J. Hofker (7), (12), (16), J. H. van Voorthuysen (4); Tertiary foraminifers from Germany, J. Indans (2), E. Straub, foraminifera from Germany, J. Indans (2), E. Straub, R. Weinhandl (3), H. Hiltermann (1), R. Silber (2), D. Spiegler, R. Ramseyer, R. Oberhauser, U. Jux & H. D. Pflug; Tertiary foraminifera from Germany, B. Pluckinger, R. Oberhauser, K. Lemke, W. von Engelhardt, H. Fuchtbauer, H. Fahrion & E. W. Straub; Tertiary foraminifera from Denmark, M. Reichel; Tertiary foraminifera from Italy, G. Raffi, A. Forti, I. Viterbo & G. Ruggieri; Tertiary foraminifera in Italy, J. P. Bloch, P. Fallot, M. Lanteaume, A. Alberti, S. Carboni, L. Lombardi, B. Conforto, A. Forti, A. Franchino, H. Hagn, T. Lipparini (1), (2), M. Zei Moncharmont, M. Nocchi, L. Ogniben (1), (2); Tertiary foraminifera from Sicily, F. Rigo de Righi; Tertiary foraminifera in Spain, P. Fallot, J. Magné & J. Sigal; Tertiary foraminifera in the Alps, P. R. J. Sigal; Tertiary foraminifera in the Alps, P. R. Lange; Tertiary foraminifera in the Maritime Alps, P. Marie & J. Perriaux; Tertiary foraminifera of the Carpathians, M. Ksiazkiewicz (2); Tertiary foramini-fera from Czechoslovakia, M. Stejskalova, I. Cicha, V. Stiasny, Z. Kachyna, I. Uhrecký, M. Vasicek (1) & I. S. Suleimanov; Tertiary foraminifera from Czecho-slovakia, E. Brestenska, A. Dluge, E. Hanzlikova (1), (4), K. Blavikova, A. Matejka, L. Roth, R. Lehotayova, V. Kantorova (1) & I. Cicha (7), (8); Tertiary foraminifera from Switzerland, W. H. Zeigler, Tertiary foraminifera from Hungary, L. Majzon & M. Sido (1); Tertiary foraminifera from Roumania, 7 I. Z. Barbu; Tertiary foraminifera in Poland, J. Blaicher, F. Bieda (1), H. Jurkiewicz (1), (2), J. Kruczek, H. Kozikowski, A. Jednerowska, S. Geroch (2), A. Tokarski, J. Liskova, O. Pazdro (1) & J. (2), A. Tokarski, J. Liskova, O. Fazaro (1) & S. Kopik; Uvigerinammiena jankoi from the Tertiary of Poland, S. Geroch (1); Tertiary foraminifera from Turkey, Z. Ternek & S. Turkünal; Tertiary foraminifera from India, K. Jacob & Y. Nagappa (1); Tertiary foraminifera from Japan, Y. Higuchi, N. Kashima, T. Kihara, S. Murata, M. Sugahara, K. Matsuda, S.

Murata (2), K. Nakazawa, T. Shihi, D. Shimuzu, Y. Nagami, Y. Naruse, T. Tai (2), M. Chiji (2) & S. Takahashi; Kahlerina from the Tertiary of Japan, Y. Takaoka; Fabiania cassis (Oppenheim) in Tertiary of Japan, S. Hanzawa (2); Tertiary foraminifera from Formosa, T. Kobayashi, L. S. Chang, C. S. Ho, S. F. Tsan, L. P. Tan, Y. T. Yang & F. Y. Lin; Tertiary foraminifera from New Caledonia, R. Porneyrol; Tertiary foraminifera from America, J. H. Hoff & W. R. Paine; Planktonic foraminifera from the Tertiary of America, A. R. Loeblich & H. Tappan (1); Tertiary foraminifera in Alaska, H. R. Bergquist (2); Tertiary foraminifera from Texas, J. E. Grayshon & M. M. Osborne & M. S. Bishop; Tertiary foraminifera from California, V. S. Mallory (2); Tertiary foraminifera in Louisiana, M. J. Forman & S. O. forammiera in Louisiana, M. J. Forman & S. O. Schlanger, R. P. Grigg Jr.; Tertiary foraminifera of Mississippi Delta, F. P. Shepard; Reworked tertiary foraminifera off California coast, R. W. Crouch; Rafted Tertiary foraminifera in deep water off Californian coast, G. A. Shumway; Tertiary foraminifera from the West Indies, W. S. Cole (3) & R. C. Mitchell (1); Tertiary foraminifera of equatorial and sub-tropical Atlantic, C. Emiliani (2). Textury foraminifera of the control of the c (2): Tertiary foraminifera from Venezuela, R. J. Smith; Tertiary foraminifera in Peru, W. Ruegg; Tertiary foraminifera from Ecuador, J. G. Marks; Tertiary foraminifera from North Africa, J. Chaumeau, M. Kieken, J. Magné & J. Polvěchê, M. Lanteaume (2), J. Magné (1), P. Muraour, J. Polvèché, G. Dubourdieu, R. Revoirard & J. Sigal; Tertiary foraminifera from Algeria, G. Blant, A. Cottengon & J. Magné; Tertiary foraminifera from Egypt, L. W. Le Roy; Tertiary foraminifera from East Africa, A. Azzaroli; Tertiary foraminifera from Australia, A. N. Carter; Tertiary foraminifera in Guam, M. J. Forman & S. O. Schlanger; Tertiary foraminifera from Sarawak C. G. Adams (1): Tertiary foraminifera from Sarawak, C. G. Adams (1); Tertiary foraminifera from Sarawax, U. G., Anams (1); Tertiary foraminifera from the Indo-Pacific region, W. S. Cole (8); Asterocyclina from a Pacific seamount, W. S. Cole (7); Tertiary foraminifera from Eniwetols Attoll, W. S. Cole (2); Tertiary foraminifera from New Zealand, N. de B. Hornibrook (1); Lower Tertiary foraminifera in California, V. S. Mallory (1); Lower Tertiary foraminifera from Germany, W. Wienholz; Palacogene foraminifera from Germany, W. Wienholz; Palaeogene foraminifera from Czechoslovakia, J. Zehlman, M. Misic, A. Schalekova & H. Bystricka, Paleogene foraminifera from Russia, F. V. Kipriyanova; Paleogene foraminifera from India, B. S. Gupta; Paleogene foraminifera from Japan, K. Asano (5) & S. Murata (1), (3); Paleogene foraminifera in Puerto Rico, R. C. Mitchell (2); Paleocene foraminifera from France, J. Villatte; Palaeocene foraminifera from Switzerland, P. Corminboeuf; Paleocene foraminifera from Poland, H. Kozikowski; Paleocene foraminifera from Ecuador, J. G. Marks; Paleocene foraminifera from Egypt, S. E. Nakkady; Eocene foraminifera, M. Mayne (1); Eocene foraminifera from France, M. Lanteaume (1), A. Rouvillois, H. Schoeller, J. Sigal (4), M. Veillon & M. Vigneaux, L. Hottinger, Y. Le Calvez (2), M. Neumann & D. Boulanger; Nummulites puschi from the Eocene of France, M. Lanteaume (1); Eccene foraminifera in France, M.
Lanteaume (1); Eccene foraminifera in France and
Belgium, Y. Le Calvez & L. Fengueur, Eccene
foraminifera in Italy, M. Lanteaume (3), E. Lanterno,
E. Perna, D. Rigassi (1) & F. A. Villa; Eccene foraminifera from Germany, A. Papp (3), L. Hottinger, H.
Schaub & L. Vanderschmitt; Eccene foraminifera
from Switzenland I. Picassi (2), Vecene foraminifera from Switzerland, D. Rigassi (2); Eocene foraminifera from Czechoslovakia, F. Bieda (4), G. Bombită & V. Pokorny (3); Eocene foraminifera from Hungary,

Alexandrowicz (3), (4); Flintinella volhynica from the Miocene of Russia, V. Y. Didkovsky (2); Miocene foraminifera from India, S. B. Bhatia, S. R. Bhatia & K. Mohan, V. V. Sastri & K. Jacob; Miocene foraminifera from Japan, L. Fujita, S. Fujita & H. Ito, Y. Tai (1), (3), K. Tsuda & M. Chiji (3); Vaginulina yoshihamaensis from the Japanese Miocene, M. Chiji (3); Miocene foraminifera from California, L. E. Garrison, R. L. Pierce, W. R. White, H. Skolnick & R. E. Arnal; Miocene foraminifera from Florida, H. S. Puri (2), H. Puri & R. O. Vernon; Miocene foraminifera from Virginia, J. D. McLean (1); Miocene foraminifera from Venezuela, W. H. Blow; Miocene foraminifera in Africa, A. Perrodon & C. Tempère; Miocene foraminifera in North Africa, J. Magné & M. Mattauer, M. Mattauer, R. Dame & J. Magné (2), G. Dubourdieu & S. Hottinger; Pelagie Miocene foraminifera from Algeria, G. Colom & P. Muraour: Planktonic foraminifera from the Miocene of Algeria, C. W. Drooger & J. Magné; Miocene foraminifera in Senegal, R. Abrard & A. Gorodiski; Miocene foraminifera from South Africa, P. G. Biesiot; Miocene foraminifera from Madagascar, R. Lavocat P. Marie & J. Sigal; Miocene foraminifera from Australia, P. Vella; Foraminifera from the Lower Miocene of South Australia, M. F. Glaessner & M. J. Wade (1); Pliocene foraminifera from Italy, R. Colaciccha, M. Giunta-Ilacqua, M. Zei Moncharmont & G Charrier; Pliocene Foraminifera from Sardinia, A. Zinari; Pliocene foraminifera from Sicily, T. Lipparini, A. Malatesta, M. L. Nicosia & A. Valdinucci; Pliocene foraminifera from Portugal, G. S. de Carvalho & G. Colom; Pliocene foraminifera from Israel, M. Avnimelech (1); Pliocene foraminifera from Japan, M. Chiji (1); Pliocene foraminifera in California, M. R. White; Pliocene foraminifera from North Africa, Y. Le Calvez (1); Quaternary foraminifera, I. M. Van der Vierk; Quatenary foraminifera from Holland, J. H. Van Voorthuysen (3); Quaternary foraminifera from Germany, R. Weinhandl (3) Quaternary foraminifera from Italy, B. Conforto & T. Lipparini (1); Quaternary foraminifera from Sicily, T. Lipparini & A. Malatesta, M. L. Nicosia & A. Valdinucci; Quaternary foraminifera from Poland, J. Kopik; Quaternary foraminifera from Japan, Y. Higuchi; Quaternary foraminifera from Formosa, C. S. Ho, S. F. Tsan & L. P. Tan, S. F. Tsan & Y. T. Yang & F. Y. Lin; Quaternary foraminifera from North-West Greenland, J. Malaurie & S. Pimienta-Freneux; Quaternary foraminifera from Venezuela, R. J. Smith: Quaternary foraminifera from N. Africa, J. Chaumeau; Pleistocene foraminifera from Italy, A. Lazzari & M. Zei Moncharmont (2); Pleistocene foraminifera from Japan, Y. Takayanagi; Pleistocene foraminifera from Egypt, R. Said & M. A. Basiouni; Pleistocene foraminifera from South Africa, W. J. Parr; Pleistocene foraminifera from Tasmania, A. C. Collins; Radiolaria in Alpine Tertiary, M. Lemoine; Tertiary radiolaria from Italy, G. Raffi & A. Forti; Tertiary radiolaria from America, J. H. Hoff; Tertiary radiolaria from the Pacific, W. R. Riedel (2); Tertiary Chrysomonadida from Germany, D. Maier (2); Tertiary Coccoliths from Germany, D. Maier (1); Deftandrea (Dinoflag.) from the German Tertiary, G. Alberti (2); Tertiary dinoflagellata from Germany, D. Maier (2); Tertiary hystrichosphaeridae from Germany, D. Maier (2); Pseudodeftandrea gen. n.

(Dinoflag.) from the Oligocene of Germany, G. Alberti (1); Eccene coccolithophorida from the West Indies,

W. Wetzel & R. Weyl.

T. Kecskemeti (1); Eocene foraminifera from Poland, 1. Acceptement (1); Eccene foraminiters from Foland, F. Bieds (2) & S. Liszka (1); Eccene foraminifera from Turkey, M. Blumenthal & K. Turnovsky (1), (2); Eccene foraminifers from Greece, K. Renz & N. K. Mitzopoulos, J. Aubonin & N. Neumann; Eccene foraminifera from Israel, M. Avnimelech (1); Eccene foraminifera from India, Burma and Pakistan, Y. M. Renemi (8). For M. M. Renemi (8). Nagappa (3); Eocene foraminifera from Assam, B. K. Ghose; Eccene foraminifera from Japan, K. Asano (5); Eccene foraminifera in the United States, L. de A. Gimbrede; Eocene foraminifera in Florida, H. S. Puri (1), (8); Eccene foraminifera in French West Indies. S. Hanzawa (1); Acervulina linearis in Eccene of West Indies, S. Hansawa (1); Eccene foraminifera from Ecuador, J. Hofker (1), H. J. Tschopp; Eccene foraminifera from N. Africa, P. Routhier; Eccene foraminifera from Algeria, A. Caire & P. Marie, R. Dame & J. Magné (1); Eocene foraminifera from Sylvania Guyot, E. L. Hamilton & R. W. Rex; Middle Eocene foraminifera from California, J. C. Crowell & T. Susuki; Oligocene foraminifera from France, R. Trumpy & A. Bersier; Oligocene foraminifera from Germany, C. Ellermann & H. Bartenstein; Oligocene planktonic foraminifera from the North Sea Basin, C. W. **Drooger & D. A. J. Batjes**; Oligocene foraminifera from Belgium, D. A. T. **Batjes**; Oligocene foraminifera in Central Europe, J. Indans (1); Oligocene foraminifera from Italy, E. Montanaro Gallitelli & V. Roveda; Oligocene foraminifera from Czechoslovakia, E. Hanzliková (3); Cassigerinella boudecensis from the Oligocene from Poland, V. Pokorný (4); Oligocene foraminifera from Japan, K. Asano (5); Oligocene foraminifera from North Africa, M. Durand Delga (1); Planktonic foraminifera from the Oligocene Algeria, C. W. Drooger & J. Magné; Upper Tertiary foraminifera from Italy, A. Longinelli; Neogene foraminifera from Germany, I. M. Van der Vlerk & Ph. H. Kuenen; Neogene foraminifera from Czechoslovakia. V. Pokorny (1), T. Buday, I. Cicha (1), (2), (5); Neogene foraminifera from Greece, E. Davis, (1); Neogene foraminifera from Greece, E. Kuwano (1), (2), A. Hatayekama; Neogene foramini-Ruwano (1), (2), A. Hattyczama; Reogene foramini-fera from North Africa, F. Ottman; Neogene foramini-fera from Algeria, C. Tempere, J. Hilly & J. Magné; Miocene foraminifera from France, Y. Le Calvez & A. Le Farrais; Miocene planktonic foraminifera from the North Sea Basin, C. W. Drooger & D. A. J. Batjes; Miocene foraminifera from Germany, G. P. R. Martin, R. Sieber (1), (3), R. Weinhandl (1), (2), (4), R. F. Rutsch, C. W. Drooger & H. J. Oertli; Pelagic Miocene foraminifera from Spain, G. Colom & P. Muraour; Miocene foraminifera from Italy, C. W. Drooger, & C. Socin, M. J. Smedile & L. Bonfigero, C. Dieci & G. Tavani (1), (2); Miocene foraminifera from Hungary, M. R. Nyiro (1); Miocene foraminifera from Hungary, M. R. Nyiro (1); Miocene foraminifera from Austria, A. G. Tauber; Miocene foraminifera from Portugal, D. H. de Silva (1), M. de A. Diniz, G. H. da Silva (2); Miocene foraminifera from Cyprus, C. G. Adams (2); Diocospirina italica from the Miocene of Cyprus, C. G. Adams (2); Geological distribution of Discospirina in the Miocene of Cyprus, C. G. Adams (2); Miocene foraminifera from Czechoslovakia, I. Cicha (3), (4), (6), I Cicha, J. Paulik & J. Tejkal, V. Kantorova (2), R. H. Lehotayova-Danihelova, V. Shutznerova-Havelkova, T. Buday & I. Cicha, S. Svoboda & I. Zapletalova; Robulus meyneriscae from the Miocene of Czechoslovakia, I. Cicha (6); Miocene foraminifera from Poland, S. Alexandrowicz & W. Parachoniak, R. Gradzinski, E. Luczkowska (1), (2), J. Melecki, T. Smigielska, A. Sulimski, S.

Jarke J. H. V France J. Le from E from E nifera forami Recent G. Bai Macar Recent Boltov Emilia A. W. T. Mai

K. As

forami

[1960

Rece J. H. from F

pachyd Recent

forami Recen & R. Texas sippi l from (Califor off Ca foram F. L. from Florid from from Recer & J. buildi

Recer M. de equat & G. M. A from nifere work Recei tralia E. D perat & C. Pacif from Rece The

tropi

Ante Kom E. B

Re of th

Recent.-Holocene foraminifera from Holland, J. H. Van Voorthuysen (2); Holocene foraminifera from Poland, J. Kruczek; Foraminifera from ocean currents E. Boltovsky (4); Coiling of Globigerina pachyderma as a climatic indicator, D. B. Ericson; Recent foraminifera of European shelf areas, J. Jarke (1); Recent foraminifera from the North Sea, J. H. Van Voorthuysen (1); Recent foraminifera from France, R. Chesser; Recent foraminifera from Spain, J. Le Calvez & T. Le Calvez; Recent foraminifera from Roumania, C. Märgineanu; Recent foraminifera from the Mediterranean J. Bourcart; Recent foraminifera from the Ligurian Sea, M. Giunta; Recent foraminifera from Italy, G. Fierro & A. G. Soika; Recent Mediterranean foraminifera from Capri, G. Batteron; Foraminifera from the Black Sea, N. Macarovici, C. Margineanu & B. Cehan-Ionesi; Recent foraminifera from the South Atlantic, E. Boltovsky (1) Atlantic ocean cores, Recent, C. Emiliani (2); Recent foraminifera from the N. Atlantic, A. W. H. Bé (2); Recent foraminifera from Japan, T. Matsuda, Y. Ishiwada, M. Ichihara & K. Nakaseko K. Asano (1), (2), (3), (4) & K. Sawai; Present day foraminifera from Israel, Z. Reiss (1); Present day foraminifera from the Gulf of Mexico, D. R. Moore; Recent foraminifera of Gulf of Mexico, N. N. Greenman & R. J. Le Blanc; Present day foraminifera from the Texas coast, H. S. Ladd; Foraminifera of the Missisrexas coast, H. S. Lang; Forammiera of the Mississippi Delta, F. P. Shephard; Ecology of foraminifera, California, E. R. Zalesny; Intertidal foraminifera from California, M. Reiter; Offshore foraminifera from California, R. H. McGlasson; Recent foraminifera off Californian coast, R. W. Crouch; Ecology of mash foraminifera in Poponesset Bay, Massachussetts, F. L. Parker & W. D. Athearn; Recent foraminifera F. L. Parker & W. D. Athearn; Recent foraminifera from Louisiana, A. D. Warren; Foraminifera of Florida coasts, R. M. Ginsberg; Recent foraminifera from Florida, J. E. Banks; Recent foraminifera from Texas, H. V. Anderson & E. H. Shenton; Recent foraminifera from Trinidad, C. W. Drooger & J. P. H. Kaasschieter; Homostrema rubrum, a reefbuilding foraminifera from Jamaica, V. A. Zans; Recent foraminifera from Brazil, W. Narchi & I. de M. de Tinoco (2), (3); Pelagic foraminifera from the equatorial Atlantic and the Caribbean, D. B. Ericson & G. Wollin; Recent foraminifera from the Red Sea, M. Avnimelech (2); Planktonic shelf foraminifera from Asia, H. O. Waller & W. Polski; Recent foramimifera from the Arctic Ocean, J. Jarke (2); Reworking of North Asiatic coastal foraminifera, Recent, W. Polski; Recent foraminifera from Australia, P. Vella; Recent foraminifera from the Pacific, E. D. McKee, J. Chronic & E. B. Leopold; Paleotem-perature of Pacific bottom waters, O. L. Bandy (1) & C. Emiliani (1); Planktonic foraminifera in the Pacific Ocean, J. S. Bradshaw; Recent foraminifera from the Philippines, J. J. Graham & P. J. Militante; Recent foraminifera from Tasmania, A. C. Collins; The foraminiferal genus *Halyphysema* and two new tropical Pacific species, A. R. **Leoblich Jr.**; Radiolaria from the Antarctic, C. W. **Thomas**; Antarctic Radiolaria, W. R. Riedel; Recent dinoflagellata from the Antarctic, E. Balech; Tintinnids from Israel, B. Komarovsky; Recent tintinnida from the Antarctic, E. Balech.

III. SYSTEMATIC INDEX

References to the "Titles" are made by the name(s) of the Author(s) printed in Clarendon type.

GENERAL

Cambridge Collection of Algae, etc., E. G. Pringsheim.

Comments on the systematics of protozoa, J. O. Corliss (2).

I.—RHIZOPODA

Locomotion and taxonomy of lower rhizopods, E. C. Bovee and T. L. Jahn.

Movement basis of classifying Rhizopoda, T. L. Jahn, E. C. Boyee & E. B. Small,

(a) Amoebida.

Amoeba helvetica nom. n. (=A. spumosa Penard); A. eichhorniae sp. n. (p. 1069): (Rumania), I. Lepşi, (3); A. silvicola sp. n. (p. 150); A. biformis sp. n. (p. 151) (Rumania), J. Lepşi (3), A. tachypus sp. n. (p. 76) (Rumania), J. Lepşi (4).

Hyalodiscus simplex sp. n. (p. 74) (Europe), K. E. Wohlfarth-Bottermann (3).

Mayorella clavella sp. n. (p. 416) (N. America), E. C. Bovee (1).

Locomotion and pseudopodia as taxonomic characters of Mayorella, E. C. Bovee (6).

(b) Testacea.

Testacea of Belgian Congo, P. van Oye.

Testacea of Niokolo-Koba (French W. Africa), L. Decloitre (5).

Testacea of Belgium, D. Chardez (1) (3).

Testacea from Germany, T. Grospietsch,

†Amphitrema congolense sp. n. (p. 124) (Belgian Congo), P. van Oye.

†Arcella vulgaris var. n. depressa (p. 94) (Belgian Congo), P. van Oye; A. angulata comb. u. (p. 2), L. Decloitre (4).

†Assulina quadratum sp. n. (p. 120) (Belgian Congo), P. van \mathbf{Oye} .

Centrophyxis aculeata var. lata var. n. (p. 239); C. sexilatera sp. n. (p. 245); C. aerofila var. cornuta var. n. (p. 248); all French W. Africa, L. Decloitre (5); C. eassis var. mimina var. n. (p. 98); C. pyriformis sp. n. (p. 99) (Belg. Congo), P. van Oye; C. koluitzi var. grandie var. n. (p. 296) (Belgium), D. Chardez (1); †C. pyriformis sp. n. (p. 99) (Belgian Congo), P. van Oye.

Corythion nebeloides sp. n. (p. 81).

Euglypha anodonta sp. n. (p. 82).

Paracentropyxis gen. n. (p. 82); P. mimetica sp. n.

Plagiopyxis barrosi (p. 84); all from Angola, L. Bonnet (1).

Cucurbitella crateriformis sp n. (p. 573); C. dentata sp. n. (p. 574); C. dentata quinquelobata forma n. (p. 575); C. d. elongata var. n. (p. 576); C. d. var.

elongata forma quinquelobata forma n. (p. 576): C. d. simplex var. n. (p. 576): C. d. var. simplex forma quinquelobata forma n. (p. 577): C. d. var. simplex forma crucilobata forma n. (p. 577): C. d. var. simplex forma trilobata forma n. (p. 577): lunaris sp. n. (p. 578): C. madagascariensis sp. n. (p. 579): C. megastoma sp. n. (p. 580): C. m. forma crucilobata forma n. (p. 582): C. mespiliformis var. africana var. n. (p. 583): C. m. var. africana forma trilobata forma n. (p. 582): C. modesta sp. n. (p. 585): C. modesta forma trilobata forma n. (p. 586): C. obturata sp. n. (p. 586): C. o. var. curvidentata var. n. (p. 588): all from Africa, L. Gauthier-Lièvre & R. Thomas.

Cucurbitella, Taxonomy of, L. Gauthier-Lièvre & R. Thomas.

Diffugia, taxonomy of, L. Decloitre (2). D. angelica sp. n. (p. 589): D. (Pseudocucurbitella) obturata sp. n. (p. 591): D. (P.) pseudogramen sp. n. (p. 592) all from Africa, L. Gauthier-Livère & R. Thomas; D. gramen forma globulosa f. n. (p. 142): (Czechoslovakia), M. Štěpánek & J. Jiří; D. lagena sp. n. (p. 55); D. pyriformie var. antero-cylindrica nom. n. (p. 56) (Rumania), J. Lepgi (2); D. mosaruzi sp. n. (p. 96) (Belg. Congo). P. van Oye; D. oblonga Ehr. var. crassa (Cash) comb. n. (p. 118), D. Chardez (2); D. gramen, systematic and statistical analysis of, M. Štěpánek & J. Jiří.

†Euglyppa curvata sp. n. (p. 117); E. filifera var. n. magna (p. 117); E. marginata sp. n. (p. 118); E. symoensi sp. n. (p. 119) (Belgian Congo), P. van Oye; E. compressa var. inermis var. n. (p. 81); E. striata sp. n. (p. 82); E. sphærica sp. n. (p. 82); (Rumania), J. Lepsi (4); E. rotunda forma obliqua 1. n. (p. 255) (French W. Africa), L. Decloitre (5); E. strigosa var. longispina var. n. (p. 62) (Rumania), I. Lepsi (2).

Euglyphridae from Africa, R. Thomas & L. Gauthier-Lièvre (2).

Heleopera elliptica sp. n. (p. 60) (Rumania), I. Lensi (4).

Heteroglypha gen. n. (p. 205); H. delicatula sp. n. (p. 206) (Congo), H. delicatula breviculus var. n. (p. 206) (Congo), R. Thomas & L. Gauthier-Lièvre (2).

Hyalosiphenia schoutedeni var. n. rotunda (p. 114) (Belgian Congo), P. van Oye.

Jungia intermedia sp. n. (p. 113) (Belgian Congo), P. van Oye,

Lesquereusia bispiralis sp. n. (p. 41) (Africa), L. gibbosa sp. n. (p. 44) (Africa); L. gibbosa var. corniculata var. n. (p. 46); (Africa); L. g. var. incisa var. n. (p. 46) (S. America, Africa); L. g. var. nodosa var. n. (p. 48) (Africa); L. globulosa sp. n. (p. 48) (Africa); L. mimetica var. parva var. nov. (p. 51) (France, Africa); L. modesta forma stepaneki forma n. (p. 54) (Czechoslovakia); L. modesta var. caudata comb. n. (p. 54) (Australia, S. America); L. m. dentata var. n. (p. 56) (Africa); L. m. truncata var. n. (p. 58) (Africa); L. ovalis sp. n. (p. 58) (Africa); L. ovalis var. acuminata var. nov. (p. 59) (Africa); L. o. cornuta var. nov. (p. 59) (Africa); L. o. cornuta var. nov. (p. 59) (Africa); L. o. mucronata (p. 63) (Africa); L. spiralis forma arcuata forma n. (p. 70) (Africa); L. spiralis var. hirsuta var. n. (p. 72) (Africa); L. s. hoogenraadi var. n. (p. 74) (England); L. s. nodosa var. n. (p. 76) (Congo); L. s. penardi var. n. (p. 76) (Africa); L. s. villosa

var. n. (p. 78) (Europe, Africa); L. tuberculata sp. n. (p. 80) (Africa), R. Thomas & L. Gauthier-Lièvre (1). L. collarie sp. n. (p. 56) (Rumania), I. Lepsi (2).

Lesquereusia, taxonomy of, L. Decloitre (1).

Placocistra ventricosa sp. n. (p. 210) (Congo), R. Thomas & L. Gauthier-Lièvre (2).

Plagiopysis, systematics. P. callida var. grandis var. n. (p. 206), R. Thomas.

Protocucurbitella gen. n. (p. 593); P. coroniformis sp. n. (p. 593); P. c. loc. c. ecornis forma n. (p. 595); P. c. loc. pusilla var. n. (p. 595); P. c. loc. c. pusilla forma ecornis (p. 595), all from Africa, L. Gauthier-Lièvre & R. Thomas.

Quadrulella acuminata sp. n. (p. 107); Q. symmetrica var. kiruensis var. n. (p. 107) (Belg. Congo), P. van Oye.

Sphenoderia australis var. chardesi var. n. (p. 211) (Africa); S. labiata sp. n. (p. 212) (Africa), R. Thomas & L. Gauthier-Lièvre (2).

Tracheleuglypha acolla forma stenostroma f. n. (p. 202) (Belgium), D. Chardez (3), T. dentata var. elongata comb. n. (p. 219) (Africa); T. d. elongata forma duplicata f. n. (p. 220) (Africa), R. Thomas & Gauthier-Lièvre (2).

(c) Foraminifera.

†Actinosiphon Vaughan 1929; suppression thereof, T. F. Grimsdale (2).

†Afghanella schencki Thomson var. n. megaspherica p. 277) Permian, China, J. C. Sheng (4),

†Agathammina Neumayr 1887 emend. (p. 47) Permian, Poland, H. Wolanska.

†Albamina bigibbera sp. n. (p. 94) Eccene, France, T. Le Calvez (2).

†Alabamina oschmanni sp. n. (p. 167) Tertiary, Italy, H. Hagn; †A., status thereof (p. 111), J. Hofker (22).

†Aljutovella verusta sp. n. (p. 86); A. succincta, pseudoelongata spp. n. (p. 87), Palaeozoic, Japan, J. C. Sheng (3).

†Alveolophragmium, status thereof; Eocene, W. Maync (1).

†Alveolophragmium zealandicum sp. n. (p. 15), Miocene, Australia, P. Vella.

†Ammobaculites ovatus, elongatus spp. n. (p. 288), Cretaceous, Minnesota, E. J. Bolin (2); †A. polonicus sp. n. (p. 12), Cretaceous, Poland, J. Sztejn (2); †A. criepus sp. n. (p. 75), Paleogene, Russia, F. V. Kipriyanova; † A. eccentrica sp. n. (p. 73); A. wandageensis sp. n. (p. 74), Permian, Australia, I. Crespin (1); †A. khargensis sp. n. (p. 456), Paleocene, Egypt, S. E. Nakkady; †A. leptos sp. n. (p. 247); A. pyriformis sp. n. (p. 248), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman; †A. magnigranulus sp. n. (p. 857); A. parallelus sp. n. (p. 858); Carboniferous, U.S.A., H. A. Ireland; †A. multicameratus sp. n. (p. 127), Tournaisian, Russia, O. A. Lipina (2).

†An Turke

[196

†A. le †A. le Miller China Polan A. oo Crespi Venez

prima sp. n. A. b

†A

†A T. F. 1922;

> †A Ecua Mioce

†A

Japa (p. 1 L. W Polar [nom

Terti
friger

†A
(gend
Ordi

Aust

Eniv

Rece

Kan

H. 8

(p. 4 Y. 1

Pole

†Ammocibicides anatolicus sp. n. (p. 78), Eocene, Turkey, K. Turnovsky (2).

†Ammodiscella gen. n. virgilensis sp. n. (p. 845) (genotype), Carboniferous, U.S.A., H. A. Ireland.

†Ammodiscus, status thereof, T. Barnard (2); †A. leei sp. n. (p. 1351), Silurian, Kansas, H. W. Miller, Jr.; †A. parapriscus sp. n. (p. 394), Trias, China, Y. Ho (1); †A. similis sp. n. (p. 74), Devonian, Poland, S. Duszynska (3); †A. erugatus sp. n. (p. 66); A. conahensis sp. n. (p. 69), Permian, Australia, I. Crespin (1); †A. muhlemanni sp. n. (p. 109), Miocene, Venezuela, W. H. Blow.

†Ammospirata ? levyensis sp. n. (p. 102) Eccene, Florida, H. S. Puri (3).

†Ammovertella elevata sp. n. (p. 851); A. labyrintha, primaparva, prodigalis spp. n. (p. 854); A. tornella sp. n. (p. 855), Carboniferous, U.S.A., H. A. Ireland; A. bulbosa sp. n. (p. 247), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman.

†Amphilepidina Douville 1922, status thereof, T. F. Grimsdale & I. M. van der Vierk; A. Douville 1922; suppression thereof, T. F. Grimsdale (2).

†Amphistegina ulraensis sp. n. (p. 75), Miocene, South Africa, P. G. Biesiot.

†Angulogerina ecuadorensis sp. n. (p. 929), Eccene, Ecuador, J. Hofker (1); A. gracilis sp. n. (p. 34), Miocene, Australia, P. Vella.

†Anomalina hamanakoenosis sp. n. (p. 18), Recent, Japan, Y. Ishiwada; A. aegyptiaca, desertorum spp. n. (p. 17), A. grandis sp. n. (p. 18), Cretaceous, Egypt, L. W. Le Roy; A. tumida sp. n. (p. 183), Eocene, Poland, S. Liozks (1); A. cateno-marginata sp. n. [nom. nud] (p.160), Tertiary, Romania, I. Z. Barku.

†Anomalinoides procolligera sp. n. (p. 49), Tertiary, Australia, A. N. Carter; A. subalpinus sp. n. (p. 177), Tertiary, Italy. H. Hagn; A. spherica Finlay subsp. n. frigendex (p. 39), Miocene, Australia, P. Vella.

†Archaeochitosa gen. n. (p. 91) lobosa sp. n. (p. 91) (genotype), A. clausa, cervicorna spp. n. (p. 92), Ordivician, Germany, A. Eisenack (5).

†Archaias eniwetokensis sp. n. (p. 766), Tertiary, Eniwetok Atoll, W. S. Cole (2); A. withlacoochensis sp. n. (p. 142), Eocene, Florida, H. S. Puri (3).

Arenoparrella mexicana var. n. asiatica (p. 585), Recent, north Asiatic coasts, W. Polski.

†Arenosiphon rugosa sp. n. (p. 1353), Silurian, Kansas, H. W. Miller, Jr.

†Arenovidalina gen. n. chialingchiangensis sp. n. (p. 400); A. c. var. n. (p. 401); A. c. var. n. rhombea (p. 401); A. amylovoluta sp. n. (p. 401), Trias, China, Y. Ho (1).

†Articulina zuberensis sp. n. (p. 109), Eocens, H. S. Puri (3).

†Articulina scrobicularis sp. n. (p. 261), Miocene, Poland, T. Smigielska.

†Assilina subspinosa, Davies var. n. megacamerata, A. papillata, Nuttal var. n. regularia; A. cherrapunjiensis sp. n. (p. 376), Tertiary, Assam, B. K. Ghase.

†Astacolus neolatus sp. n. (p. 30), Miocene, Australia, P. Vella; A. bifurcatus sp. n. (p. 19), Tertiary, Egypt, L. W. Le Roy.

†Asterigenerina minuta sp. n. (p. 280), Miocene, Poland, T. Smigielska.

†Asterocyclina incisuricamerata sp. n. (p. 349); A. matanzensis sp. n. (p. 350); A. penuria nom. n. [for Discocylina sp. B. Cole 1953, and Asterocyclina aff. A. pentagonatis, Deprat of Caudri 1934] (p. 350); Kainozoic, W. S. Cole (1); A. centrifularis sp. n. (p. 775); A. praecipua sp. n. (p. 780); Tertiary, Eniwetok Atoll, W. S. Cole (2); A. elongaticamera sp. n. (p. 11), Tertiary, Pacific seamount, W. S. Cole (7).

†Astrononion centroplax sp. n. (p. 61), Tertiary, Australia, A. N. Carter.

†Astrorhiza virgilensis sp. n. (p. 840), Carboniferous, U.S.A., H. A. Ireland.

†Astrorotalia subgen. n. (p. 81) (of Globorotalia) stellaria sp. n. (p. 81) (subgenotype), Eocene, Turkey, K. Turnovsky (1).

†Atetsuella gen. nov. (p. 251)) imamurai sp. n.; A. meandra sp. n. (p. 253) (genotype) (p. 253); Lower Carboniferous, Japan, Y. Okimura.

†Baggina saitoi sp. n. (p. 51); Oligocene, Japan, K. Asano (5); B. dentata sp. n. (p. 165), Tertiary, Italy, H. Hagn; † B. nagasakiensis sp. n. (p. 58), Tertiary, Japan, K. Asano (5).

†Bartramella gen. n. (p. 1278) bartrami sp. n. (p. 1280) (genotype) Upper Carboniferous, Nevada, G. J. Verville, M. L. Thompson & D. H. Lokke.

†Bigenerina elongata sp. n. (p. 862); B. virgilensis sp. n. (p. 863); Carboniferous, U.S.A., H. A. Ireland; B. nodosaria var. n. longa (p. 257), Miocene, Poland, T. Smigielska. B. fragilis sp. n. (p. 202) (Spanish Coast), J. Le Calvez & Y. Le Calvez; †B. japonica sp. n. (p. 79), Recent, Japan, K. Asono (2).

Biloculinella wiesneri nom. n. (p. 203) (for Miliolina eburnea Wiesner (non d'Orbigny), Spanish Coast, J. Le Calvez & Y. Le Calvez.

Biwaella gen. n. (p. 301) omiensis sp. n. (p. 302), Permian, Japan, R. Morikawa & H. Isomi.

†Bolivina benedictensis Sp. n. (p. 1307); B. marginata var. n. monicana (p. 1308), Miocene, California, R. L. Pierce; †B. hyalina sp. n. (p. 277), Miocene, Poland, T. Smigielska; †B. dinapolii sp. n. (p. 143); B. detellata sp. n. (p. 144), Miocene, Italy, G. Tavani (1); †B. decurrens nekhliana, Said and Kenawy nom. n. [for Bolivina decurrens parallela, Said and Kenawy 1956 (non Bolivina parallela, Perner 1892 olim. Textularia parallela, Perney.], H. E. Thalmann (3); †B. argentea var. resigi nom. n. Zalesny [for Bolivina argentea var. monicana, Zalesny 1959 (non Bolivina marginata var. monicana, Pierce 1956)], H. E. Thalmann (3); †B. numerosa, cacozela spp. n. (p. 33), Miocene, Australia, P. Vella; †B. pocheensis sp. n. (p. 251), Miocene,

California, W. R. White; † B. fyfei sp. n. (p. 658), Tertiary, New Zealand, N. de B. Hornibrooke (1); † B. semireticulata sp. n. (p. 20), Tertiary, Egypt, L. W. Le Roy; † B. dilatata var. n. abbreviata (p. 156); B. italica var. n. substriata (p. 158); B. adriana sp. n. (p. 160), Upper Tertiary, Italy, A. Longinelli; † B. mtubatubanensis sp. n. (p. 71), Miocene, South Africa, P. G. Biesiot; † B. kūensis sp. n. (p. 19); B. substriatula, tosaensis spp. n. (p. 23), Recent, Japan, K. Asano (4); † B. nagaoi sp. n. (p. 60), Paleogene, Japan, K. Asano (5); † B. lafayettei sp. n. (p. 346), Miocene, Virginia, J. D. McLean (1); † B. daniana sp. n. (p. 459), Paleocene, Egypt, S. E. Nakkady.

†Bolivinita granttaylori sp. n. (p. 33), Miocene, Australia, P. Vella.

†Bolivinoides polonica n. ps. (p. 252); B. vistulae n. sp. (p. 253), Cretaceous, Poland, K. Pozaryska; †B. mielnicensis sp. n. (p. 35), Cretaceous, Poland, E. Bieda,

†Bolivinopsis itchodaensis sp. n. (p. 66), Eocene, Japan, K. Asano (5).

†Bolliella subgenus n. (p. 12) (subgenotype Hastigerina (Bolliella) adamsi sp. n. (p. 13), Recent, F. T. Banner & W. H. Blow.

†Borelis primitivus sp. n. (p. 766), Tertiary, Eniwetok Atoll, W. S. Cole (2).

†Boreloides eniwetokensis sp. n. (p. 768), Tertiary, Eniwetok Atoll, W. S. Cole (2),

†Boultonia cheni sp. n. (p. 64), Permian, China, Y. Ho (2).

†Buccella anderseni sp. n. (p. 354), Miocene, Virginia, J. D. McLean (1).

†Bulimina esnaensis sp. n. (p. 20); B. forafraensis sp. n. (p. 21), Tertiary, Egypt, L. W. Le Roy; †B. praecanthia sp. n. (p. 345), Miocene, Virginia, J. D. McLean (1); †B. australis sp. n. (p. 32), Miocene, Australia, P. Vella; †B. pseudovata sp. n. (p. 920) (includes B. ovata, Cushman & Stainforth 1951 non d'Orbigny 1846), Eocene, Ecuador, J. Hofker (1); †B. serratospina, Finlay subsp. n. bermudezi (p. 145), Tertiary, Italy, H. Hagn; †B. kasselensies sp. n. (p. 127) B. dingdenensis sp. n. (p. 128), Tertiary, Belgium, D. A. T. Batjes; †B. nipponica sp. n. (p. 6), Recent, Japan, K. Asano (4); †B. yabei sp. n. (p. 53), Oligocene, Japan, K. Asano (5).

†Buliminella gratavas joaquinensis nom. n. Mallory [for Buliminella grata convoluta, Mallory (non Buliminella convoluta, Williamson 1858 olim: Bulimina papoides var. convoluta, Williamson)], H. E. Thalman (3); †B. waiparaensis sp. n. (p. 658), Tertiary, New Zealand, N. de B. Hornibrook (1).

†Calcivertella palata sp. n. (p. 85), Permian, Australia, T. Crespin (1).

†Carpenteria Gray, status thereof (p. 200), emend thereof (p. 203); C. hamiltonensis sp. n. (p. 200). Eocene, M. F. Glaessner & M. Wade (2); †C. conoidea, Rutten, status thereof (p. 199), M. F. Glaessner & M. Wade (2).

†Cassidulina sublaevigata, sp. n. (p. 931), Eocene, Ecuador, J. Hofker (1); †C. crepidula, sp. n. (p. 33), C. paratortuosa, sp. n. (p. 34), C. elegans, Sidebottom var. n. boscensis (p. 34), Neogene, Y. Kuwano (1); †C. nojimana sp. n. (p. 79), C. undata sp. n. (p. 80), Neogene, Japan, Y. Kuwano (2).

†Cassidulinoides miuraensis sp. n. (p. 58), Tertiary, Japan, Y. Higuchi.

†Cassigerinella gen. n. (p. 136), C. oudecensis sp. n. (p. 138), Oligocene, Poland, C. globulosa [from Cassidulina globulosa Egges 1857], N. Pokorńy (4).

†Ceratobulimina globulosa sp. n. (p. 141), Cretaceous, Italy, E. Montanaro Gallitelli (1); †C. cretaceous, Cushman & Harris var. n. felsinia (p. 339), Cretaceous, Italy, T. Lipparini (2).

†Chilostomella amakusaensis sp. n. (p. 67), Eocene, Japan, K. Asano (5).

†Cibicides thiaracuta sp. n. (p. 668), Tertiary, New Zealand, N. de B. Hornibrook (1); †C. pseudowuell-orstorft Cole, subsp. n. gigas (p. 182), Tertiary, Italy, H. Hagn; †C. brevardis sp. n. (p. 47), Tertiary, Australia, A. N. Carter; †C. zuluensis, ulraensis sp. n. (p. 78), Miocene, South Africa, P. G. Biesiot; †C. nagaoi sp. n. (p. 59), Paleogene, Japan, K. Asano (5); †C. temperata, mariboroughensis spp. n. (p. 40), C. sp. n. aff. deliquatus Finlay (p. 40), [Proposal of species name deferred.] Miocene, Australia, P. Vella; †C. (Cibicidoides) breshsensis sp. n. (p. 75), C. (Cibicidoides) aurouzeae sp. n. (p. 76), Cocene, France, A. Rouvillois; †C. beadnelli, decoratus spp. n. (p. 23), C. forafraensis, bibycus, pharaonis spp. n. (p. 24), C. zitteli sp. n. (p. 25), Tertiary, Egypt, L. W. Le Roy; †C. subinvolutus sp. n. (p. 73), C. cuvillieri sp. n. (p. 74), Ecoene, France, A. Rouvillois; †C. arcuatus sp. n. (p. 184), Ecoene, Poland, S. Liszka (1); †C. stephensoni Cushman var. n. etruscus (p. 338), Cretaceous, Italy, T. Lipparini (2); †C. necompressus Hofker 1958 (non Cushman and Renz 1941)], H. E. Thalman (3); †C. alleni cristata Haque nom. n. [for Cibicides alleni var. carinata Haque 1959 (non Cübicides carinatus (Terquem) 1882 olim, Truncatulina carinata Terquem 1882)], H. E. Thalmann (3); †C. multifarius yhalebi nom. n. Haque [for Cibicides multifarius var. limbata Cita 1950)], H. E. Thalmann (3); †C. mexicanus Nuttal var. dertonensis nom. n. (for Cibicides mexicanus Nuttal var. miocensis), M. Russeelli.

†Clavihedbergella (p. 18) subgen, n. [genotype Hastigerinella subcretacea Tappon 1943], F. T. Banner & W. H. Blow.

†Codonofusiella liu sp. n. (p. 207), C. schubertelloides sp. n. (p. 208), C. tenuissima sp. n. (p. 209), C. minuta sp. n. (p. 210), Permian, China, J. C. Sheng (1); †C. japonica n. sp. (p. 278), Permian, Japan, R. Morikawa (3); †C. explicata sp. n. (p. 225), Permian, Japan, N. Kuwano.

†Conorbisvalendisensis subsp. tomaszowiensis (p. 86), Lower Cretaceous, Poland, J. Sztejn (1).

†Conorotalites gen. n. (p. 434) [genotype Gletorotalites bartensteini aptiensis Bettenstaedt 1952], Cretaceous, Germany, M. Kaever.

sp. n.

[196

+Co

Eniwe

†C2

Italy †C

†C:

†C (22) †L H. E

Japa J. **H**

Upp nerri I. C Mioc sp. I

(2). J. D

D. I

sp. Eod sp.

Per

Ge 41

Au

Eg

†Coskinolina rotaliformis sp. n. (p. 751), Tertiary, Eniwetok Atoll, W. S. Cole (2).

†Cribrostomoides sinaica sp. n. (p. 886), C. paralens sp. n. (p. 887), Cenomanian, Egypt, S. Omara.

†Cyclammina socica sp. n. (p. 74), Paleogene, Russia, F. V. Kipriyanova,

†Cyclolepedina Whipple (1934), suppression thereof, T. F. Grimsdale (2).

 $\dagger Cylindroclavulina colomi sp. n. (p. 123), Tertiary, Italy, H. Hagn.$

†Cymbalopora lecalvezae sp. n. (p. 72), Eccene, France, A. Rouvillois.

 $\uparrow Cymbaloproetta$ status thereof (p. 111), J. Hofker (22) .

†Darbyella angulata sp. n. (p. 129), Tertiary, Italy, H. Hagn; †D. karatsuensis sp. n. (p. 55), Oligocene, Japan, K. Asano (5).

 $\dagger Daviesina\ voigti\ {\tt sp.\ n.}\ ({\tt p.\ 72}),$ Cretaceous, Germany, J. **Hofker** (3).

†Dentalina filiformis var. n. substriata (p. 121), Upper Tertiary, Italy, A. Longinelli; †D. habra, nerrimaensis spp. n. (p. 98), Permian, Australia, I. Crespin (1); †D. monicana sp. n. (p. 1302), Miocene, California, R. L. Pierce; †D. kaicherae sp. n. (p. 328), Miocene, Virginia, J. D. McLean (1).

†Discocyclina concentrica sp. n. (p. 45); D. hungarica sp. n. (p. 51), Eccene, Hungary, T. Kecskeméti (2).

†Discorbis rehderi sp. n. (p. 353), Miocene, Virginia, J. D. McLean (1).

†Discorbis (Lamellodiscorbis) magna Vialli var. n. aquitanica (p. 115), Eocene, France, M. Neumann & D. Boulanger.

†Discorbitum granulo-umbilicata sp. n. (p. 34), Quaternary, Holland, J. H. Van Voorthuysen (3).

†Dictyoconus saipanensis sp. n. (p. 329), Kainozoie, Saipan Islands, W. S. Cole (1).

†Dorothia amakusaensis sp. n. (p. 61), D. nagaoi sp. n. (p. 64), D. sakasegavaensis sp. n. (p. 64), Eocene, Japan, K. Asano (5); †D. yoshinowaensis sp. n. (p. 457), Tertiary, Japan, T. Kihara & S. Murata & M. Sugahara.

†Dunbarula schubertellaeformis sp. n. (p. 270), Permian, China, J. C. Sheng (4).

†Dunbarinella alpina subsp. n. pristina (p. 57), Permian, Jugoslavia, V. Kochansky-Devidé (4).

†Dyocibicides kunradensis sp. n. (p. 125), Cretaceous, Germany, J. Hofker (18); †D. primitiva sp. n. (p. 41), Miocene, Australia, P. Vella.

†Earlandia condori sp. n. (p. 58), Permian, Australia, I. Crespin (1).

†Eggerella magfiensis sp. n. (p. 28), Tertiary, Egypt, L. W. Le Roy.

† Elphidiononion charlottensis sp. n. (p. 38), E. simplex Cushman subsp. n. aoteanum (p. 38), Miocene, Australia, P. Vella.

†Elphidium kaneharai sp. n. (p. 18), Recent, Japan. Y. Ishiwada; †E. iojimaense sp. n. (p. 59), Paleogene, Japan. K. Asano (5); †E. saitoi sp. n. (p. 51), E. sumitomoi sp. n. (p. 51), Oligocene, Japan, K. Asano, (5); †E. gerthi sp. n. (p. 32), Quaternary, Holland, J. H. Van Voorthuysen (3); †E. africanum sp. n. (p. 28), Tertiary, Egypt, L. W. Le Roy; †E. johnstanae sp. n. (p. 343), E. kaicherae sp. n. (p. 343), Miocene, Virginia, J. D. McLean (1); E. discoidale var n. asiaticum (p. 585) Recent north Asiatic coast, W. Polski; †E. nonieformis sp. n. (p. 271), Miocene, Poland, T. Smigielska; †Elphidium (Parrellina) centrifugalis sp. n. (p. 63), Tertiary, Australia, A. N. Carter.

†Entosolenia ornata var. n. compressa (p. 138), E. adriana sp. n. (p. 139), E. vadensis sp. n. (p. 140), Upper Tertiary, Italy, A. Longinelli.

†Endothyranella cracoviensis sp. n. (p. 157), Carboniferous, Poland, S. Liszka (2).

† Eofusulina inusitata sp. n. (p. 96), Palaeozoie, China, J. C. Sheng (3).

†Eolepidina Tan Sin Hok (1939), suppression thereof, T. F. Grimsdale (2).

†Eoparafusulina subgen n. (p. 262) [of Parafusulina] (genotype Parafusulina gracilis (Meek) Thomson & Wheeler) Upper Palaeozoic, America, A. H. Conzan.

†Eorupertiidae fam. n. (p. 337), Kainozoie, W. S. Cole (1).

†Eorupertia Yabe & Hanzawa, status thereof (p. 201), M. F. Glaessner & M. Wade (2).

†Eostaffella subsolana sp. n. (p. 70), E. quasiampla sp. n. (p. 71); E. intermedia sp. n. (p. 72) Palaeozoic, China, J. C. Sheng (3).

†Eoverbeekina paklenicensis sp. n. (p. 28), Permian, Yugoslavia, V. Kochansky-Devidé (1).

†Epistomina polonica sp. n. (p. 84), Lower Cretaceous, Poland, J. Sztejn (1); †E. ornata subsp. n., tomaszowiensis, (p. 84) Lower Cretaceous, Poland, J. Sztejn (1); †E. esnaensis sp. n. (p. 29), Tertiary, Egypt, L. W. Le Roy.

†Epistominella nova sp. n. (p. 669), Miocene, California, L. E. Garrison; †E. amakusaensis sp. n. (p. 67), Eocene, Japan, K. Asano (5); †E. pontoni var. n. californica (p. 257), Miocene, California, W. R. White; †E. discorbisoides sp. n. (p. 1304), Miocene, California, R. L. Pierce.

†Eponides, status thereof, (p. 111), J. Hofkex (22); †E. veslensis, acutus spp. n. (p. 68), Eocone, France, A. Rouvillois; †E. nathani sp. n. (p. 162); E. italicus sp. n. (p. 163), Tertiary, Italy, H. Hagn; †E. zuluensis sp. n. (p. 73), Miocene, South Africa, P. G. Beesiat; †E. iojimaensis sp. n. (p. 58), Paleogene, Japan, K. Asano (5); †E. nagasakiensis sp. n. (p. 58), Tertiary, Japan, K. Asano (5).

†Eponides ? anconensis sp. n. (p. 951), Eccene, Ecuador, J. Hofker (1).

†Erichsenella gen. n. (p. 19) kegeli sp. n. [genotype] E. ? Martinsi sp. n. (p. 20), Recent, Brazil, I. de M. Tinoco (2).

†Eulepidina Douville, 1911; suppression thereof, T. F. Grimsdale (2).

†Fabiania cassis (Oppenheim); status thereof, Tertiary, Japan, S. Hanzawa (2).

†Fissurina tricostulata sp. n. (p. 1302), Miocene, California, R. L. Pierce.

†Flabellamminopsis gen. n. planulatus sp. n. (p. 104), F. variabilis sp. n. (p. 105), F. variabilis var. n. α (p. 106), F. variabilis var. n. β (p. 106), F. variabilis var. n. β (p. 107), F. crassus, corrugatus, tricarinatus spp. n. (p. 107), F. tricarinatus var. n. α (p. 108), F. tricarinatus var. n. β (p. 108), F. turbidus, proteus spp. n. (p. 108), F. tetracarinatus spp. n. (p. 109), F. tetracarinatus var. n. α (p. 109), F. diversiformis sp. n. (p. 110), Jurassic, Poland, J. Malecki (1).

†Flabellinella varignanoensis sp. n. (p. 140), Tertiary, Italy, H. Hagn, †F. jadwigae sp. n. (p. 71), Lower Cretaceous, Poland, J. Sztejn (1);

†Flintinella gen. n. volhynica sp. n. (p. 1433), [genotype], Miocene, Russia, V. Y. Didkovsky (2).

†Fusiella typica var. n. sparsa (p. 81), F. mui, spatiosa, subtilis spp. n. (p. 82), Palaeozoic, China, J. C. Sheng (3).

†Fusulina weintzi sp. n. (p. 1285), Upper Carboniferous, Nevada, G. J. Verville, M. L. Thompson, & D. H. Lokke; †F. akiyoshiensis sp. n. (p. 61), Pennsylvanian, Japan, R. Toriyama; †F. fallaensis sp. n. p. 799), Permo-Carboniferous, U.S.A., M. L. Thompson, G. J. Verville & D. H. Lokke; †F. pseudochomata nom. n. (p. 700) (for Fusulina valida Stewart 1958), W. J. Stewart; †F. maijiensis sp. n. (p. 97), F. ylychensis Rauser, var. n. exigua (p. 99), F. konnoi Lee var. n. ordinata (p. 100), F. pseudokonnoi sp. n. (p. 102), F. pseudokonnoi var. n. longa (p. 102), F. absidata sp. n. (p. 103), F. pseudokonyica sp. n. (p. 104), F. yangi sp. n. (p. 106), F. quasicylindrica Lee var. n. compacta (p. 108), F. quasicylindrica var. n. megaspherica, Palaeozoic, China, J. C. Sheng (3), †? F. donbassica sp. n. (p. 175), Permian, Oklahoma, M. K. Elias.

†Fusulinella alta sp. n. (p. 1282), F. nevadensis sp. n. (p. 1283), Upper Carboniferous, Nevada, G. J. Verville, M. L. Thompson & D. H. Lokke, †F. simplicata sp. n. (p. 36), F. subspherica sp. n. (p. 52), Pennsylvanian, Japan, R. Toriyama; †F. obesa sp. n. (p. 91), F. laza, provecta spp. n. (p. 92), Palaeozoic, China, J. C. Sheng (3).

†Frondicularia aulax sp. n. (p. 109), F. hillae sp. n. (p. 110), F. impolita sp. n. (p. 111), F. limpida sp. n. (p. 112), F. semicostula sp. n. (p. 113), F. setilis sp. n. (p. 114), Permian, Australia, I. Grespin (1); †F. subhunteri sp. n. (p. 903), Eocene, Ecuador, J. Hofker (1).

†Gaudryina africana sp. n. (p. 30), Tertiary, Egypt, L. W. Le Roy; †G. laevigata saadi nom. n. Hague [for Gaudryina laevigata elongata Hague (non Gaudryina rutherica elongata Dunikowski 1879)], H. E. Thalmam (3); †G. kishimaensis sp. n. (p. 52), Oligocene, Japan, K. Asano (5); †G. pervulgata sp. n. (p. 77), G. vulgaris sp. n. (p. 78), Paleogene, Russia, F. V. Kipriyanova; †G. textulariformis sp. n. (p. 457), Paleocene, Egypt, S. E. Nakkady.

Gavelinellidae fam. n. (p. 946), Eocene, Ecuador, J. Hofker (1),

†Gavelinopsis hamatus sp. n. (p. 35), Miocene, Australia, P. Vella,

†Geinitzina caseyi, striatosulcata spp. n. (p. 116), Permian, Australia, I. Crespin (1).

†Gifuella gen. n. (p. 131), gifuensis sp. n. (p. 134), G. amicula sp. n. (p. 136), Permian, Japan, S. Honjo.

†Giroliarella gen. n. angulata sp. n. (p. 56), G. tavesi sp. n. (p. 57), G. rhomboidalis sp. n. (p. 58), Permian, Australia, I. Crespin (1).

†Glabratella becki sp. n. (p. 668), Miocene, California, L. E. Garrison.

†Globigerinidae Carpenter, nom. correct. (p. 5), F. T. Banner & W. H. Blow.

†Globigerininae Carpenter 1862 nom. transl. (p. 5), F. T. Banner & W. H. Blow.

†Globigerinaceae Carpenter 1862, emend. (p. 4), F. T. Banner & W. H. Blow.

†Globigerina paravenezuelana sp. n. (p. 953):
G. protoreticulata sp. n. (p. 954); G. stainforthi,
pseudocretacea spp. n. (p. 955); G. paratriloculinoides
sp. n. (p. 956); Eocene, Ecuador, J. Hofker (1);
†G. kugleri sp. n. (p. 270), Cretaceous, Trinidad,
H. M. Bolli (2); †G. eamesi sp. n. (p. 176); G.
falconensis sp. n. (p. 177); G. parabulloides sp. n.
(p. 179); G. praebulloides sp. n. (p. 180), Miccene,
Venezuela, W. H. Blow; †G. kyushuensis sp. n.
(p. 68), Eocene, Japan, K. Asano (5); †G. nipponica
sp. n. (p. 18), Recent, Japan, K. Asano (3); †G.
equatorialis Hofker & Thalmann nom. n. [for
Globigerina stainforthi Hofker 1956 (non Bronnimann
1952)], H. E. Thalmann (3); †G. esnaensis sp. n.
(p. 31), Tertiary, Egypt, L. W. Le Roy; †G. status
thereof, J. Hofker (21).

†Globigerinoides macrostoma sp. n. (p. 173), Tertiary, Italy, H. Hagn; †G. bollii sp. n. (p. 189), Micoene, Venezuela, W. H. Blow; †G. dinapolii n. sp. [nom.nud.] (p. 98), Tertiary, Italy, L. Ogniben (1); †G. dinapolii sp. n. (p. 237), Tertiary, Italy, L. Ogniben (2).

†Globobuliminidae fam. n. (p. 908), Eccene, Ecuador, J. Hofker (1).

†Globobulimina pacifica var. n. curtata (p. 254), Pliocene, California, W. R. White; †G. hanzawai sp. n. (p. 10), Recent, Japan, K. Asano (4).

†Globoquadrina pozonensis sp. n. (p. 184), Miocene, Venezuela, W. H. Blow.

†Globorotaliniinae Cushman 1927 emend. (p. 6), F. T. Banner & W. H. Blow. (p. 2 Miood truno nom. truno Globo 1955)

[19

†GI

New

sp. n. †G. se L. Os

nom.

H. S.

F. T. digita W. I

G. bi

(p. 39 feistu feistu †G. fa †G. n (1).

†G

ferou

(p. 8 G. ins sp. r Creta

Creta †G N. A

ta

(gend †G Egyr (p. 1 cryst

McL

†H. Rece 18:

OF,

ne,

6),

jo,

esi

m.

di-

5),

5),

4),

les

d

G. n.

n.

ca G.

or

m

138

n.

G.

0,

),

†Globorotalia zealandica sp. n. (p. 667), Tertiary, New Zealand, N. de B. Hornibrock (1); †G. quadrata sp. n. (p. 462), Paleocene, Egypt, S. E. Nakkady; G. scitula subsp. n. ventriosa (p. 246), Tertiary, Italy, L. Ogniben (2); †G. scitula subsp. n. ventriosa (p. 94) [nom. nud.], Tertiary, Italy, L. Ogniben (1); †G. cyslatriverensis sp. n. (p. 124), Ecoene, Florida, H. S. Puri (3); †G. Cushman 1927 emend. (p. 15), F. T. Banner & W. H. Blow; †G. (Hastigerinella) digitata (Brady) emend. (p. 16), F. T. Banner & W. H. Blow; †G. acostaenensis sp. n. (p. 208); G. birnageae sp. n. (p. 210); G. opima subsp. n. continuosa (p. 218); G. scitula subsp. n. gigantea (p. 220); G. scitula subsp. n. praeccitula (p. 221), Miocene, Venezuela, W. H. Blow.

†Globotruncana helvetica included in Praeglobotruncana Bermudez 1952, V. Scheibner; †G. kupperi nom. n. Thalmann [for Globotruncana (Praeglobotruncana) renzi subsp. primitiva Kupper 1956 (non Globotruncana (Globotruncana) ventriosa var. Dalbiez 1955)], H. E. Thalmann (3).

†Glomospira monogranula sp. n. (p. 847), Carboniferous, U.S.A., H. A. Ireland; †G. sinensis sp. n. (p. 396); G. sinensis var. n. rara (p. 396); G. tenuifeistula sp. n. (p. 397), Trias, China, Y. Ho (1).

†Glomospirella shengi, vulgaris spp. n. (p. 399), G. facilis sp. n. (p. 400), Trias, China, Y. Ho (1); †G. nyei sp. n. (p. 70), Permian, Australia, I. Crespin (1),

†Goupillaudina gen. n. (p. 861) daguini sp. n. (p. 863) (genotype); G. lecointrei sp. n. (p. 864); G. intermedia, ostrowskyi spp. n. (p. 866); G. debourlei sp. n. (p. 868); G. sanctipetri sp. n. (p. 869), Cretaceous, P. Marie.

†Granuliferella pauciseptata sp. n. (p. 257), Lower Carboniferous, Japan, Y. Okimura.

†Grimsdaleinella gen. n. (p. 1) spinosa sp. n. (p. 2), Cretaceous, H. M. Bolli (1).

†Gumbelina sp. n. (p. 259) [nom nud.], Cretaceous, N. Africa, R. Rivoirard & J Sigal.

†Guttulina palmerae sp. n. (p. 333); G. pseudo-costatula sp. n. (p. 334), Miocene, Virginia, J. D. McLean (1).

Gymnesina gen. n. (p. 16) glomerosa sp. n. (p. 16) (genotype), Recent, Mediterranean, G. Colom (2).

†Gyroidina aegyptica sp. n. (p. 459), Paleocene, Egypt, S. E. Nakkady; †G. keenani var. n. murietta (p. 1305), Miocene, California, R. L. Pierce; †G. crystalriverensis sp. n. (p. 124), G. springfieldensis sp. n. (p. 125), Eocene, Florida, H. S. Puri (3); †G. girardana sarvari nom. n. Haque [for Gyroidina var. limibata Haque (non Gyroidina limbata Hussey 1949)], H. E. Thalmann (3); †G. iojimaensis sp. n. (p. 59), Paleogene, Japan, K. Asano (5); †G. sakasegawaensis sp. n. (p. 67), Eocene, Japan, K. Asano (5); †G. sechibaruensis sp. n. (p. 457), Tertiary, Japan, T. Kihara & S. Murata & M. Sugahara.

†Halyphysma, status thereof, A. R. Loeblich Jr.; †H. bayeri sp. n. (p. 125), H. barryi sp. n. (p. 116), Recent, Pacific, A. R. Loeblich Jr.

†Hantkeninidae Cushman 1927 emend. (p. 7), F. T. Banner & W. H. Blow.

†Hantkeninae Cushman 1927 emend. (p. 9), F. T. Banner & W. H. Blow.

†Hanzawaia sumitomoi sp. n. (p. 52), Oligocene, Japan, K. Asano (5).

†Haplophragmium giganteum sp. n. (p. 73), Upper Crotaceous, Turkey, V. Öztemur.

†Haplophragmoides rudis sp. n. (p. 285), H. formosum sp. n. (p. 287), Cretaceous, Minnesota, E. J. Bolin (2); †H. amakusaensis sp. n. (p. 61), H. shikiyamaensis sp. n. (p. 61), Eccene, Japan, K. Asano (5); †H. descriorum sp. n. (p. 36), Tertiary, Egypt, L. W. Le Roy; †H. circularis sp. n. (p. 44), Jurassic, Egypt, R. Said & M. G. Barakat; †H. appenninica sp. n. (p. 132), H. foliacia sp. n. (p. 133), Cretaceous, Italy, E. Montanaro Gallitelli (1); †H. haeusleri sp. n. (p. 314), Jurassic, England, A. J. Lloyd.

†Hastigerinella Cushman 1927 emend. (p. 15), F. T. Banner & W. H. Blow.

†Hastigerininae Bolli, Loeblich & Tappan 1957, emend. (p. 7).

†Hastigerina Thomson 1876, emend. (p. 12), F. T. Banner & W. H. Blow.

† ? Hastigerinoides alpiena sp. n. (p. 74), Eocene, France, J. Sigal (4).

†Hayasakaina kawadai sp. n. (p. 173), Permian, Japan, H. Igo (2); †H. kawadai sp. n. (p. 46), Permian, Japan, H. Igo (1).

†Hedbergella Brown & Brown 1958, emend. (p. 17), F. T. Banner & W. H. Blow; †H. status thereof (p. 15), B. H. Burma (1).

†Hedbergina, status thereof (p. 15), B. H. Burma (1).

†Helicocyclina Tan Sin Hole 1936, suppression thereof, T. F. Grimsdale (2).

†Helicostegina Barker & Grinis 1936, suppression thereof, T. F. Grimsdale (2).

†Hemicristellaria okinoshimaensis sp. n. (p. 57), Tertiary, Japan, K. Asano (5); †H. karatsuensis sp. n. (p. 53), Oligocene, Japan, K. Asano (5); †H. karatsua sp. n. (p. 10), H. gotoensis, tosaensis, tsushimaensis, spp. n. (p. 11), Recent, Japan, K. Asano (1).

†Herronalenia parii sp. n. (p. 43), Tertiary, Australia, A. W. Carter.

†Heterohelix distorta sp. n. (p. 145), Cretaceous, Italy, E. Montanaro Gallitelli (1).

†Heterostegina complanata var. n. minuta (p. 73), Tertiary, East Africa, A. Azzaroli; †H. aequatoria sp. n. (p. 756), H. duplicamera sp. n. (p. 759), Tertiary, Eniwetok Atoll, W. S. Cole (2).

†Hexaspyris papilio sp. n. (p. 294), Tertiary, Pacific, W. R. Riedel (2).

†Hippocrepinella biaparta sp. n. (p. 37), Permian, Australia, I. Crespin (1).

†Hofkerina Howchin & Parr, status thereof (p. 203), M. F. Glaessner & M. Wade (2),

†Hopkinsina acuto-costata sp. n. (p. 151), H. citae sp. n. (p. 152), Tertiary, Italy, H. Hagn.

†Hyperammina couviniana sp. n. (p. 73), Devonian, Poland, S. Duszynska (3); †H. compacta sp. n. (p. 235), H. constricta, gracilenta spp. n. (p. 237), H. nitida, rockfordensis spp. n. (p. 238), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman; †H. collytharraensis sp. n. (p. 45), H. fletcheri sp. n. (p. 50), H. fusta, hadzeli spp. n. (p. 51), H. hebdenssis sp. n. (p. 52), Permian, Australia, I. Crespin (1).

†Hyperamminita gen. n. (p. 54) [genotype Hyperammina rudis Parr 1942], Permian, Australia, I. Crespin (1).

†Iberina loc. c. Munier I. lusitanica (Egger) emend. thereof (p. 41), W. Mayne (2); †Chalmas 1902 emend. thereof (p. 39), W. Mayne (3).

†Involutina longexortis sp. n. (p. 241), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman.

†Isorbitina Thalmann 1938, status thereof, T. F. Grimsdale & I. M. Van der Vlerk; †I. Thalmann 1938, suppression thereof, T. F. Grimsdale (2).

†Jaculella, status thereof, T. Barnard (2).

†Karreria fallax, status thereof (p. 413), M. Sido (2).

†Lachlanella subgen. n. (of Quinqueloculina) (p. 24), Miocene, Australia, P. Vella.

†Lacosteina maquawilensis sp. n. (p. 128), Cretaceous, Egypt, S. E. Ansary & B. Y. Faklir; †L., status thereof, (p. 111), J. Hofker (22).

†Lagena sulcatiformis sp. n. (p. 115), Cretaceous, Poland, K. Pozaryska & A. Urbanek; †L. subamphora sp. n. (p. 38), Recent, Japan, K. Asano (1), †L. stricto-punctata var. n. pentacosta (p. 1382), Miocene, California, R. L. Pierce; †L. ofantina sp. n. (p. 515), Tertiary, Italy, M. Zei Moncharmont; †L. (Entosolenia carteri, sp. n. (p. 330), L. (Entosolenia) carteri forma alpha (p. 330), L. doreszae sp. n. (p. 330), L. globulohispida, sp. n. (p. 331), L. Palmerae, pseudosulcata spp. n. (p. 332) [unusual systematics], Miocene, Virginia, J. D. McLean (1); †L. biarritzensie nom. n. (p. 142) (for Lagena striato-punctata var caudata Halkyard), W. Hagn; †L. alcocki nom. n. (p. 246) [for Lagena williamsoni Alcock 1865 (non L. williamsoni of Harvey & Bailey 1854)] Pliocene, California, W.R. White; †Lagenonodosaria acostaensis sp. n. (p. 122), Miocene, Venezuela, W. H. Blow.

†Lamarckina airensis sp. n. (p. 65), Tertiary, Australia, A. N. Carter.

†Lenticulina krzyzanowiensis sp. n. (p. 37), Lower Cretaceous, Poland, J. Sztejn (1); †L. (Astacolus) initialis sp. n. (p. 96), Permian, Australia, I. Crespin (1);

†Lepidocyclinidae; generic analysis, T. F. Grims-dale (2).

†Lepidocyclina (Nephrolepidina) pusilla sp. n. (p. 77) L. (Eulepidina) contorta sp. n. (p. 79), L. (Eulepidina) ephynaz sp. n. (p. 80), L. (Multilepidina) palustris sp. n. (p. 81), Tertiary, East Africa, A. Azzaroli; †L. ecuadorensis sp. n. (p. 938) Eocene, Ecuador, J. Hofker (1).

†Lepidolina kumaensis sp. n. (p. 362), †L. toriyamai sp. n. (p. 362), Permian, Japan, K. Kanmera (1).

Lepidorbitoides rocialis sp. n. (p. 137) [nom. nud.], Upper Cretaceous, Germany, A. Papp (2).

†Linderina visserae sp. n. (p. 126), Cretaceous, Germany, J. Hofker (10).

†Lingulina ocalana sp. n. (p. 114), Eocene, Florida, H. S. Puri (3).

†Loxostomum wilsoni sp. n. (p. 348), Miocone, Virginia, J. D. McLean (1); †L. tavanii, adrianae spp. n. (p. 162), Upper Tertiary, Italy, A. Longinelli; †L. pakaurangiensis sp. n. (p. 659), Tertiary, New Zealand, N. de B. Hornibrook (1).

†Lugtonia thomasi sp. n. (p. 65), Permian, Australia, I. Crespin (1); †L. concinna var. n. minima (p. 80), Lower Carboniferous, Russia, E. V. Fomina.

†Marginulina carri sp. n. (p. 38), Tertiary, Egypt, L. W. Le Roy, †M. shikiyamaensis sp. n. (p. 65), Eocene, Japan, K. Asano (5), †M. costaula sp. n. (p. 66), Cretaceous, Germany, J. Hofker (7).

†Marginulinopsis capistranoensis sp. n. (p. 246), Pliocene, California, W. R. White.

†Marssonella traubi sp. n. (p. 118), Tertiary, Italy, H. Hagn.

†Martiguesia gen. n. (p. 21) cyclamminiformis, sp. n. (p. 22), Cretaceous, France, W. Mayne (5).

†Maslinella gen. n. chapmani sp. n. (p. 202), (genotype), Eccene, M. F. Glaessner & M. Wade (2).

†Massilina quadrans subsp. n. carteri (p. 325), Miocene, Virginia, J. D. McLean (1); †M. dorsetensis sp. n. (p. 286), Jurassic England, R. Cifelli.

†Miliolina czestochowiensis sp. n. (p. 360), M. rawiensis sp. n. (p. 367), Jurassic, Poland O. Pazdrowa (2).

†Miliolinella vigilax sp. n. (p. 21), Miocene, Australia, P. Vella.

†Millerella minuta sp. n. (p. 70), Palaeozoio, China, J. C. Sheng (3).

†Millettella rotunda sp. n. (p. 17), Recent, Japan, Y. Ishiwada.

†Minoella subgen. n. (p. 124) [of Neoschwagerina], eonipponica sp. n. (p. 127), Permian, Japan, S. Honjo.

†Misellina ibukiensis sp. n. (p. 297), Permian, Japan, M. Kobayashi.

†Moravammina carbonica sp. n. (p. 80), Lower Carboniferous, Russia, E. V. Fomina.

†Multilepidina Hanzawa 1932, suppression thereof. T. F. Grimsdale (2). Paleocei †Neoc Assam, Quatern

Neocla

[1960]

†Neol

†Neoi T. F. G

†Neo

†Neo pertusu †Neo

> var. n. Sheng

Japan, sp. n. (Devidé miyano †N. bui sp. n. Kochan †Neg India,

i. M. v †Nes (genoty

suppre

Douvil

†Nig Carbon †No. Portug

†No

spp.n. Austra (p. 57) zowien J. Szt wiensi (1).

sp. n. aritaer (5). Belgiu sulus (p. 28 (3). P. Vel North

†No

(p. 94 1947); anum J. Ho

Voi

†Neobulimina farafraensis sp. n. (p. 39), Tertiary, Egypt, L. W. Le Roy, †N. khargensis sp. n. (p. 458), Paleocene, Egypt, S. E. Nakkady.

†Neocarpentaria irregularis sp. n. (p. 376), Tertiary, Assam, B. K. Ghose; †N. eemensis sp. n. (p. 35), Quaternary, Holland, J. H. Van Voorthuysen (3); †Neoclavulina gen. n. robusta sp. n. (p. 106), Eocene, Florida, H. S. Puri (3).

†Neolepidina Bronimann 1946, status thereof, T. F. Grimsdale & I. M. Van der Vierk.

†Neoorbitolites complexa gen. n. sp. n. (p. 376), Tertiary, Assam, B. K. Ghose.

†Neopleneroplis gen. n. [genotype Peneroplis pertusus] Tertiary, (p. 327), Y. Y. Didkovsky (1).

†Neoschwagerina cheni sp. n. (p. 274); N. cheni var. n. hsinghaiana (p. 275), Permian, China, J. C. Sheng (4). †N. irregularis sp. n. (p. 146), Permian, Japan, S. Honjo. †N. bukowski sp. n. (p. 68); schuberti sp. n. (p. 68), Permian, Jugoslavia, V. Kochansky-Devidé (4). †N. megaspherica Deprat subsp. n. migunorensis (p. 226), Permian, Japan, M. Kuwano. †N. bukowskii sp. n. (p. 26) nom. nud.; N. schuberti sp. n. (p. 26) nom. nud., Permian, Jugoslavia, V. Kochansky-Devidé (3).

†Nephrolepidina chavarana sp. n. (p. 347), Miocene, India, V. V. Sastri & K. Jacob. †N. Douville 1911; suppression thereof. T. F. Grimsdale (2). †N. Douville 1911, status thereof. T. F. Grimsdale & I. M. van der Vlerk.

†Nezzazata gen. n. (p. 887) simplex sp. n. (p. 889) (genotype); Cenomanian, Egypt, S. Omara.

†Nipponitella ussurica sp. n. (p. 4), Permo-Carboniferous, Russia, A. D. Miklukho Maklai (1).

†Nodosarella pliocenica sp. n. (p. 50), Pliocene, Portugal, G. S. de Carvalho & G. Colom.

†Nodosaria tereta sp. n. (p. 99) N. crassula, decoris spp.n. (p. 101); N. fisheri sp. n. (p. 102); N. spiculata sp. n. (p. 105), N. raggatti sp. n. (p. 104), Permian, Australia, I. Grespin (1). †N. okinoshimaensis sp. n. (p. 57), Tertiary, Japan, K. Asano (5). †N. tomaszowiensis sp. n. (p. 63), Lower Cretaceous, Poland, J. Sztejn (1). †N. loeblichae subsp. n. kerzyzanowiensis (p. 52), Lower Cretaceous, Poland, J. Sztejn (1). †N. semispinosa sp. n. (p. 41), Tertiary, Egypt, L. W. Le Roy.

†Nonion pompilioides Fichtel & Moll shimokinense sp. n. (p. 71), Oligocene, Japan, K. Asano (5). †N. aritaense sp. n. (p. 54), Oligocene, Japan, K. Asano (5). †N. crassesuturatus sp. n. (p. 28), Tertiary, Belgium. J. H. van Voorthuysen (4). †N. depressutus (Walker & Jacob) forma. n. asterotuberculatus (p. 28), Quaternary, Holland, J. H. van Voorthuysen (3). †N. flemingi sp. n. (p. 37), Miocene, Australia, P. Vella. †N. pseudoboucanum sp. n. (p. 81), Tertiary, North Africa, J. Magné (1). †N. brunatus nom. n. (p. 941) (for Planulina chirana Cushman & Stone 1947); N. stainforthi nom. n. (p. 942) (for N. ecuadoranum Cushman & Stainforth 1951); Eocene, Ecuador, J. Hofter (1).

†Nonionella limbato-striata var. n. evoluta (p. 668) Miocene, California, L. E. Garrison. †N. excavata thalmanni nom. n. Haque [for Nonionella excavata nammalensis Haque (non Nonionella cretacea nammalensis Haque)], H. E. Thalmann (3). †N. davanaensis sp. n. (p. 1303), Miocene, California, R. L. Pierce. †N. minuta sp. n. (p. 157), Pleistocene, Egypt, R. Said & N. A. Basiouni. †N. africana sp. n. (p. 42), Tertiary, Egypt, L. W. Le Roy.

†Notorotalia wilsoni, sp. n. (p. 660); N. aranea sp. n. (p. 662), Tertiary, New Zealand, N. de B. Hornibrook (1). †N. crassimura sp. n. (p. 64), Tertiary, Australia, A. N. Carter. †N. depressa sp. n. (p. 47); N. taranakia, profunda spp. n. (p. 48); N. hurupiensis, finlayi spp. n. (p. 49); W. olsoni, kingmai spp. n. (p. 50); N. prietina sp. n. (p. 51); N. inornata, pliozea spp. n. (p. 54); N. zelandica mangaoparia subsp. n. (p. 55); N. zelandica rotunda subsp. n. (p. 56); N. aucklandica sp. n. (p. 56), New Zealand, P. Vella.

†Nummofallotia gen. n. (p. 228), (genotype Nonionina cretacea Schlumberger 1899), J. Barrier & M. Neumann.

†Nummoloculina dolianitii sp. n. (p. 19), Recent, Brazil, I. de M. Tinoco (2).

†Nummulites hyalina sp. n. (p. 933), Eocene, Ecuador, J. Hofker (1). †N. globulus Davice var. n. minor; N. incrascata var. n. minuta; N. nuttalli var. n. cherrapunjiensis; N. dasgupti sp. n. (p. 376), Tertiary, Assam, B. K. Ghose, †N. retiatus Roveda 1959 [included as synonym in N. fabianii (Prever.)] F. E. Eames, W. J. Clarke & F. J. Banner. †N. retiatus sp. n. (p. 201), Oligocene, Italy, V. Roveda. †Nuttallinella nom. n. (p. 20) [for Nuttallina Belford 1958 non Dall 1871), D. J. Belford.

†Nuttallides status thereof, (p. 111), J. Hofker (22).

†Oketaella lenensis sp. n. (p. 798); O. oscurensis sp. n. (p. 799), Permo-Carboniferous, U.S.A., M. L. Thompson, G. J. Verville & D. H. Lokke. †O. takahashii sp. n. (308); O. shiroishiensis sp.n. (p. 310), Lower Permian, Japan, R. Morikawa & N. Kobayashi.

†Operculina malabarica sp. n. (p. 345), Miocene, India. V. V. Sastri & K. Jacob. †O. eniwetokensis sp. n. (p. 756), Tertiary, Eniwetok Atoll, W. S. Cole (2). †O. africana sp. n. (p. 72), Tertiary, East Africa, A. Azzaroli.

†Operculinella lawricana sp. n. (p. 343), Miocene, India, V. V. Sastri & K. Jacob.

†Operculinoides; systematics thereof, W. S. Cole (4). †O. suipanensis sp. n. (p. 331), Kainozoic, Saipan Islands, W. S. Cole (1) †O. Hanzawa 1935; status thereof, Y. Nagappa (2).

†Opertorbitolites nuttalli sp. n. (p. 376), Tertiary, Assam. B. K. Ghose,

†Opthalmidium carinatum subsp. n. terquemi (p. 114); O. carinatum subsp. n. porai (p. 120); O. carinatum subsp. n. agglutinans (p. 121), Jurassio, Poland, O. Pazdrowa (1). †Orbitaides media sp. n. (p. 138) [nom. nud.], Upper Cretaceous, Germany, A. Papp (2)

†Orbitoina Van der Geyn & Van der Vlerk 1935, status thereof, T. F. Grimsdale & I. M. Van der Vlerk.

†Orbulininae Schultze 1854 nom. transl. (p. 4). F. T. Banner & W. H. Blow.

†Orbulina status thereof, J. Hofker (21). †O. cornwallies sp. n. (p. 365), Miocene, Virginia, J. D. McLean (1).

†Ozawainella turgida sp. n. (p. 72); O. magna sp. n. (p. 74); O. tingi var. n. minima (p. 74), Palaeozoic, China, J. C. Sheng (3).

†Palaeofusulina minima sp. n. (p. 208); ††P. simplex sp. n. (p. 208), Upper Palaeozoic, China, L. H. Chang & J. C. Sheng.

†Palmerinella raoi sp. n. (p. 658), Miocene, Western India, S. R. Bhatia & K. Mohan.

†Palmula appendicifera sp. n. (p. 243), Miocene, Hungary, M. R. Nyiro (1).

†Parafusulina apiculata sp. n. (p. 785); P. communis sp. n. (p. 786); P. shaksgamensis var. n. crassimarginata (p. 787); P. superlata, sublinearis spp. n. (p. 790); Permian, Nevada, R. L. Knight, †P. iisakai sp. n. (p. 52), Permo Carboniferous, Japan. H. Igo & K. Ozawa. †P. matsubaishi sp. n. (p. 158), Permian, Japan, H. Fujimoto. †P. (Parafusulina) nosonensis Thomson & Wheeler emend; nov. emend. (p. 269), Upper Palaeozoio, A. H. Coogan. †P. jigoonica var. n. kinshoensis (p. 114); P. undata sp. n. (p. 129); P. truncata Ozawa emended Morikawa (p. 116); P. okuboensis Ozawa emended Morikawa (p. 117); P. tanijashikiensis spp. n. (p. 120); P. mizutami sp. n. (p. 121); P. tomeganiensis sp. n. (p. 122); P. kavaii sp. n. (p. 124), Permian, Japan, R. Morikawa (2).

†Paralla desertorum sp. n. (p. 43), Tertiary, Egypt, L. W. Le Roy.

†Paraplectogyra gen. nov. (p. 254) masanae sp. n. (genotype) (p. 255); P. longiseptata, gigantea spp. n. (p. 256), Lower Carboniferous, Japan, Y. Okimura.

†Paraschwagerina plena sp. n. (p. 310), Permian, Texas, C. A. Ross. †P. shimodakensis sp. n. (p. 181), Lower, Permian, Japan, K. Kanmera (3).

†Parrelloididae fam. n. (p. 936); Eocene, Ecuador, J. Hofker (1).

†Parrelloides gen. n. (p. 936) (genotype Cibicides hyalinus Hofker 1951), Eocene, Ecuador, J. Hofker (1).

†Parvigenerina gen. n. (p. 18) [genotype—Bifarina porrecta (Brady) var arenacea Heron Allen and Earland], P. Vella.

† $Pelosina\ ampulla\ {\bf sp.n.}$ (p. 42), Permian, Australia, I. Crespin (1).

†*Pernerina crasea* sp. n. (p. 79), Paleogene, Russia, F. V. Kipriyanova.

†Phyllopeammina gen. n. adanula sp. n. (p. 503), Miocene, Poland, J. Malecki (2). †Pileolina radiata sp. n. (p. 36) P. zealandica sp. n. (p. 37), Miocene, Australia, P. Vella.

†Pisolina subsphaerica sp. n. (p. 205), Permian, China, J.-C. Sheng (1).

†Placopsilina wooramelensis sp.n. (p. 94), Permian, Australia, I. Crespin (1).

†Plaeglobotruncana crassa sp. n. (p. 265); P. modesta, rohri, spp. n. (p. 267), Cretaceous, Trinidad, H. M. Bolli (2).

†Planoendothyra turbanica sp. n. (p. 26), Carboniferous, Russia, O. I. Boghush & O. V. Yeferev.

†Planoglobulina meyerhoffi sp. n. (p. 122), Cretaceous, Cuba, G. A. Seiglie.

†Planomalininae Bolli, Loeblich & Tappan 1957, emend (p. 8), F. T. Banner & W. H. Blow.

†Planomalina blowi sp. n. (p. 260); P. maridalensis sp. n. (p. 162); P. saundersi sp. n. (p. 262), Cretaceous, Trinidad, H. M. Bolli (2).

†Planorbulina status thereof (p. 111), J. Hofker (22).

†Planorbulinella johannae sp. n. (p. 56), Tertiary, Australia, A. W. Carter.

†Planua kendrickensis sp. n. (p. 122), Eocene, Florida, H. S. Puri (3).

†Planularia krzyzanowiensis sp. n. (p. 42), Lower Cretaceous, Poland, J. Sztejn (1).

†Plectina shimokinensis sp. n. (p. 71), Oligocene, Japan, K. Asano (5).

†Plectofrondicularia nogataensis sp. n. (p. 65), Eocene, Japan, K. Asano (5). †P. carpathica sp. n. (p. 172), Eocene, Poland, S. Liszka (1).

†P. ? inglisiana sp. n. (p. 118), Eccene, Florida, H. S. Puri (3).

†Plectogyra chernyshinelliformis sp. n. (p. 123); P. c. var. n. concavacamerata (p. 124); P. brevivoluta sp. n. (p. 124); P. volgensis sp. n. (p. 125); P. pluginensis sp. n. (p. 126), Tournaisian, Rusaia, O. A. Lipina (2). †P. baidjansaica sp. n. (p. 20), P. rectiformis sp. n. (p. 21); P. orgailysaica, zakharovi spp. n. (p. 23); P. belmasarica, turkestanica spp. n. (p. 24), P. menneri sp. n. (p. 25), Carboniferous, Russia, O. I. Boghush & O. V. Yeferev.

†Pliolepidina Douville 1915; suppression thereof, T. F. Grimsdale (2).

†Pliorbitoina Van der Geyn & Van der Vlerk 1935, status thereof, T. F. Grimsdale & I. M. Van der Vlerk.

†Plummerinella kimberleyensis sp. n. (p. 85), Permian, Australia, I. Crespin (1).

†Polydiexodina darwasica subsp. n. oogdiana (p. 4), Permo-Carboniferous, Russia, A. D. Miklukho-Maklai (1).

†Polylepidina Vaughan 1924; suppression thereof, T. F. Grimsdale (2).

†Pi F. T. †Pi gracili (2).

there

[19

†Pe

Penns R. H. (p. 3) wangy (p. 85

†Pielongo

A. J. Austr †P Permi (p. 95 China

†Pa (p. 88 sp. n. †Pa Missis J. F.

Tertin

P. me W. M

n. m

†Papar sp. n. latives Knigh Japar Perm

Perm P. ku K. K hashi motoh oyaen

†P. h

ioa

an,

an,

ad.

ni-

re-

57,

usis us,

ker

ry,

ne,

Wer

ne,

85),

n.

ida,

23);

uta nois

(2). n. 23);

neri

h &

eof,

lerk

der

85),

ho-

eof,

- †Polyorbitoina Van der Geyn & Van der Vlerk 1935; suppression thereof, T. F. Grimsdale (2). †P. Van der Geyn & Van der Vlerk 1935, status thereof, T. F. Grimsdale & I. M. Van der Vlerk,
- †Praeglobotruncana Bermudez 1952, emend (p. 17), F. T. Banner & W. H. Blow.
- †Procerolagena gen. n. (p. 103) [genotype P. gracilis, Williamson], Miocene, Florida, H. S. Puri (2).
- †Profusulinella kentuckyensis sp. n. (p. 776), Pennsylvanian, Illinois, U.S.A. M. L. Thompson, R. H. Shaver & E. A. Riggs. †P. beppensis sp. n. (p. 31), Pennsylvanian, Japan, R. Toriyama. †P. wangyus sp. n. (p. 85); P. wangyus var. n. yentaiensis (p. 85), Palaeozoio, Japan, J. C. Sheng (3).
- †Proreophax gen. n. assamica sp. n. (p. 376); P. elongata sp. n. (p. 376), Tertiary, Assam, B. K. Ghose.
- †Proteonina, status thereof, T. Barnard (2). †P. conferens sp. n. (p. 306), Jurassio, England, A. J. Lloyd. †P. arenosa sp. n. (p. 38), Permian, Australia, I. Crespin (1).
- †Protriticites gen. n. (p. 172), globulus sp. n. (p. 173), Permian, Oklahoma, M. K. Elias. †P. rarus sp. n. (p. 95); P. niumaolingensis sp. n. (p. 96), Palaeozoio, China, J. C. Sheng (3).
- †Pseudarcella Spandel 1909, revision thereof, (p. 88); P. feuguereri sp. n. (p. 90), P. companula sp. n. (p. 91), Eocene, France, Y. Le Calvez (2).
- †Pseudastrorhiza delicata sp. n. (p. 231), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman.
- †Pseudochrysalidina eniwetokensis sp. n. (p. 751), Tertiary, Eniwetok Atoll, W. S. Cole (2).
- †Pseudoclavulina forafraensis sp. n. (p. 44), P. maqfiensis sp. n. (p. 44), Tertiary, Egypt, L. W. Le Roy.
- †Pseudocyclammina vasconica sp. n. (p. 180); P. massiliensis sp. n. (p. 184), Cretaceous, France, W. Mayne (7).
- †Peeudodoliolina chinghaieneis sp. n. (p. 273), Permian, China, J. C. Sheng (4). †P. ozawai subsp. n. minima (p. 5), Permo-Carboniferous, Russia, A. D. Miklukho-Maklai (1).
- †Pseudofusulina diplithecalis sp. n. (p. 46), Permian, Japan, H. Igo (1). †P. sepii sp. n. (p. 280); P. uenoensis sp. n. (p. 282), Permian, Japan, M. Kobayashi. †P. lativentra sp. n. (p. 784), Permian, Nevada, R. L. Knight. †P. arataniensis sp. n. (p. 226), Permian, Japan, N. Kuwano. †P. duplithicata sp. n. (p. 171), Permian, Japan, H. Igo (2). †P. horrida sp. n. (p. 196); P. kumasoana sp. n. (p. 199), Lower Permian, Japan, K. Kanmera (3). †P. motoyoshiensis, ivaziakiensis, hashigamiensis, paratachernyschewi, kuyoharai, paramotohashai ssp. n. (p. 85); P. paramotohashi var. n. oyaensis, Upper Palaeozoio, Japan, R. Morikawa. †P. hashigamiensis sp. n. (p. 281). P. motoyoshiensis sp. n. (p. 284);

- P. oyensis sp. n. (p. 285); P. kuzoharai sp. n. (p. 286); P. kisamatoui sp. n. (p. 287); P. kikuchii sp. n. (p. 288); P. ivaizakiensis sp. n. (p. 290), Permian, Japan, R. Morikawa (3). †P. confrage sp. n. (p. 101), Permian, Japan, R. Morikawa (2).
- †Pecudoglandulina japonica sp. n. (p. 44), Recent, Japan, K. Asano (1).
- †Pseudohastigerina gen. n. (p. 19) (genotype Nonion micrus Cole 1927), F. T. Banner & W. H. Rlaw
- †Pseudohyperammina gen. n. radiostoma sp. n. (p. 55), Permian, Australia, I. Crespin (1).
- † Pseudolituonella, status thereof (p. 95), Cretaceous, Israel. Z. Reiss (2).
- †Pseudononion kishimaense sp. n. (p. 50), Oligocene, Japan, K. Asano (5).
- †Pseudopalmula polonica sp. n. (p. 83), Devonian, Poland, S. Duszynska (3).
- †Pseudoparrella barnwelli sp. n. (p. 75), Miocene, South Africa, P. G. Biesiot.
- †Pseudopolymorphina tortuosa sp. n. (p. 30), Miocene, Australia, P. Vella, †P. brimontensis sp. n. (p. 61), Eocene, France, A. Rouvillois.
- † Pseudoxbitoides (?) chubbi sp. n. (p. 424) Cretaceous America, P. Brönnimann.
- †Pseudoruttenia gen. n. (p. 92), diadematoides sp. n. (p. 92), (genotype), Eocene, France, Y. Le Calvez (2).
- †Pseudoschwagerina minatori sp. n. (p. 179), Lower Permian, Japan, K. Kanmera (3). †P. miharanoensis sp. n. (p. 153), Permian, Japan, S. Akagi. †P. quasifosteri sp. n. (p. 215), Permian, China, J. C. Sheng (1). †P. tumidosus sp. n. (p. 309) Permian, Texas, C. A. Ross.
- † Pseudotriplasia gen. n. (p. 497), plana sp. n. (p. 501); P. robusta, inconstans, elongata, globulosa spp. n. (p. 502), Miocene, Poland, J. Malecki (2).
- † Pseudovermiporella, Permian, Asia Minor [transferred from Plantae to Opthalmidiidae], L. G. Henbest (2).
- †Pseudowedekindellina gen. n. proliza sp. n. (p. 87), Palaeozoio, China, J. C. Sheng (3).
- †Putrella lui sp. n. (p. 110), Palaeozoie, China, J. C. Sheng (3).
- †Pyrgo taemanensis sp. n. (p. 30), Miocene, Australia, P. Vella. †P. pacifica sp. n. (p. 78), Recent, Japan, K. Asano (2).
- †Quasiendothyra umbonata sp. n. (p. 26), Carboniferous, Russia, O. I. Boghush & O. V. Yeferev.
- †Quasifusulina spatiosa sp. n. (p. 36), Upper Carboniferous, Mongolia, J. C. Sheng (2). †Q. longiesima subsp. n. ultima (p. 158), Lower Permian, Japan, K. Kanmers (3).

†Quinqueloculina newberryensis, ocalana spp. n. (p. 107), Ecoene, Florida, H. S. Puri (3). †Q. (Lachlanella) cooki sp. n. (p. 25); Q. (Lachlanella) colleenae, rebeccae, bicostoides spp. n. (p. 25), Miocene, Australia, P. Vella. †Q. suturata sp. n. (p. 259), Miocene, Poland, T. Smigeiska. †Q. deiculata, kakitiensis spp. n. (p. 26); Q. miles, parvaglutta spp. n. (p. 27), Miocene, Australia, P. Vella. †Q. (Quinqueloculina) sigmoilinoides sp. n. (p. 24); Quinqueloculina (Quinqueloculina) incisa sp. n. (p. 24); Quinqueloculina (Quinqueloculina) incisa sp. n. (p. 24), Miocene, Australia, P. Vella. †Q. karatsuensis sp. n. (p. 52), Oligocene, Japan, K. Asano (5). Q. laticollis, osinclinatum spp. n. (p. 167); Q. aspera var. n. dilatata (p. 169); Q. colomi sp. n. (p. 176); Q. mediterranensis sp. n. (p. 177); Q. villafranca sp. n. (p. 180), Spanish Coast, J. Le Calves & Y. Le Calves. Q. berthelotiana var. viesneri nom. n. (p. 174) (for Miliolina berthelotiana Wiesner 1923); Q. villiameoni nom. n. (p. 177) (for Miliolina berthelotiana Wiesner 1923); Q. villiameoni nom. n. (p. 177) (for Miliolina berthelotiana Wiesner 1923); Q. villiameoni nom. n. (p. 177), J. Le Calves & Y. Le Calves. †Q. seminulangulata, triloculeniforma spp. n. (p. 322); Q. wheeldoni sp. n. (p. 323), Miocene, Virginia, J. D. McLean (1). †Q. trevisani sp. n. (p. 115), Upper Tertiary, Italy, A. Longinelli.

†Quinquinella gen. n. hornibrooki sp. n. (p. 21), Miocene, Australia, P. Vella.

†Rauserella minuta sp. n. (p. 4), Permo-Carboniferous, Russia, A. D. Miklukho-Maklai. (1).

†Rectocibicidella gen. n. (p. 370) robertsi sp. n. (p. 370), Miocene, Virginia, J. D. McLean (1).

†Rectocornuspira submosquensis sp. n. (p. 78), Lower Carboniferous, Russia, E. V. Fomina.

† Rectoglandulina sagaensis sp. n. (p. 54), Oligooene, Japan, K. Asano (5).

†Reichelina changsingensis sp. n. (p. 207), Upper Palaeozoic, China, L. H. Chang & J. C. Sheng.

†Reophaz buccina sp. n. (p. 239); Reophaz lachrymosa sp.n. (p. 240), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman. †R. wydryszowiensis sp. n. (p. 75), Devonian, Poland, S. Duszynska (3). †R. belfordi sp. n. (p. 60); R. ellipsiformis sp. n. (p. 61), Permian, Australia, I. Crespin (1). †R. tappiiensis sp. n. (p. 71), Oligicene, Japan, K. Asano (5). †R. hounstratensis sp. n. (p. 308), Jurassic, England, A. J. Lloyd.

 $\dagger Reticulophragmium$ status thereof, Eocene, W. Mayne (1).

†Reussella minuta sp. n. (p. 64), Recent, Trinidad, C. W. Drooger & J. P. H. Kaasschieter, †R. tumida sp. n. (p. 43), Miocene, Italy, G. Tavani (1).

†Rhynchospira abnormis Hantken, status thereof, (p. 199), N. F. Glaessner & M. Wade (2).

†Robertina murotoensis sp. p. (p. 13), Recent, Japan, K. Asano (4).

†Robulus pseudoiota sp. n. (p. 325), Miocene, Virginia, J. D. MoLean (1). †R. sagaeneis sp. n. (p. 54), Oligocene, Japan, K. Asano (5). †R. kusuboensis

sp. n. (p. 64), Eocene, Japan, K. Asano (5). †R. meznericae sp. n. (p. 66), Micoene, Czechoslovakia, I. Cicha (6). †R. benacensis sp. n. (p. 129), Tertiary, Italy, H. Hagn.

†Rosalina paupereques sp. n. (p. 35), Miocene, Australia, P, Vella.

†Rotalia limbatobeccarii sp. n. (p. 357), Miocene, Virginis, J. D. McLean (1). †R. ? aegyptiaca sp. n. (p. 47) R. convexa sp. n. (p. 48), Upper Cretaceous, Egypt, L. W. Le Roy.

†Rotaliporinae Segal 1958 emend (p. 8), F. T. Banner & W. H. Blow.

†Rotorhinella aegyptiaca sp. n. (p. 48), Tertiary, Egypt, L. W. Le Roy.

†Rotundia Subbotina 1953—included in Praeglobotruncana Bermudez, V. Scheibner.

†Rugofusulina pristina sp. n. (p. 184), Lower Permian, Japan, K. Kanmera (3). †R. bukiensis sp. n. (p. 267), Permian, Japan, M. Kobayashi.

†Rzehakina spiroloculinoides sp. n. (p. 134), Cretaceous Italy, E. Montanaro Gallitelli (1).

†Saccammina? caudata sp. n. (p. 129), Cretaceous, Italy, E. Montanaro Gallitelli (1).

†Saccamminoides gen. n. multicellus sp. n. (p. 841) (genotype) Carboniferous, U.S.A., H. A. Ireland.

†Sacculinella gen. n. australae sp. n. (p. 42), Permian, Australia, I. Crespin (1).

†Saedeeleria gen. n. (p. 196); [genotype Grromia gemma Penard 1889 (include Diplogromia Rhumbler of de Saedeleer 1934 (non Rhumble 1904))], A. R. Loeblich Jr. & H. Tappan (2).

†Schackoinella gen. n. sarmatica sp. n. (p. 141), Miocene, Germany, R. Weinhandl (4).

†Schenckiella fragilis sp. n. (p. 896), Eccene, Ecuador, J. Hofker (1).

†Schubertella yadaniensis n. sp. (MS) [nom nud.] (p. 304), Permian, Japan, R. Morikawa & H. Isomi. †S. paeudosimplex sp. n. (p. 270), Permian, China, J. C. Sheng (4). †S. lata Lee & Chen var. n. elliptica (p. 78); S. obscura Lee & Chen var. n. penchiensis (p. 79); S. quasiobscura sp. n. (p. 79); S. elongats sp. n. (p. 80), Palesozoic, China, J. C. Sheng. †S. sp. n. listed but not named (p. 69), Permian, Japan, S. Kawada (3).

†Schwagerina exilis var. n. takeii (p. 106); S. gifnensis sp. n. (p. 108); S. kinosukii sp. n. (p. 109), Permian, Japan, R. Morikawa (2). †S. shinadai sp. n. (p. 85), Upper Palaeozoic, Japan, R. Morikawa. †S. amushanensis sp. n. (p. 40), Upper Carboniferous, Japan, J. C. Sheng (2). †S. liangshanensis sp. n. (p. 212); S. pseudocompacta sp. n. (p. 214), Permian, China, J. C. Sheng (1). †S. crebrisepta sp. n. (p. 303); S. dispansa sp. n. (p. 304); S. extumida sp. n. (p. 305); S. lineanoda sp. n. (p. 306); S. pugunculus sp. n. (p. 307); S. tersa sp. n. (p. 308), Permian, Texas, C. A. Ross, †S. crassialveola sp. n. (p. 271). Permian, China, J. C. Sheng (4). †S. gigantojaponica sp. n. (p. 287); S. ibukiensis sp. n. (p. 289), Permian, Japan, M. Kobayashi, †S. salopecki sp. n. (p. 44), Upper Palaeozoic, V. Kochansky-Devidé (2). †S.

medulle (p. 781 sp. n. Nevad

[196

†Sea Califor †Sep Carbon

† Ser Permis †Ser Verme L. G.

† Sig Ecuado (p. 26 sakaseg Asano

†Sig

†Sig sp. n. Hornil (p. 20) neocom J. Szte (p. 31)

†Sig (p. 62 France parisas A. Rot †Sip

(p. 19)

†Sig
Califor

†Sk: (genot Upper †So:

fretens

Mississ & J. I †Sp Banne

F. T. subdeh

F. T.

Makia †Sp Polane ry,

ne,

ne,

n.

T.

ry,

hi.

4),

us,

2),

via

R.

1),

ne,

ni.

18,

ioa

818

nta

S.

S.

9), lai

va. us,

n.

ın.

3); (p.

ın,

1).

un,

medullaris sp. n. (p. 780); S. moormanesis sp. n. (p. 781); S. muoronata sp. n. (p. 782); S. subinflata sp. n. (p. 783); S. retusa sp. n. (p. 783), Permian, Nevada, R. L. Knight.

†Scutularis redandoensis sp. n. (p. 629), Recent, California, M. Reiter.

†Septatournayella praesegmentata sp. n. (p. 20), Carboniferous, Russia, O. I. Boghush & O. V. Yuferev.

† Serpula pusilla Geinitz 1848 emend. (p. 47), Permian, Poland, H. Wolanska.

†Serpulopsis Girty 1911 [previously listed in Vermes now included in Tolypamminae], Palaeozoic, L. G. Henbest (2).

† Sigmoilina ecuadorensis sp. n. (p. 900), Eccene, Ecuador, J. Hofker (1). †S. granulata, plana, spp. n. (p. 260), Miocene, Poland, T. Smigielska. †S. sakasegawaensis sp. n. (p. 64), Eccene, Japan, K. Asano (5).

†Sigmoilopsinae subfam. n. (p. 18), P. Vella.

†Sigmoilopsis neocelata sp. n. (p. 656), S. compressa sp. n. (p. 657), Tertiary, New Zealand, N. de B. Hornibrook (1). †S. wanganuiensis, finlayi spp. n. (p. 20), Miocene, Australia, P. Vella. †Sigmomorphina neocomiensis sp. n. (p. 76), Lower Cretaceous, Poland, J. Sztejn. (1). †S. lacrimosa, rhomboidalis spp. n. (p. 31), Miocene, Australia, P. Vella.

†Sigmomorphinoides subgen. n. parisaensis sp. n. (p. 62) (subgenotype) of Sigmomorphina, Eccene, France, A. Rouvillois. †S. (Sigmomorphinoides) parisaensis var. n. obtusa (p. 62), Eccene, France, A. Rouvillois.

†Siphonaperts gen. n. crassa, macbeathi spp. n. (p. 19), Miocene, Australia, P. Vella.

†Siphonina temblorensis sp. n. (p. 969), Miocene, California, L. E. Garrison.

†Siphotextularia blacki sp. n. (p. 16) S. mestayerae, fretensis spp. n. (p. 17), Miocono, Australia, P. Vella.

†Skinnerella subgen. n. (p. 262) [of Parafusulina (genotype Parafusulina schucherti Dunbar & Skinner), Upper Palaeozoic, America, A. H. Coogan.

†Soroephaera papilli sp. n. (p. 232), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman.

†Sphaeroidinellinae subfam. n. (p. 5), F. T. Banner & W. H. Blow.

†Sphaeroidinella Cushman 1927 emend. (p. 15), F. T. Banner & W. H. Blow. †S. dehiscens subsp. n. subdehiscens (p. 195), Miocene, Venezuela, W. H. Blow.

†Sphaeroidinellopsis gen. n. (p. 15) (genotype Sphaeroidinella dehiscens subdeshicens Blow 1959), F. T. Banner & W. H. Blow.

†Sphaerulina crassispira subsp. n. caucasica (p. 3), Permo-Carboniferous, Russia, A. D. Miklukho-Maklai. (1).

†Spirillina flava sp. n. (p. 77), Lower Cretaceous, Poland, J. Sztejn (1),

†S. medioscabra sp. n. (p. 36); S. tuberosa sp. n. (p. 38), Tertiary, Australia, A. N. Carter.

†S. papillo-dentala, sp. n. (p. 119), Permian, Australia, I. Crespin (1).

†Spirobolivina gen. n. (p. 915) (genotype Bolivinopsis pulchella Cushman & Stainforth 1947), Eocene, Ecuador, J. Hofker (1).

†Spiroclypeus albapustula sp. n. (p. 762) Tertiary, Eniwetok Atoll, W. S. Cole (2). †S. reticulatus sp. n. (p. 74) Tertiary, East Africa, A. Azzaroli.

†Spirocyclina Munier Chalmas 1887 emend. thereof (p. 37), W. Mayne (3). †S. choffati Munier Chalmas emend. thereof (p. 38), W. Mayne (3).

 $\dagger Spirolina$ pulchra sp. n. (p. 272) Miocene, Poland, T. Smigielska.

†Spiroloculina esnaensis sp. n. (p. 49) Tertiary, Egypt, L. W. Le Roy. S. ornata var. n. tricarinata (p. 207) Spanish Coast, J. Le Calvez & T. Le Calvez, †S. newberryensis sp. n. (p. 109), Eocene, Florida, H. S. Puri (3),

†Spiroplectammina esnaensis, desertorum, henryi spp. n. (p. 50), S. briebeli sp. n. (p. 51), Tertiary, Egypt, L. W. Le Roy; †S. carinata (d'Orbigny) Blosed on Textularia carinata d'Orbigny] Miocene, A. G. Tauber; †S. carnarvonensis sp. n. (p. 76), Permian, Australia, I. Crespin (1); †S. (Semivulvulian) gumbeli sp. n. (p. 114) Tertiary, Italy, H. Hagn; †S. kitamatsuuraense sp. n. (p. 457), S. saecoboensis sp. n. (p. 457), Tertiary, Japan, T. Kihara & S. Murata & N. Sugahara.

†Stacheia dickinsi sp. n. (p. 95), Permian, Australia, I. Crespin (1).

†Staffella akagoensis sp. n. (p. 22), Pennsylvanian, Japan, R. Toriyama.

†Stainforthia gen. n. (p. 908) (genotype Virgulina concava Hoglund 1947); S. delliformis sp. n. (p. 908) [includes Loxostomum dalli Cushman & Stainforth (non Cushman 1946)], Eocene, Ecuador, J. Hofker (1).

†Stensiöina annae sp. n. (p. 265), Cretaceous, Poland, K. Pozaryska.

†Stilostomella ? costata sp. n. (p. 904), Eccene, Ecuador, J. Hofker (1).

†Stomatorbina kendrickensis sp. n. (p. 123), Eocene, Florida, H. S. Puri (3).

†Streblus voorthuyseni sp. n. (p. 59), Miocene, Belgium, J. Hofker (4).

†Sumatrina fusiformis sp. n. (p. 278), Permian, China, J. C. Sheng (4).

†Taitzehoella taitzhoensis Sheng var. n. extensa Sheng (p. 84), Palaeozoie, China, J. C. Sheng (3).

†Textularia eustiensis sp. n. (p. 318); T. pseudobliqua sp. n. (p. 320); T. pseudobliqua subsp. n. askera (p. 320), Miocene, Virginia, J. D. McLean (1); †T. yorktovnensis nom. n. (p. 969) [for Textularia pseudobliqua subsp. aspera McLean 1956 (non Ehrenberg 1838], J. D. McLean (2); †T. howei sp. n. (p. 100); T. triangulata sp. n. (p. 101), Eccene, Florida, H. S. Puri (3); †T. schvageri, forafraensis

spp. n. (p. 51), Tertiary, Egypt, L. W. Le Roy; †T. parallela Reuss subsp. n. amudariensis (p. 38), T. pitnijakensis sp. n. (p. 38), Tertiary, Czechoslovakia, I. S. Suleimanov; †T. alcesensis sp. n. (p. 32), Cretaceous, Canada, C. R. Stelck & J. H. Wall & R. E. Wetter; †T. proxispira sp. n. (p. 15); T. ensis, subantarctica spp. n. (p. 16), Miocene, Australia, P. Vella; †T. bookeri sp. n. (p. 77); T. improcera sp. n. (p. 78), Permian, Australia, I. Crespin (1); †T. bucheri, elsias spp. n. (p. 859); T. virgilensis sp. n. (p. 861); Carboniferous, U.S.A., H. A. Ireland; †T. imariensis sp. n. (p. 53), Oligocene, Japan, K. Asano (5).

†Textularioides (?) carteri sp. n. (p. 321), Miocene-Virginia, J. D. McLean (1).

†Thomasinella Schlumberger 1893 emend (p. 883); T. aegyptia sp. n. (p. 885); T. fragmentaria sp. n. (p. 886), Cenomanian, Egypt, S. Omara.

†Thurammina diforamens sp. n. (p. 840); T. lawrencensis, rectangularis, verrucoea spp. n. (p. 843); Carboniferous, U.S.A., H. A. Ireland; †T. furcata sp. n.; T. triardiata n. sp. (p. 233), Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman; †T. phialaeformis sp. n. (p. 39), Permian, Australia, I. Crespin (1); †T. sandfordi sp. n. (p. 148), Pleistocene, Egypt, R. Said & N. A. Basiouni; †Ticinella sp. n. (p. 82) [nom. nud.], Cretaceous, North Africa, L. David.

†Tolypammina extenda sp. n. (p. 849); T. nodosa, polyverta, spp. n. (p. 850); T. rugosa, serpens, spp. n. (p. 851); Carboniferous, U.S.A., H. A. Ireland; †T. botonuncus, cyclops spp. n. (p. 245); T. rotula sp. n. (p. 247); Lower Mississippian, Northern Indiana, R. C. Gutschick & J. F. Treckman; †T. incertae sp. n. (p. 79), Lower Carboniferous, Russia, E. V. Fomina.

†Torinosuella gen. n. (p. 6); (genotype), T. peneropliformis originally Choffatella peneropliformis, Mesozoic, Germany, W. Mayne (2).

†Trepeilopsis australiensis sp. n. (p. 86), Permian, Australia, I. Crespin (1); †T. glomoskiroides sp. n. (p. 243); T. prodigalis, recurvidens, spiralis spp. n. (p. 244), Lower Mississippian, Northern Indiana, R. C. Gutschick, & J. F. Treckman.

†Trifarina esnaensie sp. n. (p. 52), Tortiary, Egypt, L. W. Le Roy.

Triloculina wiesneri sp. n. (p. 195), Spanish Coast, J. Le Calvez & Y. Le Calvez; T. adriatica nom. n. (p. 188) (for Miliolina tricarinata, Wiesner 1923 (non Orbigny)), Spanish Coast, J. Le Calvez & Y. Le Calvez; †T. idae sp. n. (p. 28), Miocene, Australia, P. Vella; †T. sommeri sp. n. (p. 24), Recent, Brazil, I. de M. Tinoco (2).

†Triplalepidina Vaughan & Cole 1938; suppression thereof, T. F. Grimsdale (2),

†Triplasia inacqualis sp. n. (p. 112), Tertiary, Italy, H. Hagn.

†Triticites comptus sp. n. (p. 300) Permian, Texas, C. A. Ross; †T. loxus, lalaotuensis spp. n. (p. 38), Upper Carboniferous, Mongolia, J. C. Sheng (2); †T. winterensis sp. n. (p. 807), Permo-Carboniferous, U.S.A., M. L. Thompson, G. J. Verville, & D. H. Lokke; †T. yamayadakiensis subsp. n. erectus (p. 163),

T. fornicatus sp. n. (p. 171), Lower Permian, Japan, K. Kanmera (3); †T. breviepira sp. n. (p. 40), Upper Palaeozoic, V. Kochansky-Devidé (2); †T. matsumotoisp. n. (p. 184); T. yayamadakensie sp. n. (p. 186), Upper Carboniferous, Japan, K. Kanmera (2).

†Tritubulogenerina pulchra sp. n. (p. 91), Eccene, France, Y. Le Calvez (2),

†Trochammina enouraensis sp. n. (p. 69), Eocene, Japan, K. Asano (5); †T. minnesotensis, globosa, spp. n. (p. 289), Cretaceous, Minnesota, E. J. Bolin (2); †T. hasdoensis sp. n. (p. 132), Carboniferous, India, S. B. Bhatia & S. K. Singh; †T. laevis sp. n. (p. 90); T. pokolbinensis n. nov. [for Ammodiscus planoconvexus] (p. 91), Permian, Australia, I. Crespin (1); †T. lykovae sp. n. (p. 80), Paleogene, Russia, F. V. Kipriyanova.

†Trochamminoides pusillus, flosculiformis, insolitus, cheni spp. n. (p. 402), Trias, China, Y. Ho (1).

†Trocholina krozyzanowiensis sp. n. (p. 79), Lower Cretaceous, Poland, J. Sztejn (1).

†Trybliolepidina Van der Vlerk 1928; suppression thereof, T. F. Grimsdale (2); †T. Van der Vlerk 1928, status thereof, T. F. Grimsdale & I. N. van der Vlerk.

†Uvigerina sakasegawaensis sp. n. (p. 66), Eocone, Japan, K. Asano (5); †U. peregrina subsp. n. shiwoensis (p. 35), Recent, Japan, K. Asano (4); †U. kernensis var. n. subcalva (p. 259); U. senticosa var. n. adiposa (p. 259); Pilocene, California, W. R. White; †U. angustiformis nom. n. (p. 34) (for Uvigerina peregrina Cushman var. bradyana Cushman 1923), Miocene, Australia, P. Vella; †U. rothwelli sp. n. (p. 1303), Miocene, California, R. L. Pierce; †U. gianninii sp. n. (p. 164), Upper Tertiary, Italy, A. Longinelli; †U. magfiensis sp. n. (p. 52), Tertiary, Egypt, L. W. Le Roy.

†Vaginulina yoshihamaensis; revised description thereof (p. 48), Miocene, Japan, M. Chiji (3); †V. giddiana Said and Kenawy nom. n. [Vaginulina longiformis Said and Kenawy 1956 (non Vaginulina longiformis (Plummer) 1926 olim: Cristellaria longiforma Plummer 1926)], H. E. Thalmann (3); †V. clathrata subsp. n. cypensa. (p. 320), Jurassic, England, R. Cifelli.

† Vaginulopsis acanthonucleus sp. n. (p. 30), Tertiary, Australia, A. N. Carter.

†Valvulineria brotzeni sp. n. (p. 460), Paleocene, Egypt, S. E. Nakkady; †V. alicia sp. n. (p. 1306), Miocene, California, R. L. Pierce; †V. washingtoni sp. n. (p. 354), Miocene, Virginia, J. D. McLean (1); †V. aegyptica, critchetti, spp. n. (p. 53), Tertiary, Egypt, L. W. Le Roy; †V. kingi, putnami spp. n. (p. 72), Miocene, South Africa, P. G. Biesiot; †V. filiae—principis sp. n. (p. 159), Tertiary, Italy, H. Hagn; †V. stainforthi nom. n. (p. 942) (for Discorbis samanica Cushman & Stone 1947), Eocene, Ecuador, J. Hofker (1).

†Vaughanina hungarica sp. n. (p. 393), Tertiary, Hungary, M. Sido (1); †V. jordanae sp. n. (p. 429); V. guatmealensis sp. n. (p. 434), Cretaceous, America, P. Brönnimann. Paleo sp. n Mura Carbo

[19

†V: (p. 20 (Char & M.

Assar

pulch C. W †W Carb

S. I shim Perm sp. n

sp. 1 Koch

(d) I Ac (p. 5 Hans U.S.

(e) I Paci

Tert

Paci

France †C

10

Fran

B. 1

6),

10,

lin

148,

er

28.

er

1);

100

R.

an

lli

e;

ly,

у,

on V.

na

ji-

d,

y,

iÐ,

3),

ni

);

y,

V.

or

†Verneiulina minuta sp. n. (p. 47), Jurassic, Egypt, R. Said & N. G. Barakat; †. V sabulosa sp. n. (p. 76), Paleogene, Russia, F. V. Kipriyanova; †V. saseboensis sp. n. (p. 457), Tertiary, Japan, T. Kihara & S. Murata & N. Sugahara; †V. virgilensis sp. n. (p. 863), Carboniferous, U.S.A., H. A. Ireland.

†Vernonina gen. n. tuberculata sp. n. (p. 124), Eccene, Florida, H. S. Puri (3),

†Victoriella Chapman & Crespin emend thereof (p. 203), M. F. Glaesmer & M. Wade (2); †V. plecta (Chapman). Redescription of (p. 194), M. F. Glaesmer & M. Wade (2).

†Vidalina theriaghati sp. n. (p. 376), Tertiary, Assam, B. K. Ghose.

†Virgulina antilleana nom. nud. [for Bolivina pulchella (d'Orbigny) var. primitiva Cushman 1930], C. W. Drooger & J. P. H. Kaasschieter.

†Wedekindellina ardmorensis sp. n. (p. 803), Permo-Carboniferous, U.S.A., M. L. Thompson, G. J. Verville, & D. H. Lokke.

†Yabeina ozawai sp. n. (p. 155), Permian, Japan, 8. Hanjo; †Y. packardi Thompson & Wheeler shimensis subsp. n. (p. 58); Y. omurensis sp. n. (p. 62), Permian, Japan, N. Yamagiwa & K. Ishii; †Y. gubleri sp. n. (p. 362), Permian, Japan, K. Kamera (1).

†Yangchienia antiqua sp. n. (p. 52), Permian, Jugoslavia, V. Kochansky-Devidé (4); †Y. antiqua sp. n. (p. 26) nom nud., Permian, Jugoslavia, V. Kochansky-Devidé (3).

(d) Heliozoa.

Acanthocystis erinaceoides (p. 548) and A. perpusilla (p. 550) spp. n. Denmark, J. B. Petersen & J. B. Hansen.

Dimorpha floridanis sp. n. (p. 504) Florida, U.S.A., E. C. Bovee (10).

(e) Radiolaria.

†Artophormis gracilis sp. n. (p. 300), Oligocene, Pacific, W. R. Riedel (2).

†Brachiospyris simplex, alata spp. n. (p. 293), Tertiary, Pacific, W. R. Riedel (2).

†Calocyclas costata sp. n. (p. 296), Miocene, Pacific, W. R. Riedel (2).

†Cannartus laticonus sp. n. (p. 291), Miocene, Pacific, W. R. Riedel (2).

†Cenosphaerites mamp. nov. (p. 968), Visean, France, G. Deflandre & M. Deflandre-Rigaud (1).

†Ceratosphaerites mamp. nov. (p. 968) Visean, France, G. Deflandre & M. Deflandre-Rigaud (1).

†Culosphaera significans sp. n. (p. 968), Visean, France, G. Deflandre & M. Deflandre-Rigaud (1).

†Diabolocampe Burma gen. n. (p. 329) (genotype Theocampe stenostrona Haeckel 1887), B. H. Burma (2).

†Dictyocephala Ehrenberg 1860; emend (p. 328), B. H. Burma (2).

†Dictyocephalus Ehrenberg 1860; emend. (p. 328), B. H. Burma (2).

†Dictyophimus mawsoni sp. n. (p. 234), Recent, Antarctio, W. R. Riedel (1).

†Diploplegma banzare sp. n. (p. 223), Recent, Antarctic, W. R. Riedel (1).

†Lychnocarium bipes sp. n. (p. 294), Tertiary, Pacific, W. R. Riedel (2).

†Peripyramis Haeckel 1882 emend. thereof (p. 231), Recent, Antarctic, W. R. Riedel (1).

†Phormocyrtis annosa sp. n. (p. 295), Tertiary, Pacific, W. R. Riedel (2).

†Sethamphorus Haeckel 1887; emend. (p. 327), B. H. Burma (2).

†Sethocephala Haeckel 1887; emend. (p. 328), B. H. Burma (2).

†Spongopyramis Haeckel 1887 [included in Peripyramis Haeckel emend. Riedel], Recent, Antarctic, W. R. Riedel (1).

†Spongurus pylomaticus sp. n. (p. 226), Recent, Antarctic, W. R. Riedel (1).

†Streptodelus Campbell 1953; emend. (p. 328), B. H. Burma (2).

†Theocampe Haeckel 1887; emend. (p. 328), B. H. Burma (2).

†Theocyrtis tuberosa sp. n. (p. 298), Oligocene, Pacific, W. R. Riedel (2).

†Tricolocampe Haeckel 1882; emend. (p. 329), B. H. Burma (2).

†Tregonactura ? angusta sp. n. (p. 292), Oligocene, Pacific, W. R. Riedel (2).

(f) Rhizomastigina.

Mastigamoeba nilensis sp. n. (p. 545); Upper Nile, Egypt, F. Warwick (3); M. sapropelica sp. n. (p. 97); M. sordis (p. 99), Rumania, L. Leppi; M. variabilis; M. pyriformis; M. minuta spp. n. (all p. 184). Manchuria, B. W. Skvortzow.

Mastigella bryophyta (p. 185); M. nodosa (p. 185); spp. n. (Manchuria), B. W. Skvortzow.

(g) Mycetozoa

Mycetozoa (List): France, D. Jarry & D. Vidal.

Licea persilla var. maxima var. n. (p. 79), France, D. Jarry & D. Vidal.

2.—MASTIGOPHORA PHYTOMASTIGINA

(a) Chrysomonadida.

†Anezrochitina multiradiata sp. n. (p. 14), Ordivicean, Baltio, A. Eisenack (4).

†Angochitina longicolla sp. n. (p. 13), Silurian, Baltio, A. Eisenack (4).

Anthosphaera aurea sp. n. (p. 11) Indian Ocean, F. Bernard & T. Lecal.

†Biscutum gen. n. testudinarium sp. n. (p. 325) (genotype); B. castrorum sp. n. (p. 326), Cretaceous, England, M. Black & B. Barnes.

†Brachiolithus quadratus cent. n. (p. 171); B. pentagonus cent. n. (p. 172); B. hexagonus cent. n. (p. 172), Mesozoic, North Africa, D. Noël (2).

†Bracheosphaeridae fam. n. (p. 170), Mesozoie, North Africa, D. Noël (2).

†Brachiosphaera gen. n. (p. 170), Mesozoio, North Africa, D. Noël (2).

†Bucculinus man. nov. (p. 326); B. algeriensis cent. n. (p. 327); B. hirsulus cent. n. (p. 327), Jurassic, North Africa, D. Noël (1).

Calciosoleina tenuis sp. n. (p. 21); Indian Ocean, F. Bernard & J. Lecal.

Chrysochromulina chiton sp. n. (p. 225) Atlantic, M. Parke, P. Manton & B. Clarke.

Chrysolykos gracilis sp. n. (p. 102); England, J. W. G. Lund.

†Clathrochitina gen. n. clathrata sp. n. (p. 15) (genotype), Silurian, Gotland, A. Eisensck (4).

Coccolithus erythreus sp. n. (p. 20); Indian Ocean, F. Bernard & J. Lecal.

†Conochitina micracantha subsp. n. micracantha (p. 7); C. micracantha subsp. n. comma (p. 7); C. micracantha subsp. n. comma (p. 7); C. micracantha subsp. n. robusta (p. 9); C. micracantha subsp. n. vesenbergense (p. 10); Ordivician, Gotland, A. Eisenack (4); †C. acuminata sp. n. (p. 6), Silurian, Gotland, A. Eisenack (4); †C. clava-herculi sp. n. (p. 4); Ordivician, Gotland, A. Eisenack (4).

Corisphaera ternax sp. n. (p. 12): Indian Ocean, F. Bernard & J. Lecal.

†Cyathochitina hyalophrys sp. n. (p. 11); C. makronyka sp. n. (p. 12), Ordivician, Ohio, A. Eisenack (4).

Cyclococcolithus fragilis (Lohmann) comb. n. (p. 18): Indian Ocean, F. Bernard & J. Lecal.

†Cyclolithus armilla sp. n. (p. 327), Cretaceous, England, M. Black & B. Barnes,

†Desmochitina ? acollare sp. n. (p. 16), Silurian, Gotland, A. Eisensck (4).

†Discolithus eruciatus, cent. n. (p. 162); D. rugosus cent. n. (p. 163); D. embergeri cent. n. (p. 164); Mesozoic, North Africa, D. Noël (2); †D. theta sp. n. (p. 327), Cretaceous, England, M. Black & B. Barnes; †D. bucasi cent. n. (p. 319); D. magni cent. n. (p. 320), Jurassic, North Africa, D. Noël (1).

†Hexalithus hexalithus cent. n. (p. 321), Jurassic, North Africa, D. Noël (1).

†Kampinerius gen. n. magnificus sp. n. (p. 135) (genotype), Cretaceous, France, G. Deflandre.

†Lucianorhabdus gen. n. cayeuxi sp. n. (p. 142) (genotype), Cretaceous, France, G. Deflandre. Mallomonas taxonomy of, after electron microscopy, K. Harris & D. E. Bradley.

Mallomonas acaroides var. galeata var. n. (p. 755);
M. lelymene sp. n. (p. 758); M. monograptus (p. 759);
M. striata var. serrata var. n. (p. 761); M. fora sp. n.
(p. 762); M. cratis sp. n. (p. 762); M. adamas sp. n.
(p. 768); M. pumilio var. silvicola var. n. (p. 770);
M. phasma sp. n. (p. 772); M. mangofera sp. n.
(p. 772); all British, K. Harris & D. E. Bradley.

Mallomonas spp. (taxonomy and distribution): Hungary, G. Uherkovich.

†Marthasterites gen. n. (p. 138) (genotype Discoaster (?) furcatus Deflandre 1964); M. furcatus var. n. crassus (p. 139); M. furcatus var. n. bramletts (p. 139); M. jucundus sp. n. (p. 140); M. jucundus var. n. dentiferus (p. 140); M. inconspicuus sp. n. (p. 140), Cretaceous, France, G. Deflandre.

†Microrhibdulus gen. n. decoratus sp. n. (p. 140) (genotype); M. decoratus var. n. attenuatus (p. 141); M. helicoideus sp. n. (p. 141), Cretaceous, France, G. Deflandre.

†Neoccolithus sp. n. (p. 81), Tertiary, Germany, D. Maier (1).

Neosphaera coccolithomorpha Lecal var. striata var. n. (p. 15); Indian Ocean, F. Bernard & J. Lecal.

†Parhabdolithus crassus cent. n. (p. 169); P. lunatus cent. n. (p. 169), Mesozoic, North Africa, D. Noël (2).

†Pterochitina makroptera sp. n. (p. 17), Silurian, Gotland, A. Eisenack (4).

Rhabdocyclus parag. n. (p. 21); R. simplex sp. n. (p. 21), Indian Ocean, F. Bernard & J. Lecal.

†Rhabdolithus anthophorus sp. n. (p. 137), Cretaceous, France, G. Deflandre; †R. denticulatus cent. n. (p. 166); R. granulatus cent. n. (p. 167); R. sulcatus cent. n. (p. 167); R. delicatulus cent. n. (p. 168); R. obtusus cent. n. (p. 168); R. pellucidus cent. n. (p. 168), Mesozoic, North Africa, D. Noël (2); †R. claviger comb. n. (p. 325); R. tignifer comb. n. (p. 326), Jurassic, North Africa, D. Noël (1).

†Stephanolithion lafittei sp. n. (p. 318), Jurassie, North Africa, D. Noël (1).

Syracolithus orientalis sp. n. (p. 8), Indian Ocean, F. Bernard & J. Lecal.

Tergestiella calumnia sp. n. (p. 13), Indian Ocean, F. Bernard & J. Lecal.

†Tetralithus gothicus, obscurus, copulatus spp. n. (p. 138), Cretaceous, France, G. Deflandre.

Tetrasporopsis pseudofenestrata sp. n. (p. 97), England, J. W. G. Lund.

Tremalithus sertus sp. n. (p 20), Indian Ocean, F. Bernard & J. Lecal. †T. burwellensis sp. n. (p. 324); T. barnesae sp. n. (p. 325), Cretaceous, England, M. Black & B. Barnes, †T. rotundus cent. n. (p. 323); T. multiperforatus cent. n. (p. 324), Jurassic, North Africa, D. Noël (1). †T. kymaides sp. n. (p. 286), Tertiary, Germany, D. Maier (2). †T. sp. n. (p. 81), Tertiary, Germany, D. Maier (1).

Defi (b)

12

[1

U

B. 1

Nor Gen

B. V

(o) I

D

Y. 1 H.

ohui (gen

(p. Eise † sp. 1

Coo.

Nor sp.

5p. D. (p. Ger. (p. 194

Pale sp.

d.

oy,

5);

9);

n. n. 0);

n):

tus

tei

n.

(01

1);

ıy,

al.

P.

m.

n.

7),

7);

n.

;(9

io,

m,

ın,

n.

7),

m.

n. 19,

4), les 2). Uroglenopsis rotundata sp. n. (p. 183), Manchuria, B. W. Skvortzow.

†Zygolithus bussoni cent. n. (p. 321), Jurassic, North Africa, D. Noël (1). †Z. sp. n. (p. 81), Tertiary, Germany, D. Maier (1). †Z. glaptyric sp. n. (p. 287), Tertiary, Germany, D. Maier (2).

†Zygrhablithus gen. n. (p. 135) (genotype Zygolithus byugatus Deflandre 1954), Cretaceous, France, G. Deflandre.

(b) Cryptomonadida

Chilomonae abrupta sp. n. (p. 184), Manchuria, B. W. Skvortzow,

Chroomonas hyemale sp. n. (p. 184), Manchuria, B. W. Skvortzow.

Cryptomonas globosa sp. n. (p. 67), Switzerland, H. R. Christen (1).

(e) Dinoflagellata

Key to some dinoflagellate genera, H. Curl.

Dinoflagellates of Mediterranean, Y. Halim (1)

Alexandrium minutum sp. n. (p. 102), Mediterranean, Y. Halim (2).

Amphidium skujae sp. n. (p. 69), Switzerland, H. R. Christen (1). A. achromaticum (p. 194); A. alinii (p. 195); A. nasutum (p. 194); spp. n. Manchuria, B. W. Skvortzow.

†Aptea gen. n. (p. 393), polymorpha sp. n. (p. 394) (genotype), Cretaceous, Germany, A. Eisenack (2).

†Apteodinium gen. n. (p. 385) granulatum sp. n. (p. 386) (genotype), Cretaceous, Germany, A. Eisenack (2).

†Arcoligera biramum sp. n. (p. 304); A. dermaticum sp. n. (p. 305), Tertiary, Germany, D. Maier (2).

†Broomea gen. n. ramosa sp. n. (p. 41) (genotype); B. simplex sp. n. (p. 42), Jurassio, Australia, I. C. Cookson & A. Eisenack.

†Bulbrodinium gen. n. seitzi sp. n. (p. 82) (genotype), B. altipetax, oistoides spp. n. (p. 83), Cretaceous, Baltic, O. Wetzel.

†Calpionella intermedia sp. n. (p. 167), Cretaceous, North Africa, N. Durand Delga (3). †C. involuta sp. n. (p. 872), Cretaceous, Germany, W. Leischner,

†Calpionellites lata sp. n. (p. 872), Cretaceous, Germany, W. Leischner.

†Deflandrea cooksoni sp. n. (p. 97); D. minor sp. n. (p. 98); D. spectabilis, diebeli spp. n. (p. 99); D. pirnaensis sp. n. (p. 100); D. vertriosa sp. n. (p. 101); D. perlucida sp. n. (p. 102), Creteceous, Germany, G. Alberti (2). †D. denticulata sp. n. (p. 102) [includes Peridinisum cf. galeatum Pastiels 1948 (pars) non Lejeune-Carpentier], Eocene, Germany, G. Alberti (2). †D. speciosa sp. n. (p. 97), Paleocene, Germany, G. Alberti (2). †D. spinulosa sp. n. (p. 95), Oligocene, Germany, G. Alberti (2). †D. spinulosa sp. n. (p. 95), Eocene, Germany, G. Alberti (2). †D. cinicia sp. n. (p. 95), Eocene, Germany, G. Alberti (2). †D. cinicia sp. n. (p. 95), D. korojonensis sp. n. (p. 27); D. parva, serratula spp. n. (p.

28), Cretaceous, Australia, I. C. Cookson & A. Eisenack. † D. acuminata, pellucida spp. n. (p. 27), Cretaceous to Eocene, Australia, I. C. Cookson & A. Eisenack.

†Dingodinium gen. n. jurassicum sp. n. (p. 39), (genotype), D. cerviculum sp. n. (p. 40), Jurassic, Australia, I. C. Cookson & A. Eisenack. †D. europaeum sp. n. (p. 392), Cretaceous, Germany, A. Eisenack (2).

†Dinophysis antarcticum sp. n. (p. 82), "Recent, Antarctic, E. Balech.

Dinoporella perforata (Gran.) Schiller nom. n. (p. 188), Y. Halim (1).

†Diplopeltopsis granulosa sp. n. (p. 84), Recent, Antarctic, E. Balech.

†Galea gen. n. (p. 305) galea sp. n. (p. 306) (genotype); G. mespilana sp. n. (p. 306); G. densicomata sp. n. (p. 307); G. xiphea sp. n. (p. 309); G. lychnea, koryka sp. n. (p. 310), Tertiary, Germany, D. Maier (2).

Glenodinium abruptum (p. 195); G. cosmariaeforme (p. 195); G. majale (p. 196); G. maliavkini (p. 196); G. rotundatum (p. 195); G. sungariense (p. 196); G. turfosum (p. 196); G. viride (p. 195); spp. n., Manchuria, B. W. Skvortzow.

†Gonyaulax orthoceras sp. n. (p. 388); G. tenuiceras sp. n. (p. 389); G. microceras, aceras spp. n. (p. 391), Cretaceous, Germany, A. Eisenack (2). †G. eisenacki subsp. n. obyodentata (p. 30); G. scotti, perforans spp. n. (p. 30); G. serrata sp. n. (p. 34), Jurassic, Australia, I. C. Cookson & A. Eisenack. †G. caytonensis sp. n. (p. 330); †G. cristalata sp. n. (p. 332); †G. transparens sp. n. (p. 334), Jurassic, Yorkshire, W. A. S. Sarjeant. †G. muderongensis, edwardsi spp. n. (p. 32); G. hyalodermopsis sp. n. (p. 34); G. apionis, diaphanis spp. n. (p. 36), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

Gymnodinium titubans sp. n. (p. 70), Switzerland, H. R. Christen (1). G. neglectum var. (p. 183); G. stigmatica var. n. (p. 183); G. irregulare sp. n.; G. thomasi sp. n. (p. 179), Switzerland, H. R. Christen (2). †G. attadalense, westralium spp. n. (p. 25), Cretaceous, Australia, I. C. Cookson & A. Eisenack. †G. parvimarginatum sp. n. (p. 24), Jurassic, Australia, I. C. Cookson & A. Eisenack.

Hemidinium bryophyticum (p. 193); H. mucosum (p. 194); H. occulatum (p. 194) spp. n., Manchuria, B. W. Skvortzow.

Histioneis elegans sp. n. (p. 192); H. imbricata sp. n. (p. 192); H. faouzii sp. n. (p. 193); H. rampii sp. n. (p. 193); H. villafranca sp. n. (p. 194); H. sublongicollis sp. n. (p. 195), Mediterranean, Y. Halim (1).

Hypnodinium asiaticum sp. n. (p. 197), Manchuria, B. W. Skvortzow.

†Hystrichodinium amphiacanthum sp. n. (p. 37), Mesozoic, Australia, I. C. Cookson & A. Eisenack.

Katodinium atsigmaticum sp. n. (p. 183); K. intermedium sp. n. (p. 184), Switzerland, H. R. Christen (2). K. dorsalisulcum n. sp. (West Indies), E. M. Hulburt, J. J. A. McLaughlin & P. A. Zahl.

†Muderongia gen. n. (p. 40), mewhaei sp. n. (p. 41), (genotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Palaeohystrichophora isodiametrica, pellifera spp. n. (p. 38), P. dispersa sp. n. (p. 39), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Pareodinia prolongata sp. n. (p. 335), P. ceratophora var. n. pachyceras (p. 337), Jurassio, Yorkshire, W. A. S. Sarjeant.

†Patilloides gen. n. juvavica sp. n. (p. 874), Cretaceous, Germany, W. Leischner.

Peridinium sphaeroideum sp. n. (p. 71), Switzerland, H. R. Christen (1); P. smirnovii sp. n. (p. 197), Manchuria, B. W. Skvortzow; †P. archiovatum sp. n. (p. 84), P. pseudoantarcticum sp. n. (p. 85), P. latistriatum sp. n. (p. 86), P. rosaceum, parvicollum spp. n. (p. 87), P. petersi sp. n. (p. 88), P. elegantiesimum sp. n. (p. 89), P. raphanum sp. n. (p. 90), P. incertum sp. n. (p. 91), P. thulesense sp. n. (p. 92), Recent, Antarctic, E. Balech.

Prorocentrum manshuricum sp. n. (p. 193), Manchuria, B. W. Skvortzow.

†Pseudodeflandrea gen. n. (p. 91), gigantea sp. n. (p. 92), (genotype), Oligocene, Germany, G. Alberti (1).

†Pterodinium gen. n. oliferum sp. n. (p. 395), (genotype), Cretaceous, Germany, A. Eisenack (2).

†Scrinodinium scutellum sp. n. (p. 385), Cretaceous, Germany, A. Eisenack (2).

†Stomiosphaera alpina sp. n. (p. 870), Cretaceous, Germany. W. Leischner.

†Wetzeliella irregularis sp. n. (p. 28), Jurassio, Australia, I. C. Cookson & A. Eisenack. (d) Euglenoidida.

Systematics of colourless Euglenids. H. B. Christen.

Aliniella gen. n. (p. 180), A. elliptica (p. 180), A. gracilis (p. 180), A. saltans (p. 181), spp. n. Manchuria, B. W. Skvortzow.

Ampullamonas, gen. n. (p. 174), A. repentes sp. n., A. rotante sp. n., (p. 175), Manchuria, B. W. Skyortzow.

Anisonema bryophyta (p. 182) sp. n., A. bryophyta, var., curta var. n. (p. 182), A. caudata (p. 182), A. daphniae (p. 182), A. depressa (p. 181), A. gracilis (p. 181), A. hyemele (p. 182), A. ignorata (p. 181), A. ovata (p. 181), spp. n., A. pulchra var., minor var. n. (p. 182), A. sphaerica sp. n. (p. 181), Manchuria, B. W. Skvortzow; A. hexagonale sp. n. (p. 76), Switzerland. H. R. Christen (1).

Astasia autumnale (p. 171), A. communis (p. 170), A. detrita (p. 170), A. dissecta (p. 169), A. distincta (p. 169), A. granulata (p. 171), A. lagenariae (p. 170), A. longiftagellata (p. 169), A. longicauda (p. 169), A. nutabilis (p. 171), A. repentes (p. 170), A. serpenta (p. 170), A. striata (p. 170), A. similis (p. 171), A.

stigmatella (p. 169), A. tenuiseima (p. 170) spp. n., Manchuria; A. hyalina nom. n. for A. inflata hyalina (p. 171), A. falcata nom. n. for A. curvata (p. 171), B. W. Skvortzow; A. taeniata sp. n. (pp. 149, 172), A. rulgaris nom. n. (A. dangeardi var parva) (p. 151), A. bacillifera sp. n. (pp. 153, 172), A. recta sp. n. (pp. 153, 172), A. agilis sp. n. (pp. 154, 172), A. piscéformis (pp. 154, 173). All from Switzerland, H. B. Christen.

Astasiella gen. n. (p. 168), A. peranemaformis sp. n. (p. 169), Manchuria, B. W. Skyortzow.

Baikowia gen. n. (p. 176), B. ferox sp. n. (p. 176), Manchuria, B. W. Skyortzow.

Baranovia gen. n. (p. 174), B. stagnalis (p. 174) sp. n. Manchuria, B. W. Skvortzow.

Calkinsia aureus gen. n. and sp. n. (p. 105), N. America, J. B. Lackey (2).

Colacium trachelomonoides sp. n. (p. 186), Manchuria, B. W. Skvortzow.

Cryptoglena corunta (p. 167), C. longicauda (p. 167), C. tumida (p. 176), spp. n. Manchuria, B. W. Skyortzow.

Distigma tremens sp. n. (pp. 165, 173), D. rigidum sp. n. (pp. 165, 173), D. breviciliatum (pp. 166, 173), D. tenue (pp. 167, 174), D. glabrum (pp. 167, 174), all from Switzerland, H. B. Christen; D. papillata sp. n. (p. 174), Manchuria, B. W. Skvortzow.

Entosiphon abruptum (p. 183), E. depressum (p. 182), E. ellipticum (p. 183), E. novum (p. 183), E. rotundatum (p. 183), spp. n. Manchuria, B. W. Skvortzow.

Euglena penardii sp. n. (p. 242), France, R. Bourrelly.

E. interrolans (p. 163), E. messula (p. 164), E. orthia (p. 164), E. subacutissima (p. 164), spp. n. E. viridis var. hyalina (p. 164) var. n., Manchuria, B. W. Skvortzow.

E. tornata sp. n. (p. 2), Mexico, R. P. Reyes & E. S. Gómez.

Euglenophyton wrightianum sp. n. (p. 343), Newfoundland, N. Woodhead & R. D. Tweed. (2).

Eutreptia stagnalis sp. n. (p. 168), Manchuria, B. W. Skvortzow.

Gyropaigne minima sp. n. (pp. 162, 173), Switzerland, H. B. Christen.

Heteronema fusiformis sp. n. (p. 179), H. medusas (p. 180), H. robusta (p. 179), spp. n. Manchuria, B. W. Skvortzow,

Lipodinis acuta (p. 167), L. cordiformis (p. 166), L. minor (p. 167), L. ovalis (p. 166), L. sungariensis (p. 166), spp. n. Manchuria, B. W. Skvortzow.

Menoidiomonas gen. n. (p. 173), M. ocullata (p. 174), sp. n. Manchuris. M. scheniakoff nom. n. for Menoidium schewiakoffia (p. 174), B. W. Skvortsow.

гр. Р (р.

[1

M.

patu (p. 173)

for .

M

P. o Man P circu (p. 165)

var.

P. Swift (pp. (p. P. es

P. n (p. 1 (for R H. 1

3. I

ston (e)

Sky Sky

C. de chu Swi

(p. 1

Menoidium clavatum (p. 172), M. depressum (p. 173), M. euglenae (p. 172), M. incurvum (p. 172), M. patulum (p. 172), M. rapacis (p. 173), M. saevum (p. 172), M. singulum (p. 172), M. spirillum (p. 173), M. similis (p. 173), M. utriculariae (p. 173), p. n. Manchuria. M. pseudoperrucidum nom. n. for M. pellucidum (p. 173), M. closteriiformis nom. n. for M. pellucidum (p. 173), B. W. Skvortzow.

Mereschkowskiella gen. n. (p. 175), M. nasuta sp. n. (p. 176). Manchuria, B. W. Skvortzkow.

Paramylomonas gen. n. (p. 171), P. astasieformis (p. 172). Manchuria, B. W. Skvortzow.

Peranema acuta (p. 177), P. hyalina (p. 176), P. ocellata (p. 177); P. planktonica (p. 177), spp. n. Manchuria, B. W. Skvortzow.

Phacus canae (p. 166), P. carinata (p. 166), P. circulata (p. 165), P. hyalina (p. 165), P. ovalis (p. 165), P. pediformis (p. 164), P. rotundata (p. 165), P. rapacea (p. 166), P. spinifer (p. 164), P. spiralis (p. 165), Spp. n., P. aenigmatica var. asiatica var. n. (p. 165), P. anaccolus var. asiatica var. nov. (p. 164), P. triqueter var. lata var. n. (p. 166), all Manchuria, B. W. Skvortzow.

Petalomonas pygmaea sp. n. (p. 74), P. elongata sp. n. (p. 75), Switzerland, H. R. Christen (1). P. platyrhyncha var. rotundata var. n. (p. 176), Switzerland, H. R. Christen (2). P. regularis sp. n. (pp. 171, 174), Switzerland, H. B. Christen, P. obrupta (p. 177), P. babanovii (p. 178), P. depressa (p. 177), P. evolo (p. 179), P. ornata (p. 179), P. piscator (p. 177), P. pisciformis (p. 179), P. rectangularis (p. 178), P. repentes (p. 178), P. spiralis (p. 178), P. subelliptica (p. 179), spp. n. Manchuria, P. glabra nom. n. (p. 178), (for P. sinica Skv.), B. W. Skvortzow.

Rhabdomonas torta sp. n. (pp. 160, 173), Switzerland, H. B. Christen.

Schewiakowia gen. n. (p. 175), S. natantes sp. n. (p. 175), Manchuria, B. W. Skvortzow.

Trachelomonas bartholomaei sp. n. (p. 152), Rumania, J. Lepşi (3).

Urceolus penardi nom. n. (p. 179), for U. cyclostomus. B. W. Skvortzow.

(e) Chlonomonadida.

Arnoldiamonas gen. n., A. bispinosa, A. ocellata, spp. n. (p. 165), Manchuria. A. compressa nom. n. (p. 155) for Pteromonas compressa Skv., B. W. Skvortzow.

Arnoldiella phaseolus sp. n. (p. 155), Manchuria, B. W. Skvortzow.

Carteria lacustris (p. 142), C. obovata (p. 142), C. sinica (p. 142), C. striata (p. 141), spp. n., Manchuria, B. W. Skvortzow, C. huberi sp. n. (p. 77), Switzerland, H. R. Christen (1).

Chlainomonas gen. n. with C. ovalis sp. n. as type (p. 185), Switzerland, H. R. Christen (2).

Chlamydobotrys asiatica sp. n. (p. 163), Manchuria, B. W. Skvortzow.

Chlamydomonas deludens sp. n. (p. 78), C. opisthostigma sp. n. (p. 80), C. crasea sp. n. (p. 81), all switzerland, H. R. Christen (1), C. subcomica sp. n. (p. 61), C. pisiformis var. marocana var. n. (p. 62), Morocco, P. Gayoral and A. Sasson; C. apicala (p. 143), C. armata (p. 144), C. ampulla (p. 145), C. areolata (p. 149), C. abbreviata (p. 150), C. aestivata (p. 151), C. biarticulata (p. 142), C. bifrons (p. 142), C. bullata (p. 145), C. convexa (p. 144), C. compacta (p. 145), C. cava (p. 146), C. cistula (p. 148), C. dangeardi (p. 147), C. diatata (p. 147), C. dissimilis (p. 151), C. erecta (p. 146), C. fluvialis (p. 148), C. foveolata (p. 149), C. fragilis (p. 150), C. granulosa (p. 145), C. involucrata (p. 143), C. inflata (p. 144), C. laeve (p. 144), C. libera (p. 145), C. intata (p. 145), C. minor (p. 148), C. multiplex (p. 151), C. oblonga (p. 144), C. obliqua (p. 147), C. pyriformis (p. 143), C. printzii (p. 146), C. prolifera (p. 147), C. papillata (p. 149), C. plena (p. 150), C. protracta (p. 150), C. recta (p. 147), C. superiora (p. 151), C. tenuissimum (p. 152), spp. n. Manchuria, C. paecheriana comb. n. (p. 143), B. W. Skvortzow.

Chlorogonium acuminatum, C. minutum, C. tenuissimum, C. vernale, spp. n. (all p. 152), Manchuria, B. W. Skvortzow.

Gordieriella gen. n. C. nigra nom. n. (p. 156), for Carteria nigra Skr., Manchuria B. W. Skyortzow.

Haematococcus capensis sp. n. (p. 10), H. c. var. capensis var. n. (p. 13), H. c. var. torpedo var. n. (p. 15), H. c. var piri-formis var n. (p. 15), H. c. var piri-formis forma caudata f. n. (p. 16), H. zimbabwiensis sp. n. (p. 21), all S. Africa, M. A. Pocock.

Hyalogonium hyemale sp. n. (p. 163), Manchuria, B. W. Skvortzow.

Phacotus asiaticus (p. 156), P. hyalina (p. 156), P. oblongus (p. 157), spp. n. Manchuria, B. W. Skvortzow.

Polytoma acuta (p. 162), P. communis (p. 163), P. cucumis (p. 163), P. curvata (p. 163), P. longiciliata (p. 162), P. subcylindrica (p. 162), spp. n. Manchuria, B. W. Skvortzow.

Printziella gen. n. (p. 140), P. biflagellata sp. n. (p. 141), Manchuria, B. W. Skvortzow.

Pteromonas armata (p. 158), P. acuta (p. 160), P. cylindrica (p. 157), P. caudata (p. 169), P. foliosa (p. 157), P. incisa (p. 160), P. longicollis (p. 159), P. planctonica (p. 158), P. rhombica (p. 157), P. rotundata (p. 158), P. rotantes (p. 158), P. rugosa (p. 161), P. epinosa (p. 159), P. simplex (p. 159), P. subcordiformis (p. 160), P. trigustra (p. 157), P. undulata (p. 158), spp. n. Manchuria, P. incurva nom. n. for P. angulosa incurva (p. 160), P. obtusa nom. n. for P. angulosa obtusa (p. 159), B. W Skvortzow.

Pyramidomonas abdida, P. abnato, P. hyalina, P. variabile, spp. n. (p. 141), all Manchuria, B. W. Skvortzow.

Sphaerollepsis asiatica (p. 153), S. elongata (p. 152), S. ovalis (p. 152), spp. n. Manchuria, B. W. Skvortzow.

Tetrablepharis orbiculata sp. n. (p. 162), Manchuria, B. W. Skvortzow.

Thorakomonas asiatica, T. korschikovi, T. obovata, T. quadrata (all p. 153), spp. n., Manchuria, B. W. Skvortzow.

ZOOMASTIGINA

(f) Protomonadida.

Amphimonas epiphyta (p. 191), A. globosa (p. 192), spp. n. Manchuria, B. W. Skvortzow.

Ancyromonas abrupta (p. 188), A. lata (p. 189), A. metabolica (p. 189), A. minuta (p. 188), A. nitzschiae (p. 189), A. prima (p. 189), A. rotundata (p. 188), A. rugosa (p. 189), A. sociale (p. 188), spp. n., Manchuria, B. W. Skvortzow.

Bodocommunis (p. 191), B. elloptora (p. 186), B. frigida (p. 191), B. minuta (p. 191), B. ovalis (p. 187), B. phaseolus (p. 191), B. saprophytora (p. 186), spp. n. Manchuria, B. W. Skyortsow.

Cercobodo bacillifaga (p. 185), C. barbata (p. 185), C. caudata (p. 185), C. constricta (p. 185), C. lemmernanni (p. 186), C. metabolica (p. 186), C. muscosa (p. 185), C. repens (p. 186), spp. n., Manchuria, B. W. Skvortsow.

Crithidia flexonema sp. n. (p. 390), from insects, F. G. Wallace etc.

Dinomonas ferox, D. planctonica, D. rotunda, D. simplex spp. n. (all p. 190), Manchuria, B. W. Skvortzow.

Foliamonas gen. n. (p. 192), F. triquetra sp. n. (p. 192), Manchuria, B. W. Skyortzow.

Herpetomonas ludwigi comb. n. from cranefly larvae, K. Vickerman (2).

Leishmania brasilieneis pifanoi subsp. n. (p. 299) from Venezuela, R. Medina & J. Romero.

Leptomonas collosoma sp. n. (p. 391), from insects, F. G. Wallace etc.; L. lata (p. 188), L. pisciformis (p. 189), spp. n., Manchuria, B. W. Skvortsow.

Lonkashkina gen. n. (p. 187), L. natans (p. 187), L. ovata (p. 187), L. vacuolaris spp. n., (p. 188) Manchuria, B. W. Skvortzow.

Monosiga rotunda sp. n. (p. 190), Manchuria, B. W. Skvortzow.

Oicomonas caudata (p. 187), O. rugosa spp. n. (p. 187), Manchuria, B. W. Skvortzow.

Retontomonos boae sp. n. (p. 42), from anaconda, J. Kulda.

Salpingoeca ulothrix sp. n. (p. 190), Manchuria, B. W. Skvortzow.

Serpentomonas gen. n. (p. 192), S. natans sp. n. (p. 192), Manchuria, B. W. Skvortzow.

Spiromonas gen. n. (p. 190), S. spirogyrae sp. n. (p. 191), Manchuria, B. W. Skvortzow.

Trypanosoma helogalei sp. n. (p. 420), from Kenyan mongoose, M. S. Grewal; T. biraberi sp. n. (p. 80) from a rodent, M. E. Jorg.

(g) Trichomonadida.

Hypotrichomonas acosta gen. n. (p. 397), J. J. Lee,

Trichomonas buttreyi sp. n. (p. 165), from pigs, C. P. Hibler, etc.; T. muris var. n. meriones (p. 84), from jird, Meriones erythrourus, Kazakhstan, S. M. Pak (1).

Tritrichomonas rotunda sp. n. (p. 163), from pigs, C. P. Hibler etc.

(h) Hypermastigida. [No record.]

(i) Diplomonadida.

Hezamitus abrupta sp. n. (p. 193), H. cornuta sp. n. (p. 193), Manchuria, B. W. Skvortzow.

Trepomonas volcans sp. n. (p. 193), Manchuria, B. W. Skyortzow.

(j) Polymonadida,

Kuzminia gen. n. (p. 192), K. incerta (p. 193), sp. n., Manchuria, B. W. Skvortzow.

3.—SPOROZOA COCCIDIOMORPHA

(a) Gregarinida.

Colepismatophila burti sp. n. (p. 526), C. buckleyi sp. n. (p. 528), from Ceylonese silverfish, H. Crusz.

Gregarina stigmae sp. n. (p. 1137), from G. A. Stein (1).

Lepismatophila orientalis sp. n. (p. 529), from Ceylonese silverfish, H. Crusz.

Mecistophora lageri gen. n., sp. n. (p. 555), from Indian centipede, P. N. Ganapati & C. C. Narasimhamurti (1).

Pileocephalus glyphotaelii sp. n. (p. 1138) from G. A. Stein (1).

Stenophora thyrogluti from Indian millepede, P. N. Ganapati & C. C. Narasimhamurti (3).

(b) Coccidiida.

Adelea hyalospora sp. n. (p. 61), from Indian centipede, C. C. Narisimhamurti.

Caryospora psammophi sp. n. (p. 314), C. hermae sp. n. (p. 317), C. weyerae sp. n. (p. 317), C. zuckermanae sp. n. (p. 317), from snakes, R. S. Bray, (2); C. microti sp. n. (p. 63) from meadow mouse, L. H. Saxe, N. D. Levine & V. Ivens.

Dactylosoma lethrinorum sp. n. (p. 249) from moaning fish, D. C. Saunders.

Eimeria delicata sp. n. (p. 207), E. roundabushi sp. n. (p. 208) from deermice, N. D. Levine & V. Ivens. E. egypti sp. n. (p. 322), E. sylvatica sp. n. (p. 324), E. cricetomysi sp. n. (p. 327), from rodents, H. Prasad (5); E. megaresidua sp. n. (p. 219), E. longaspora sp. n. (p. 219), E. longaspora sp. n. (p. 219), E. myocastori sp. n. (p. 209), E. nutriae sp. n. (p. 208), E. nutriae sp. n. (p. 208), from covpu, H. Prasad (4); E. neosciuri sp. n. (p. 385), from squirrel, H. Prasad (3); E. rufusi sp. n. (p. 385), from kangaroo, H. Prasad (1); E. terrestris sp. n. (p. 60), from Arvicola terrestris, M. A. Musaev & A. M. Veisov; E. tatalischaensie sp. n. (p. 60), from Arvicola terrestris, M. A. Musaev & A. M. Veisov; E. walteri

Ho D. L from

[19

sp. n.

sp. n. Zoo,

a spa Levin (p. 50 Velso Prass mous

Lo

Lain

N. D (m)

Et anne

B

mari

Can Can H. 1

P

Kaz

equi (p. 2 P. spec vaste Lair

Con Par (d)

(e) I

Boa I

sp. n. (p. 395), E. gorgonis sp. n. (p. 396), E. pellerdei sp. n. (p. 397), from captive mammals in the London Zoo, H. Prasad (2); E. wenrichi sp. n. (p. 61), from meadow mouse, L. H. Saxe, N. D. Levine & V. Ivens.

Haemogregarina aurorae sp. n. (p. 202), from frogs, D. L. Lehmann (1); H. rubrimarensis sp. n. (p. 244), from Red Sea fish, D. C. Saunders.

Isopora occysts observed in cattle faeces actually a sparrow parasite and not a separate species, N. D. Levine & R. N. Mohan; Isopora batatata sp. n. (p. 59), from Arvicola terrestris, M. A. Musaev & A. M. Veisov; I. egypti sp. n. (p. 324), from rodents, H. Prasad (5); I. medowelli sp. n. (p. 62) from meadow mouse, L. H. Saxe, N. D. Levine & V. Ivens.

Lankesterella serini a synonym of L. garnhami, R. Lainson.

Tyzzeria peromysci sp. n. (p. 210), from deermice. N. D. Levine & V. Ivens.

(m) Haemosporida.

Babesia leporina sp. n. (p. 16), from hare, B. Baldelli.

Babesiosoma rubrimarensis sp. n. (p. 249), from marine fish, D. C. Saunders.

Eucoccidium ophryotrocha sp. n. (p. 48), from annelid, K. G. Grell (1).

Haemamoeba acuminata sp. n. (p. 413), from chameleons, G. Pringle.

Haemoproteus canachites sp. n. (p. 456), from Canadian grouse, A. M. Fallis & G. F. Bennett.

Cytauxzoon taurotragi sp. n. (p. 331), from eland, H. Martin & D. W. Brocklesby,

Piroplasma meles sp. n. (p. 42), from badger, Kazakhstan, A. M. Krivkova.

Plasmodium anomaluri sp. n. (p. 411), from flying squirrel, G. Pringle; P. cynomolgi bastianellii subsp. n. (p. 274), from Malayan monkey, P. C. Garnham (2); P. matutinum considered to be a species not subspecies, A. Corradetti, I. Neri, & M. Scanga; P. vastator sp. n. (p. 246), from Malayan lizard, M. Laird (3).

Polychromophilus congolensis sp. n. (p. 394), from Congolese bats, H. E. Krampitz, & F. Anciaux de Pareaux.

SARCOSPORIDIA

(d) Sarcosporidia.

[No record.]

CNIDOSPORIDIA

(e) Myxosporidia.

Identification of Chloromyzum spp., A. K. Akhmerov & I. P. Martganova.

Certomyxa tenuispora sp. n. (p. 305), from black scabbard fish, Z. Kabata (2).

Hoferellus schulmani sp. n. (p. 113), from Russian fish, M. N. Golikova (2).

(f) Microsporidia.

Nosema cerasivoranae sp. n. (p. 643), from Canadian caterpillar, H. M. Thomson; N. lepiduri sp. n. (p. 36), from freshwater shrimp, J. Vavra (3); N. operopherae sp. n. (p. 756), from winter moth, E. V. Canning; N. tritoni sp. n. (p. 232), from Czech newt, J. Weiser,

Plistophora operophterae sp. n. (p. 756), from winter moth, E. U. Canning.

Stempellia weiseri sp. n. (p. 50) from Czech spider, V. Silharý.

(g) Actinomyxidia.

[No record].

HAPLOSPORIDIA

(h) Haplosporidida,

Nephridiophaga zenoboli sp. n. (p. 582), from Indian millipede, P. N. Ganapati & C. C. Narasimhamurti (2),

SPOROZOA INCERTAE SEDIS

Classification and nomenclature of Beenoitia besnoiti, J. W. Pols.

Pirhemocyton eremiasi sp. n. (p. 663), from lizards, G. Blane, L. Ascione.

4.—CILIOPHORA

CILIATA

GENERAL

Names of genera of Ciliata, J. O. Corliss (3).

Numbers of species of Ciliophora, J. O. Corliss (4),

HOLOTRICHA

(a) Gymnostomatida.

Bryophyllum loxophylliforme Kahl forma, balatonica f. n. (p. 227), Hungary, J. Gellert & E. Tamás (1).

Centrophorella minuta sp. n. ? (p. 184), France, J. Dragesco.

Chaenea psammophila sp. n. (p. 102), France, J. Dragesco.

Chenea (1) (= Trachilocerca) tesselata, C. nigricans, C. trepida, C. conifera comb. n. (all. p. 140). J. Drag-

Chilodonella peammopinta sp. n. (p. 253), France, J. Dragesco.

Ciliofaurea nom. n. (= Faurea preoccupied). C. longissima sp. n. (p. 225), France, F. Dragesco.

Cortissia nom. n. (=Cortisia, spelling) (p. 246), J. Dragesco.

Cryptopharynz setigerum var. furcatum var. n. (p. 255), C. multinucleatum sp. n. (p. 256), France, J. Dragesco.

Diceratula n. nom. (=Diceras Eberhard, preoccupied), J. O. Corliss (3),

Dileptus estuarinus sp. n. (p. 186), D. thononensis sp. n. (p. 188), D. aculeatus sp. n. (p. 188), France, J. Dragesco.

Enchelyodon vacuolatus sp. n. (p. 104), France, J. Dragesco; E. (= Trachelocerca) laevis comb. n. (p. 149), J. Dragesco; E. granosus sp. n. (p. 85), Rumania, J. Lepsi (4).

Geleia acuta sp. n. (p. 238), G. obliqua sp. n. (p. 238), G. heterotricha (p. 239), G. luci sp. n. (p. 241), G. hyalina, sp. n. (p. 241), G. vacuolata sp. n. (p. 243), France, J. Dragesco; G. foridensis sp. n. (p. 258), warm spring, Florida, J. B. Lackey (1).

Helicoprorodon multinucleatum sp. n. (p. 87), France, J. Dragesco.

Hemiophrys loxophylliforme sp. n. (p. 157), France, J. Dragesco.

Hydrophyra vorax sp. n. (p. 61), France, J. Dragesco; H. (=Trachilocerca) coronata, H. oblonga, H. maxima, all comb. n. (p. 140), J. Dragesco; H. sphagueti sp. n. (p. 84), Rumania, J. Lopgi (4).

Kopperia n. nom. (= Malacosoma Kopperi, preoccupied), J. O. Corliss (3).

Lacrymaria caudata var. lemani var. n. (p. 99), France, J. Dragesco.

Lionotus dusarti sp. n. (p. 157), France, J. Dragesco.

Loxodes penardi sp. n. (p. 191), France, J. Dragesco.

Loxophyllum helus var. minimus var. n. (p. 160), L. setigerum var. fibrillatus var. n. (p. 165), L. kahli sp. n. (p. 169), France, J. Dragesco.

Microthorax elongatus sp. n. (p. 86), Rumania, J. Lensi (4).

Paraspathidium fuscus (=Trachilocerca fuscus) comb. n. (p. 140), J. Dragesco.

Platyophrya fissistoma sp. n. (p. 152), Rumania, J. Leppi (3).

Polymorphella n. nom. (=Polymorphella Dogiel, preoccupied), J. O. Corliss (3).

Prorodon vacuolatus sp. n. (p. 70), P. deflandrei sp. n. (p. 75), P. vermiforme sp. n. (p. 76), P. teres var lemoni var. n. (p. 77), P. nucleolatus var. magnus (p. 78), P. diaphanus sp. n. (p. 78), all France, J. Dragesco.

Pseudoprorodon protrichocystus sp. n. (p. 65), France, J. Dragesco.

Remanella levii sp. n. (p. 204), France, J. Dragesco.

Rhagdostoma roscoffensis sp. n. (p. 82), France, J. Dragesco.

Schewiatoffia n. nom. (=Maupasia Schewiakoff, preoccupied), J. O. Corliss (3).

Sciurula n. nom. (=Sciurella Kopperi, preoccupied), J. O. Corliss (3).

Spathidium mirum sp. n. (p. 86), Rumania, J. Lepsi (4).

Trachelocerca multinucleata (p. 115), T. schulzei (p. 118), T. binucleata (p. 120), T. minuta (p. 120), spp. n. France, J. Dragesco, T. dogieli sp. n. (p. 346), Russia, J. B. Raikov (1).

Trachelonema gen. n. (p. 135), with T. longicollis sp. n. (p. 135) as genotype, T. minima (p. 135), T. grassei (p. 136) sp. n., France, J. Dragesco.

Tracheloraphis gen. n. (p. 120), with T. phoenicopterus n. comb. (=Trachelocerca phoenicopterus) (p. 121), as genotype, Tracheloraphis (=Trachelocerca) aragoi (p. 122), T. incaudatus (p. 125), T. fasciolatus (p. 127), T. griseus (p. 133), comb. n. T. remansi (p. 124), T. drachi (p. 125), T. teissieri (p. 127), T. prenanti (p. 130), T. hyalinum (p. 130), T. swedmarki (p. 31), T. gracilis (p. 133), T. enigmatiens (p. 133), all spp. n. from France, J. Dragesco.

Trichopodiella n. nom. (=Trichopus Claparède & Lachmann, preoccupied), J. O. Corliss (3).

Urotricha armata sp. n. (p. 61), France, J. Dragesco

(b) Trichostomatida.

Bursellopsis n. nom. (= Bursella Schmidt, pre-occupied), J. O. Corliss (3).

Drepanomonas borzai sp. n. (p. 153), Rumania, J. Lepsi (3).

Grandoria n. nom. (= Lagenella R. & L. Grandori, preoccupied), J. O. Corliss (3).

Opisthostomatella n. nom. (=Opisthostomum, Ghosh, preoccupied), J. O. Corliss (3).

(c) Chonotrichida

[No record]

(d) Suctorida.

Actinocyathula n. nom. (=Actino-cyathus Kent, preoccupied), J. O. Corliss (3).

Cyclophrya katharinae n. sp. (†Hungary), J. Kormos (3).

Discosmatella n. nom. (=Discosoma Swarozewsky, preoccupied), J. O. Corliss (3).

Pottsiodes n. nom. (=Pottsia Chatton & Swoff, preoccupied), J. O. Corliss (3).

(e) Apostomatida.

Jeppsia n. nom. (=Chattonella Jepps, preoccupied), J. O. Corliss (3).

Terebrospira lenticularis nom. n. (=Chattonia lenticularis) (p. 333), Palaemon varians, P. Debaisieux.

(f) Astomatida.

Astomatida from oligochaetes of L. Ochrid, P. de Puytorac (3).

Corlissiella gen. n. criodrili n. comb. (p. 285), (=Anoplophrya criodrili Heidenreich), in gut of Criodrilus lacuum and C. cohridensis (L. Ochrid, Jugoslavia), P. de Puytorac (3).

Intoshellina ochridana sp. n. (p. 284), in gut of Ilyodrylus ochridanus (L. Ochrid, Yugoslavia), P. de Puytorac (3).

Ma roderi Me J. Lo

[196

Rac enchys

J. O.

(J. K.

Car

Cry fukui

From sp. n. sp. n. Drage

Ple P. sin J. Dri Sap

J. Le

Franc

Sat prece Tel larvae in vii V², N

J. O.
(h) T
Chi

micro

gen. r (p. 1 (Pulm

striati

Thi

Pty proso U.S.A

(i) Per Germannon

Ep insect Manpasella vacuolata sp. n. (p. 204), gut of Pheretima rodericensis (Prague), J. Lom (1).

Mesnilella bohemica sp. n. (p. 207), gut of Nais sp. J. Lom (1).

Radiophrya enchytraei comb. n. (=Juxtaradiophrya enchytraei) (p. 200), J. Lom (1).

(g) Hymenostomatida.

Bizonula n. nom. (= Bizone Lepsi, preoccupied), J. O. Corliss (3).

Caracatharina (=Catharina), Caracatharina florea (J. Kormos), nov. comb. (p. 22), J. Kormos (2).

Cardiostomatilla n. nom. (=Cardiostoma Kahl, preoccupied), J. O. Corliss (3).

Cryptochilum correct genus for Enterhipidium fukuii, J. Berger (2).

Frontonia macrostoma sp. n. (p. 262), F. vacuolata sp. n. (p. 262), F. caneti sp. n. (p. 264), F. aberrens sp. n. (p. 264), F. bullingtoni sp. n. (p. 266), France, J. Dragesoo.

Lembadion bullinum var. arenicola var. n. (p. 267), France, J. Dragesco.

Pleuronema arenicola (p. 273), P. oculata (p. 276), P. simplex (p. 276), P. grassei (p. 276), spp. n., France, J. Dragesco.

Saprophilus simonis sp. n. (p. 153), Rumania, J. Lepsi (3).

Sathrophilus n. nom. (=Saprophilus Stokes, preoccupied), J. O. Corliss (3).

Tetrahymena chironomi sp. n. (p. 115), from midge larvae, J. O. Corliss (1); Characters of T. paravorax in vitro, H. E. Buhse; Sublimes of T. vorax Strain V., N. E. Williams (2); Designation of HS cultures of micronucleate T. pyriformis as HSM, C. Wells. Turaniella n. nom. (= Turania Brodsky, preoccupied) J. O. Corliss (3).

(h) Thigmotrichida.

18

7,

),

d,

Characters of family Hysterocinetidae, E. N. Kozloff.

Thigmocomidae fam. n. (p. 172), with Thigmocoma gen. n. (p. 169) as type, type sp. T. acuminata sp. n. (p. 167) from kidney of Schistophallus orientalis (Pulmonata), Poland, S. L. Kazubski (2).

Plagiopyiella correct genus for Concholphthirius striatus, J. Berger (2),

Ptychostomum campelomae sp. n. (p. 44), in gut of prosobranch, Campeloma geniculum (N. Carolina, U.S.A.), E. N. Kozloff.

(i) Peritrichida.

Peritrichida from Hungarian swamps (includes German descriptions of new species previously announced in Hungarian), J. Stiller (2).

Epistylis caldwelli sp. n. usually on crustaceans and insects, Singapore, M. Laird (4).

Synonymy of Intranstylum crassicaulis J. Buchar (2).

Pyxidiella n. nom. (= Pyxidium Kent, preoccupied), J. O. Corliss (3).

Rhabdostyla parva sp. n. (p. 155), Rumania, J. Lepsi (3).

Semitrichodina gen. n. (p. 111), type sp. =S. sphaeronuclea nom. n. (p. 109), (=Trichodinella sphaeronuclea Lom), in Schistophallus orientalis (Pulmonata), Poland, S. L. Kasubski (1).

Trichodina intermedia n, sp., T. janovice n. sp., both from Czechoslovakian minnows, Phozinus phozinus, J. Lom (3); T. nigra n. sp. T. domerguei f. magna i. n., T. d. f. esocis i. n., T. nigra f. gobii i. n., T. n. f. cobiits i. n., T. n. f. nemachili i. n., T. janovice n. sp., T. intermedia n. sp., all from Czechoslovakian fish, J. Lom, (3 and 4).

Vorticella coeni sp. n. (p. 154), V. pileolata sp. n. (p. 154), Rumania, J. Lepşi (3).

SPIROTRICHA

(i) Heterotrichida.

List of Antarctic folliculinids, R. A. Ringuelet.

Blepharisma multinucleata sp. n. (p. 288), France, J. Dragesco; B. biancae sp. n. (p. 153), Rumania, J. Lepsi (3).

Condylostoma tenuis sp. n. (p. 43), France, E. Fauré-Fremiet (4); C. remanei var. ozyoura var. n. (p. 295), C. minima (—C. minuta preoccupied) nom. n. (p. 296), C. kahli sp. n. (p. 299), France, J. Dragesco.

Dellochus n. nom. (=Lochus Delphy, preoccupied), J. O. Corliss (3),

Gruberia binucleata sp. n. (p. 296), France, J. Dragesco.

Metopus lemani sp. n. (p. 282), France, J. Dragesco.

Parafolliculina patagonica comb. n. (p. 217), R. A. Ringuelet.

Pseudoblepharisma lacustris sp. n. (p. 89), Rumania, J. Lepsi (4).

(k) Oligotrichida.

Strombidium arenicola (p. 302), S. macronucleatum (p. 303), S. faurei (p. 304), spp. n., S. sauerbragae var. fourneleti var. n. (p. 305), France, J. Dragesco.

(1) Tintinnida.

Tintinnida of Mediterranean Sea, E. Balech,

Ascampbelliella n. nom. (=Curateriella Kofoid and Campbell, preoccupied), J. O. Corliss (3).

Buschiella n. nom. (=Imperfecta Busch, preoccupied), J. O. Corliss (3).

Codonella olla var. n. minor (p. 9), Recent, Israel, B. Komarovsky.

Codonellopsis eylathensis sp. n. (p. 11), Recent, Israel, B. Komarovsky; †C. frigida sp. n. (p. 78), Recent, Antarctic, E. Balech.

Coxitilla meunieri var. n. minor (p. 12), Recent, Israel, B. Komarovsky.

†Epiplocyclis mira sp. n. (p. 80), Recent, Antarotic, E. Balech.

Eutintinnus apertus var. n. curta (p. 9), Recent, Israel, B. Komarovsky.

Niemarshallia n. nom. (= Marshallia Nie & Ch'eng, preoccupied), J. O. Corliss (3).

Tintinopsis tubulosa and T. brandt, taxonomy, E. Halme & T. Lukkarinen.

(m) Entodiniomorphida.

Diplodinium moucheti sp. n. (p. 327), from African antelope, C. Noirot-Timothée (2).

Thoracodinium gen. n. (p. 272), T. vorax sp. n. (p. 274), from caecum of Elephas indicus, B. Latteur.

(n) Odontostomatida.

Discomorphella n. nom. (= Discomorpha Levander: preoccupied), J. O. Corliss (3).

Epalzella n. nom. (=Epalzis Roux, preoccupied), J. O. Corliss (3).

Polydiniella n. nom. (=Polydinium Kofoid, preoccupied), J. O. Corliss (3).

(o) Hypotrichida.

Aspidisca major faurei var. n. (p. 334), A. hyalina sp. n. (p. 335), A. fjeldi sp. n. (p. 336), France, J. Dragesco.

Balladyna euplotes sp. n. (p. 314), France, J. Dragesco.

Discocephalus ehrenbergi sp. n. (p. 324), France. J. Dragesco.

Euplotes aberens sp. n. (p. 320), E. patella var. lemani var. n. (p. 321), E. thononensis sp. n. (p. 322), France, J. Dragesco; Taxonomy of Euplotes, M. Tuffrau.

Euplotidium itoi sp. n. (p. 184), Japan, S. Ito.

Gastrocirrhus trichocystus sp. n. (p. 185), Japan, S.

Grumberella n. nom. (=Stylocoma Gruber, preoccupied), J. O. Corliss (3).

Hemicyclostyla lacustris sp. n. (p. 227), Hungary, J. Gellért & G. Tamás (1).

Histriculus n. nom. (=Histrio Sterki, preoccupied), J. O. Corliss (3).

Histrio macrostoma sp. n. (p. 229), Hungary, J. Gellért & G. Tamás (1).

Kahliella n. nom. (= Kahlia Horváth, preoccupied), J. O. Corliss (3).

Keronopsis litoralis sp. n. (p. 228), Hungary, J. Gellért & G. Tamás (1).

Lacazea gen. n. (p. 320) with L. ovalis sp. n. (p. 320), as genotype, France, J. Dragesco.

Onychodromopsis tihanyensis sp. n. (p. 230), Hungary J. Gellért & G. Tamás (1). Oxytricha quercineti sp. n. (p. 154), Rumania, J. Lepsi (3).

Spirofilopsis n. nom. (=Spirofilum v. Gelei, preoccupied), J. O. Corliss (3).

Steinia fenestrata sp. n. (p. 90), Rumania, J. Lepgi (4).

Tachysoma balatonica sp. n. (p. 229), Hungary. J. Gellert & G. Tamás (1).

Euronychia festinans sp. n. (p. 91), Rumania, J. Lepsi (4).

Urospinula n. nom. (=Urospina v. Gelei, preoccupied), J. O. Corliss (3).

Urostyla algivora sp. n. (p. 228), Hungary, J. Gellért & G. Tamás (1).

PROTISTA INCERTAE SEDIS

†Baltisphaeridium gen. n. (includes H. (pars)
Hystrichosphaeridium longispinosum, genotype) (p.
399), B. neptuni sp. n. (p. 399), Cretaceous, Germany,
A. Eisenack (2); †B. longispinosum 1. n. filifera
(p. 195), B. longispinosum 1. n. latiradiata (p. 195),
B. longispinosum 1. n. robusta (p. 195), B. suecicum,
macrophylum spp. n. (p. 198), B. visbyense sp. n.
(p. 200), B. corralinum sp. n. (p. 201), Silurian,
Germany, A. Eisenack (3); †B. trifurcatum 1. n.,
typica (p. 202), B. trifurcatum 1. n. breviradiata (p. 202),
B. trifurcatum subsp. n. nudum (p. 203), B. trifurcatum
subsp. n., paucifurcatum (p. 203), B. micranthum
sp. n. (p. 203), B.1 lophophorum sp. n. (p. 204),
Silurian, Germany, A. Eisenack (3); †B. brevispinosum
var. n. wenlockensis (p. 59), B. brevispinosum var. n.
granuliferum (p. 59), B. robastispinosum sp. n. (p. 61),
Silurian, England, C. Downie; †B. varispinosum sp. n.
(p. 338), Jurassic, Yorkshire, W. A. S. Sarjeant.

†Cannosphaeropsis aemula subsp. n. integra (p. 47), C. flamentosa sp. n. (p. 47), C. mirabilis sp. n. (p. 48), Jurassic, Australia, I. C. Cookson & A. Eisenack; †C. utimensis subsp. n. filifera (p. 46), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Ceratocystidiopsis ludbrooki sp. n. (p. 52), Cretaceous, Australia, I. C. Cookson & A. Eisenack,

†Chlamydophorella gen. n. nyei sp. n. (p. 56), (holotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Coronifera gen. n. oceanica sp. n. (p. 45) (genotype), Cretaceous, Australia, I. C. Cookson & A. Eisensck.

†Oyclodictyon gen. n. paradozos sp. n. (p. 58) (genotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Cymatiosphaera actoplana, wenlockia spp. n. (p. 63), Silurian, England, C. Downie; †C. pterota, stigmata spp. n. (p. 50), Cretaceous, Australia, I. C. Cookson & A. Eisenack. †C. parva sp. n. (p. 342), Jurassic, Yorkshire, W. A. S. Sarjeant.

†Dioxya gen. n. armata sp. n. (p. 59) (genotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†*Estiastra* gen. n. magna sp. n. (p. 201), Silurian, Germany, A. Eisenack (3).

†Fromea gen. n. (p. 55) amphora sp. n. (p. 56), (holotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

Mais Mais †1 Cret

[1

+1

+1

Gerr

oited

H. 1

Eise

H. 1. C.

(p.

pino

(p. H. o

A. I Silur (p. Eise

Pala sp. n †L. Dow

M. Dow †2 2373 (p. 5

+1

rt

2),

mm

1),

775

n.

n.

7),

k;

18,

8, 6),

ik.

C. 2),

ek. an, (6), †Hystrichokolpoma poculum sp. n. (p. 312), Tertiary, Germany, D. Maier (2).

†Hystrichosphaeridium emendation thereof (p. 399), cited genotype H. tubiferum, H. coinodes sp. n. (p. 402), H. hirundo sp. n. (p. 404), Cretaceous, Germany, A. Eisenack (2); †H. siphoniphorum sp. n. (p. 44), H. parvispinum sp. n. (p. 45), Cretaceous, Australia, I. C. Cookson & A. Eisenack; †H. unthophorum sp. n. (p. 43), Jurassic, Australia, I. C. Cookson & A. Eisenack; †H. lobospinosum sp. n. (p. 314), H. longofilium, rehdense spp. n. (p. 317), H. plicatum, echinoides spp. n. (p. 318), H. asperum, osturnium spp. n. (p. 319), H. stellatum sp. n. (p. 320), H. leptodernum sp. n. (p. 321), H. polyplasium sp. n. (p. 322), Tertiary, Germany, G. Maier (3).

†Korojonia gen. n. dubiosa sp. n. (p. 54)(genotype), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Leiofusa oblonga sp. n. (p. 205), Silurian, Germany, A. Eisenack (3); †L. filifera, tumida spp. n. (p. 65), Silurian, England, C. Downie; †L. jurassica sp. n. (p. 51), Jurassic, Australia, I. C. Cookson & A. Eisenack.

†Leiosphaeridia gen. n. (p. 2), baltica sp. n. (p. 8), Palaeozoic, Germany, A. Eisenack (1); †L. aptiana sp. n. (p. 409), Cretaceous, Germany, A. Eisenack (2), †L. wenlockia sp. n. (p. 65), Silurian, England, C. Downie.

†Membranilarnax leptoderma sp. n. (p. 50), Cretacoous, Australia, I. C. Cookson & A. Eisenack.

†Micrhjstridium stellatum var. n. inflatura (p. 61), M. estonensie sp. n. (p. 62), Silurian, England, C. Downie.

†Nannocomus dauvillieri, multicadus spp. n. (p. 2373), N. elongatus var. n. cylindricus, macrolithus (p. 2373), Cretaceous, France, G. Defiandre & M. Defiandre-Rigaud (2).

†Omatia pisciformis sp. n. (p. 61), Jurassio, Australia, I. C. Cookson & A. Eisenack; †O. gen. n. montgomeryi sp. n. (p. 60) (genotypo), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Pareodinia aphelia sp. n. (p. 60), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Pseudoceratium turneri sp. n. (p. 55), Cretaceous, Australia, I. C. Cookson & A. Eisenack.

†Pterospermopsis aureolata, eurypteris spp. n. (p. 49), Crotaceous, Australia, I. C. Cookson & A. Eisenack; †P. helics sp. n. (p. 342), Jurassic, Yorkshire, W. A. S. Sarjeant.

†Pulvinosphaeridium oligoprojectum sp. n. (p. 64), Silurian, England, C. Downie.

†Pyxidiella gen. n. (p. 51), pandora sp. n. (p. 52) (genotype), Jurassio, Australia, I. C. Cookson & A. Eisenack.

Sphaerochitina collinsoni sp. n. (p. 104), Devonian, U.S.A., D. L. Dunn.

†Stomiosphaera colomi sp. n. (p. 162), S. moreti sp. n. (p. 163), Mesozoic, North Africa, M. Durand Delga (3).

† Tasmanites martinesoni sp. n. (p. 6), T. tardus sp. n. (p. 7), Paleozoic, Germany, A. Eisenack (1).

†Tenua gen n. hystrixa sp. n. (p. 410) (genotype), T. hystricella sp. n. (p. 411), Cretaceous, Germany, A. Eisenack (2).

†Veryhachium tetraedron var. n. wenlockium (p. 62), V. rhomboidium sp. n. (p. 62), Silurian, England, C. Downie.

†Wanaea gen. n. (p. 57) (genotype Epicephalopywis spectabilis Deflandre and Cookson 1955), W. digitata, clathrata spp. n. (p. 58), Jurassic, Australia, I. C. Cookson & A. Eisenack.



